

BLANCO



Kitchen & Laundry

2019 Product Guide

Sink: PRECIS™ U SUPER SINGLE, Anthracite | **Faucet:** SOLENTA™ SENSO, Stainless Finish



The heart of your home.

The heart and soul of the home begins here. When it comes to buying a sink or faucet, you should never compromise. Choose quality and expertise. BLANCO has over 90 years of experience in German engineered, industry leading kitchen workstation design and manufacturing.

With a wide range of materials, installation methods and styles available, BLANCO products provide versatile kitchen and laundry solutions for many different needs and requirements. Appreciate first class function, ease of care and intelligent design. BLANCO - German quality, European design and made in Canada SILGRANIT sinks.



SILGRANIT® Sinks

- | | | | |
|----|----------|----|-----------|
| 10 | MODEX™ | 18 | PERFORMA® |
| 11 | METRA™ | 19 | VISION™ |
| 12 | PRECIS™ | 21 | VIENNA™ |
| 15 | DIAMOND™ | | |

IKON® sinks available in the Farmhouse Sinks section

Stainless Steel Sinks

- | | | | |
|----|--------------|----|------------|
| 24 | ANDANO™ | 30 | TIPO™ |
| 25 | QUATRUS® R15 | 31 | NIAGARA™ |
| 27 | QUATRUS® | 32 | ESSENTIAL™ |
| 29 | STELLAR® | | |

STEELART® Sinks

- | | | | |
|----|------------|----|------------|
| 36 | ATTIKA™ | 38 | RADIUS™ 10 |
| 36 | PRECISION™ | | |

Farmhouse Sinks

- | | | | |
|----|---------------------|----|------------|
| 42 | IKON® | 44 | PRECISION™ |
| 43 | QUATRUS® R15 | 44 | PROFINA™ |
| 44 | PRECISION™ Durinox® | | |

Bar / Prep Sinks

- | | | | |
|----|----------------------------|----|----------------------|
| 46 | SILGRANIT® Bar / Prep | 49 | STEELART® Bar / Prep |
| 47 | Stainless Steel Bar / Prep | | |

Universally Accessible Sinks

- | | | | |
|----|----------------------|----|---------------------------|
| 51 | SILGRANIT® ADA / CSA | 51 | Stainless Steel ADA / CSA |
|----|----------------------|----|---------------------------|

Laundry Sinks

- | | | | |
|----|--------------------|----|-------------------------|
| 53 | SILGRANIT® Laundry | 53 | Stainless Steel Laundry |
|----|--------------------|----|-------------------------|

Faucets and Soap Dispensers

- | | | | |
|----|----------------------------|----|-------------------|
| 59 | Semi-professional faucets | 65 | Classic faucets |
| 61 | Colour-coordinated faucets | 67 | Specialty faucets |
| 64 | Contemporary faucets | 68 | Soap Dispensers |


Sink Accessories

- | | | | |
|----|-----------------------------|----|-------------------|
| 71 | QUATRUS® Gourmet Series | 72 | Other accessories |
| 71 | SOLON™ Organic Waste System | | |



How to choose a sink

1 Determine the size of your sink cabinet




- Standard kitchen cabinets come in size increments of 3" (for example 18", 21" 24", 27", 30", 33", 36" etc.).
- Measure from gable to gable (left to right). Be sure to measure from outside edge to outside edge.
- This is the minimum cabinet size. All BLANCO sinks indicate the minimum cabinet size requirements.


2 Determine the depth of your countertop

Are you keeping an existing laminate countertop that has a backsplash?

For laminate or stone countertops without a backsplash.



A sink that measures up to 20 1/2" deep (front to back) should fit.



A sink that measures up to 22" deep (front to back) should fit.

When installing an undermount sink, it is important to ensure that enough space is allocated for the faucet, fixtures and other materials behind the sink. We recommend consulting your installer.

3 Sink material

Stainless Steel

- Heat and stain resistant
- BLANCO stainless steel sinks come equipped with sound-absorbing pads to reduce noise

SILGRANIT®

- Patented granite composite material
- Extremely durable: scratch, stain, heat & impact resistant
- Variety of colours
- Easy to clean

Fireclay/Ceramic

- Ultra-smooth, polished surface
- High gloss white
- Easy to clean


4 Sink style

Rethink your sink with more style options! BLANCO offers farmhouse sinks, sinks with integrated drainboards, undermount and drop-ins - all with a variety of bowl configurations.


5 Bowl configuration and depth

Choose a bowl configuration based on how you use your kitchen and what will best suit the needs of your household.


Single Bowl



Offset Double Bowl



Equal Double Bowl




Low Divide Double Bowl




6 Installation methods

Undermount


Sink is installed under the counter. Beautiful option for quartz, granite and marble countertops. Undermount sink installation reveals:



Countertop edge sits back from the edge of the sink, exposing the sink rim, typical 1/8".



Countertop meets the edge of the sink, fitting flush.



Countertop extends over the edge of the sink.

Drop-in

Sink is installed from above. Great for any countertop type, especially laminate countertops.

Farmhouse sinks

Most farmhouse sinks have a customized undermount installation, however please refer to individual product instructions for more details.




SILGRANIT® Sinks

Sink: IKON® 33, Concrete Gray NEW | Faucet: SOLENTA™ SENSO, Stainless Finish

BLANCO SILGRANIT® Colour Palette.

Discover the beauty.



White



Metallic Gray




Cinder



Anthracite



Biscuit



Truffle



Café

NEW



Concrete Gray

Introducing the latest addition to the SILGRANIT colour palette: Concrete Gray. This engineered colour combines the highly sought-after raw look and beauty of concrete with the functionality, feel and performance of our patented SILGRANIT material.



Beauty, Strength, Durability.

The legacy continues.

Spirited innovation over the last three decades has lead to the revolutionary material we know today as SILGRANIT. All BLANCO SILGRANIT sinks come with a Limited Lifetime Warranty.



Made in Canada
Engineered in Germany
Manufacturing facility in Toronto,
Ontario.



Easy to clean

Simple cleaning materials, like baking soda and a sponge, are all you need. No harsh chemicals required.



Scratch resistant

Granite composite is extremely strong and will not scratch. Simply wipe off any marks from forks or knives.



Heat resistant

Can withstand up to 280°C (536 °F) exceeding common boiling, baking or broiling temperatures.



Impact resistant

Extremely durable and will not crack or break if heavy pots or small heavy items (like soup cans) are dropped into the sink.



Anti-bacterial

Repellant surface features our patented Hygienic+Plus protection formula reducing bacteria growth by up to 98%.



Acid and stain resistant

Non-porous surface repels liquids and does not absorb bacteria or odours.



Beauty and design

BLANCO offers over 40 different SILGRANIT sink models in 8 different colours – a total of over 300 products.



Natural smooth surface

A patented material made of (up to 80%) natural granite with a smooth look and feel.



Non-fading

Coloured all the way through and will not fade due to wear and tear or exposure to direct sunlight.


MODEX™

Architectural art captured in stone.



- CapFlow™, ash compound cutting board, strainer and installation instructions included

MODEX™



- 401440 (Anthracite)
- 401442 (Cinder)
- 401441 (White)

Drop-in Island installation only
Min Cabinet Size*
 24" (610 mm)
Bowl Depth
 7 7/8" (200 mm)

Ash compound cutting board and CapFlow™ included.
 Note: 4 additional knock-out holes for accessories.


METRA™

Clean lines. Modern functionality.



- Strainer(s), drop-in clips and installation instructions included

METRA™ 8 S NEW




- 401638 (Anthracite)
- 401639 (Café)
- 401640 (Cinder)
- 402247 (Metallic Gray)
- 401641 (White)

Drop-in Reversible
Min Cabinet Size*
 33" (840 mm)
Bowl Depth
 7 1/2" (190 mm)

Note: comes with overflow
 2 knock-out holes
 To protect from damage, this model should be shipped on a pallet

METRA™ X




- 401045 (Anthracite)
- 401046 (Café)
- 401413 (Cinder)
- 401335 (White)

Drop-in Reversible
Min Cabinet Size*
 24" (610 mm)
Bowl Depth
 7 1/2" (190 mm)

Note: Cinder comes with overflow
 2 knock-out holes

METRA™ 9 E



Drop-in
Min Cabinet Size*
 36" x 36" (915 x 915 mm)
Bowl Depth
Main 7 1/2" (190 mm)
Sec 4 3/4" (120 mm)

Note: comes with overflow
 3 knock-out holes
 To protect from damage, this model should be shipped on a pallet

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

PRECIS™


Be prepared for the unexpected.



Sink: PRECIS™ U 1 3/4 LOW DIVIDE, Concrete Gray **NEW**
Faucet: SOLENTA™ SENSO, Stainless Finish

- Strainer(s), clips, template and installation instructions included

PRECIS™ CASCADE




- | | |
|-------------------------|--------------------------|
| 401445 (Anthracite) | Undermount |
| 401446 (Café) | Min Cabinet Size* |
| 401447 (Cinder) | 33" (840 mm) |
| 401684 (Metallic Gray) | Bowl Depth |
| 401481 (Truffle) | Main 7 7/8" (200 mm) |
| 402268 (Concrete Gray)* | Sec 5 1/2" (140 mm) |
| 401813 (Biscuit) | Mesh basket included. |
| 401482 (White) | |

PRECIS™ U 1 3/4




- | | |
|-------------------------|--------------------------|
| 400583 (Anthracite) | Undermount |
| 400585 (Café) | Min Cabinet Size* |
| 401396 (Cinder) | 36" (915 mm) |
| 401682 (Metallic Gray) | Bowl Depth |
| 401142 (Truffle) | 9 1/2" (240 mm) |
| 402263 (Concrete Gray)* | |
| 401817 (Biscuit) | |
| 401706 (White) | |

PRECIS™ U 1 3/4 LOW DIVIDE




- | | |
|-------------------------|--------------------------|
| 402065 (Anthracite) | Undermount |
| 402066 (Café) | Min Cabinet Size* |
| 402067 (Cinder) | 36" (915 mm) |
| 402068 (Metallic Gray) | Bowl Depth |
| 402069 (Truffle) | 9 1/2" (240 mm) |
| 402264 (Concrete Gray)* | |
| 402070 (Biscuit) | |
| 402071 (White) | |

PRECIS™ U 2



- | | |
|-------------------------|--------------------------|
| 400580 (Anthracite) | Undermount |
| 400581 (Café) | Min Cabinet Size* |
| 401415 (Cinder) | 33" (840 mm) |
| 401681 (Metallic Gray) | Bowl Depth |
| 401179 (Truffle) | 8" (205 mm) |
| 402265 (Concrete Gray)* | |
| 401818 (Biscuit) | |
| 401705 (White) | |

PRECIS™ U SUPER SINGLE




- | | |
|-------------------------|--|
| 400890 (Anthracite) | Undermount |
| 400889 (Café) | Min Cabinet Size* |
| 401397 (Cinder) | 36" (915 mm) |
| 401683 (Metallic Gray) | Bowl Depth |
| 401143 (Truffle) | 9 1/2" (240 mm) |
| 402266 (Concrete Gray)* | Note: To protect from damage, this model should be shipped on a pallet |
| 401819 (Biscuit) | |
| 401820 (White) | |

PRECIS™ U SINGLE 27




- | | |
|------------------------|--------------------------|
| 401888 (Anthracite) | Undermount |
| 401890 (Café) | Min Cabinet Size* |
| 401891 (Cinder) | 30" (760 mm) |
| 401892 (Metallic Gray) | Bowl Depth |
| 401893 (Truffle) | 8 5/8" (220 mm) |
| 401889 (Biscuit) | |
| 401894 (White) | |

PRECIS™ U SINGLE 24



- | | |
|------------------------|--------------------------|
| 401879 (Anthracite) | Undermount |
| 401881 (Café) | Min Cabinet Size* |
| 401882 (Cinder) | 27" (685 mm) |
| 401883 (Metallic Gray) | Bowl Depth |
| 401884 (Truffle) | 8 5/8" (220 mm) |
| 401880 (Biscuit) | |
| 401885 (White) | |

PRECIS™ U 1



- | | |
|-------------------------|--------------------------|
| 400825 (Anthracite) | Undermount |
| 400880 (Café) | Min Cabinet Size* |
| 401417 (Cinder) | 24" (610 mm) |
| 401680 (Metallic Gray) | Bowl Depth |
| 401181 (Truffle) | 7 1/2" (190 mm) |
| 402267 (Concrete Gray)* | |
| 401816 (Biscuit) | |
| 401704 (White) | |

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.




Sink: Drop-in installation - PRECIS™ W/ DRAINBOARD, Metallic Gray
Faucet: BLANCOCULINA™ MINI, Chrome
Accessories: Grid tray and CapFlow™



Sink: Undermount installation - PRECIS™ W/ DRAINBOARD, White
Faucet: BLANCOCULINA™ MINI, Chrome
Accessories: Grid tray and CapFlow™

PRECIS™ W/ DRAINBOARD



- 401613 (Anthracite)
- 401614 (Café)
- 401617 (Cinder)
- 401616 (Metallic Gray)
- 401618 (Truffle)
- 401814 (Biscuit)
- 401622 (White)

Dual-mount Reversible**
Min Cabinet Size*
 33" (840 mm)
Bowl Depth
 7 1/2" (190 mm)

Grid tray included with the sink shown.
 ** Sink can be installed as a drop-in or undermount

Additional PRECIS™ sinks available.
 See ADA / CSA and Bar / Prep Sinks for more information.

DIAMOND™


Precious design captured in stone.



Sink: DIAMOND™ U SUPER SINGLE, Concrete Gray **NEW**
Faucet: SOLENTA™, Stainless Finish
Accessory: CapFlow™

- Strainer(s), drop-in clips, template and installation instructions included


DIAMOND™ U 1 3/4



- 400077 (Anthracite)
- 400309 (Café)
- 401403 (Cinder)
- 401660 (Metallic Gray)
- 401149 (Truffle)
- 402271 (Concrete Gray)*
- 401811 (Biscuit)
- 400076 (White)

Undermount
Min Cabinet Size*
 36" (915 mm)
Bowl Depth
Main 9 1/2" (240 mm)
Sec 8" (205 mm)


DIAMOND™ U 1 3/4 LOW DIVIDE



- 401572 (Anthracite)
- 401573 (Café)
- 401574 (Cinder)
- 401664 (Metallic Gray)
- 401576 (Truffle)
- 402272 (Concrete Gray)*
- 401810 (Biscuit)
- 401577 (White)

Undermount
Min Cabinet Size*
 36" (915 mm)
Bowl Depth
 9 1/2" (240 mm)

DIAMOND™ U 2



- 400073 (Anthracite)
- 400322 (Café)
- 401402 (Cinder)
- 401662 (Metallic Gray)
- 401148 (Truffle)
- 402273 (Concrete Gray)*
- 401852 (Biscuit)
- 400072 (White)

Undermount
Min Cabinet Size*
 36" (915 mm)
Bowl Depth
 9 1/2" (240 mm)

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

DIAMOND™ U 2 LOW DIVIDE




- | | |
|--------------------------------|--------------------------|
| 401834 (Anthracite) | Undermount |
| 401835 (Café) | Min Cabinet Size* |
| 401837 (Cinder) | 36" (915 mm) |
| 401840 (Metallic Gray) | Bowl Depth |
| 401836 (Truffle) | 9 1/2" (240 mm) |
| 402274 (Concrete Gray)* | |
| 401839 (Biscuit) | |
| 401838 (White) | |

DIAMOND™ U SUPER SINGLE




- | | |
|--------------------------------|--------------------------|
| 401623 (Anthracite) | Undermount |
| 401624 (Café) | Min Cabinet Size* |
| 401627 (Cinder) | 36" (915 mm) |
| 401631 (Metallic Gray) | Bowl Depth |
| 401628 (Truffle) | 9 1/2" (240 mm) |
| 402275 (Concrete Gray)* | |
| 402132 (Biscuit) | |
| 401630 (White) | |

DIAMOND™ U 1




- | | |
|--------------------------------|--------------------------|
| 400081 (Anthracite) | Undermount |
| 400367 (Café) | Min Cabinet Size* |
| 401404 (Cinder) | 27" (685 mm) |
| 401658 (Metallic Gray) | Bowl Depth |
| 401150 (Truffle) | 10" (254 mm) |
| 402276 (Concrete Gray)* | |
| 402131 (Biscuit) | |
| 400080 (White) | |

DIAMOND™ 1 3/4



- | | |
|--------------------------------|---|
| 400060 (Anthracite) | Drop-in |
| 400343 (Café) | Min Cabinet Size* |
| 401407 (Cinder) | 36" (915 mm) |
| 401659 (Metallic Gray) | Bowl Depth |
| 401153 (Truffle) | Main 9 1/2" (240 mm) |
| 402277 (Concrete Gray)* | Sec 8" (205 mm) |
| 402134 (Biscuit) | Note: 4 additional knock-out holes for accessories. |
| 400059 (White) | |

DIAMOND™ 210



- | | |
|--------------------------------|---|
| 400056 (Anthracite) | Undermount |
| 400365 (Café) | Min Cabinet Size* |
| 401406 (Cinder) | 36" (915 mm) |
| 401661 (Metallic Gray) | Bowl Depth |
| 401152 (Truffle) | 9 1/2" (240 mm) |
| 402278 (Concrete Gray)* | Note: 4 additional knock-out holes for accessories. |
| 402133 (Biscuit) | |
| 400055 (White) | |

DIAMOND™ SUPER SINGLE



- | | |
|--------------------------------|--|
| 400069 (Anthracite) | Drop-in |
| 400369 (Café) | Min Cabinet Size* |
| 401409 (Cinder) | 36" (915 mm) |
| 401665 (Metallic Gray) | Bowl Depth |
| 401155 (Truffle) | 9 1/2" (240 mm) |
| 402279 (Concrete Gray)* | Note: 6 additional knock-out holes for accessories. |
| 402136 (Biscuit) | To protect from damage, this model should be shipped on a pallet |
| 400068 (White) | |

DIAMOND™ 1



- | | |
|--------------------------------|---|
| 400064 (Anthracite) | Drop-in |
| 400368 (Café) | Min Cabinet Size* |
| 401408 (Cinder) | 27" (685 mm) |
| 401657 (Metallic Gray) | Bowl Depth |
| 401154 (Truffle) | 10" (255 mm) |
| 402280 (Concrete Gray)* | Note: 1 additional knock-out hole for accessory |
| 402135 (Biscuit) | |
| 400063 (White) | |

Additional DIAMOND™ sink available.
See Bar / Prep Sinks for more information.

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

PERFORMA®


Indulge in the performance, function and beauty.



Sink: PERFORMA® CASCADE,
Concrete Gray
Faucet: SOLENTA™ SENSO,
Stainless Finish
Accessory: CapFlow™


- Strainer(s), template and installation instructions included

PERFORMA® CASCADE




400886 (Anthracite)	Undermount
400887 (Café)	Min Cabinet Size*
401420 (Cinder)	36" (915 mm)
401708 (Metallic Gray)	Bowl Depth
401191 (Truffle)	Main 10" (255 mm)
402282 (Concrete Gray)*	Sec 7 3/4" (197 mm)
402140 (Biscuit)	Mesh basket included.
402141 (White)	Note: To protect from damage, this model should be shipped on a pallet

PERFORMA® U 1 3/4 LOW DIVIDE



401185 (Anthracite)	Undermount
401186 (Café)	Reversible
401418 (Cinder)	Min Cabinet Size*
401710 (Metallic Gray)	36" (915 mm)
401188 (Truffle)	Bowl Depth
402283 (Concrete Gray)*	10" (255 mm)
402139 (Biscuit)	
401711 (White)	

PERFORMA® U 2



400499 (Anthracite)	Undermount
400475 (Café)	Min Cabinet Size*
401419 (Cinder)	36" (915 mm)
401712 (Metallic Gray)	Bowl Depth
401189 (Truffle)	10" (255 mm)
402284 (Concrete Gray)*	
402138 (Biscuit)	
401713 (White)	

Additional PERFORMA® sink available.
See Bar / Prep Sinks for more information.

* NEW SPRING 2019

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

VISION™


Proudly Canadian.



Sink: VISION™ 210, Cinder
Faucet: TORINO™ JR, Cinder


- Strainer(s), drop-in clips, template and installation instructions included

VISION™ U 1 3/4




401138 (Anthracite)	Undermount
401139 (Café)	Min Cabinet Size*
401395 (Cinder)	33" (840 mm)
401676 (Metallic Gray)	Bowl Depth
401141 (Truffle)	Main 8" (205 mm)
402286 (Concrete Gray)*	Sec 7" (178 mm)
401829 (Biscuit)	
402145 (White)	

VISION™ U 2



400085 (Anthracite)	Undermount
400376 (Café)	Min Cabinet Size*
401398 (Cinder)	33" (840 mm)
401678 (Metallic Gray)	Bowl Depth
401144 (Truffle)	8 1/4" (210 mm)
402287 (Concrete Gray)*	
401830 (Biscuit)	
402144 (White)	

VISION™ U 1 1/2



401130 (Anthracite)	Undermount
401131 (Café)	Min Cabinet Size*
401393 (Cinder)	30" (760 mm)
401674 (Metallic Gray)	Bowl Depth
401133 (Truffle)	Main 8" (205 mm)
402288 (Concrete Gray)*	Sec 7" (178 mm)
401828 (Biscuit)	
402146 (White)	

* NEW SPRING 2019

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

VIENNA™


Organic curves and smooth lines.

VISION™ U 1



- | | |
|-------------------------|--------------------------|
| 400492 (Anthracite) | Undermount |
| 400494 (Café) | Min Cabinet Size* |
| 401400 (Cinder) | 27" (685 mm) |
| 402098 (Metallic Gray) | Bowl Depth |
| 401146 (Truffle) | 8" (205 mm) |
| 402289 (Concrete Gray)* | |
| 401827 (Biscuit) | |
| 402147 (White) | |


VISION™ 1¾



- | | |
|-------------------------|--------------------------|
| 401134 (Anthracite) | Drop-in |
| 401135 (Café) | Min Cabinet Size* |
| 401394 (Cinder) | 33" (840 mm) |
| 401137 (Truffle) | Bowl Depth |
| 402290 (Concrete Gray)* | Main 8" (205 mm) |
| 401825 (Biscuit) | Sec 7" (178 mm) |

Note: 2 additional knock-out holes for accessories


VISION™ 210



- | | |
|-------------------------|--------------------------|
| 400012 (Anthracite) | Drop-in |
| 400307 (Café) | Min Cabinet Size* |
| 401399 (Cinder) | 33" (840 mm) |
| 401677 (Metallic Gray) | Bowl Depth |
| 401145 (Truffle) | 8 1/4" (210 mm) |
| 402291 (Concrete Gray)* | |
| 401826 (Biscuit) | |
| 400010 (White) | |

Note: 4 additional knock-out holes for accessories


VISION™ 1½



- | | |
|-------------------------|--------------------------|
| 401126 (Anthracite) | Drop-in |
| 401127 (Café) | Min Cabinet Size* |
| 401392 (Cinder) | 30" (760 mm) |
| 401129 (Truffle) | Bowl Depth |
| 402292 (Concrete Gray)* | Main 8" (205 mm) |
| 401824 (Biscuit) | Sec 7" (178 mm) |

Note: 4 additional knock-out holes for accessories

VISION™ 1



- | | |
|-------------------------|--------------------------|
| 400174 (Anthracite) | Undermount |
| 400364 (Café) | Min Cabinet Size* |
| 401401 (Cinder) | 27" (685 mm) |
| 401671 (Metallic Gray) | Bowl Depth |
| 401147 (Truffle) | 8" (205 mm) |
| 402293 (Concrete Gray)* | |
| 401823 (Biscuit) | |


Note: 4 additional knock-out holes for accessories



Sink: VIENNA™ 210, Anthracite
Faucet: TORINO™ JR, Anthracite
Accessory: TORRE™
Soap Dispenser, Anthracite

- Strainers, drop-in clips, template and installation instructions included

VIENNA™ 210



- | | |
|-------------------------|--------------------------|
| 400171 (Anthracite) | Drop-in |
| 400911 (Café) | Min Cabinet Size* |
| 401476 (Cinder) | 33" (840 mm) |
| 401670 (Metallic Gray) | Bowl Depth |
| 401822 (Truffle) | 8" (205 mm) |
| 402294 (Concrete Gray)* | |
| 401821 (Biscuit) | |
| 400170 (White) | |

Note: 4 additional knock-out holes for accessories

* NEW SPRING 2019

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* NEW SPRING 2019

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Classic. Timeless. Beautiful.

With over 90 years' experience in kitchen technology, design and manufacturing, BLANCO offers the ultimate in stainless steel quality and craftsmanship. All BLANCO Stainless Steel sinks come with a Limited Lifetime Warranty.



Stainless Steel Sinks

Sink: ANDANO™ U MEDIUM SINGLE, Stainless Steel | Faucet: URBENA™, Chrome | Accessory: CapFlow™



Quality

Superior quality 304 series stainless steel with 18/10 chrome-nickel content.



Durability

Non-porous, rust, heat and stain resistant.



Design

Rounded or tight corners, different sink shapes, various bowl depths and bowl configurations.



Accessories

Sink grids, cutting boards, workstations, colanders and more!

ANDANO™

Symphony in stainless steel.




Sink: ANDANO™ U 2, Stainless Steel
Faucet: URBENA™, Chrome




- Strainer(s), clips and installation instructions included

ANDANO™ U 2




Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
7 1/2" (190 mm)

ANDANO™ U SUPER SINGLE



Undermount
Min Cabinet Size*
33" (840 mm)
Bowl Depth
7 1/2" (190 mm)

ANDANO™ U MEDIUM SINGLE



Undermount
Min Cabinet Size*
24" (610 mm)
Bowl Depth
7 1/2" (190 mm)

Additional ANDANO™ sinks available.
See Bar / Prep Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

QUATRUS® R15


Everyday convenience meets modern design.



Sink: QUATRUS® R15 U 2,
Stainless Steel
Faucet: URBENA™, Chrome


- Strainer(s), clips, template and installation instructions included

QUATRUS® R15 U 1 3/4




Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)

QUATRUS® R15 U 2



Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)


QUATRUS® R15 U SUPER SINGLE



Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.


QUATRUS® R15
U 1 MEDIUM



401517

Undermount
Min Cabinet Size*
27" (685 mm)
Bowl Depth
9" (230 mm)

QUATRUS® R15 U 1



401516

Undermount
Min Cabinet Size*
24" (610 mm)
Bowl Depth
9" (230 mm)

Additional QUATRUS® R15 sinks available.

See Apron Front, Bar / Prep and Laundry Sinks for more information.

QUATRUS®


The perfect combination of design,
price and function.



Sink: QUATRUS® U SUPER
SINGLE, Stainless Steel
Faucet: BLANCO CULINAT™
Classic Steel

- Strainer(s), clips, template and installation instructions included


QUATRUS® U 1¾



401244

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)


QUATRUS® U 2



401247

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)

QUATRUS® U
SUPER SINGLE



401248

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
9" (230 mm)


* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

STELLAR®

Classic design with stellar looks and performance.


QUATRUS® U 1 MEDIUM



401246

Undermount
Min Cabinet Size*
 27" (685 mm)
Bowl Depth
 9" (230 mm)


QUATRUS® U 1



401273

Undermount
Min Cabinet Size*
 24" (610 mm)
Bowl Depth
 9" (230 mm)


QUATRUS® U NEW



402259

Undermount
Min Cabinet Size*
 21" (535 mm)
Bowl Depth
 9" (230 mm)

QUATRUS® DROP IN 2.0



401646


1 hole

401647

3 holes

Drop-in
Min Cabinet Size*
 33" (840 mm)
Bowl Depth
 8" (205 mm)

QUATRUS® DROP IN 1.0



401644

1 hole

401645

3 holes


Drop-in
Min Cabinet Size*
 27" (685 mm)
Bowl Depth
 8" (205 mm)



Sink: STELLAR® U 1¾, Stainless Steel
 Faucet: SONOMA™, Stainless Finish

- Strainer(s), clips, template and installation instructions included


STELLAR® U 1¾



401026

Undermount
Min Cabinet Size*
 36" (915 mm)
Bowl Depth
Main 9" (230 mm)
Sec 7" (178 mm)

STELLAR® U 1½



401027

Undermount
Min Cabinet Size*
 36" (915 mm)
Bowl Depth
Main 9" (230 mm)
Sec 7" (178 mm)

STELLAR® U SUPER SINGLE



401028

Undermount
Min Cabinet Size*
 30" (760 mm)
Bowl Depth
 9" (230 mm)

Additional QUATRUS® sinks available.
 See ADA / CSA and Bar / Prep Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required.
 Consult the cabinet manufacturer.

Additional STELLAR® sink available.
 See Bar / Prep Sink for more information.

* Depending on cabinet construction, a different cabinet size may be required.
 Consult the cabinet manufacturer.

TIPO™


New definition of function.



Sink: TIPO™ XL 6 S, Stainless Steel


- Strainer(s), drop-in clips and installation instructions included

TIPO™ 8 S



Drop-in
Min Cabinet Size*
33" (840 mm)
Bowl Depth
6 1/2" (165 mm)

TIPO™ XL 6 S



Drop-in
Min Cabinet Size*
24" (610 mm)
Bowl Depth
7 1/4" (185 mm)

NIAGARA™


Simple and functional for daily kitchen needs.



Sink: NIAGARA™ U 2, Stainless Steel
Faucet: RITA™, Chrome


- Strainers, clips, template and installation instructions included

NIAGARA™ U 2



Undermount
Min Cabinet Size*
33" (840 mm)
Bowl Depth
8" (205 mm)

NIAGARA™ U 1 1/2



Undermount
Min Cabinet Size*
30" (760 mm)
Bowl Depth
Main 8" (205 mm)
Sec 6 1/2" (165 mm)

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

ESSENTIAL™


Affordable style for your kitchen.



Sink: ESSENTIAL™ U 2, Stainless Steel
Faucet: SONOMAT™, Stainless Finish

- Strainer(s), drop-in clips, template and installation instructions included


ESSENTIAL™ U 2



400008

Undermount
Min Cabinet Size*
33" (840 mm)
Bowl Depth
8" (205 mm)


ESSENTIAL™ U 1½



400006

Undermount
Min Cabinet Size*
30" (760 mm)
Bowl Depth
Main 8" (205 mm)
Sec 7" (178 mm)


ESSENTIAL™ U 1



400009

Undermount
Min Cabinet Size*
27" (685 mm)
Bowl Depth
8" (205 mm)


ESSENTIAL™ 2



400001
1 hole
400003
3 holes

Drop-in
Min Cabinet Size*
33" (840 mm)
Bowl Depth
8" (205 mm)


ESSENTIAL™ 1½



401001
1 hole
401003
3 holes

Drop-in
Min Cabinet Size*
30" (760 mm)
Bowl Depth
Main 8" (205 mm)
Sec 7" (178 mm)

ESSENTIAL™ 1



401101
1 hole
401103
3 holes
401104
4 holes

Drop-in
Min Cabinet Size*
27" (685 mm)
Bowl Depth
8" (205 mm)

Note: 4th hole is 4" centre from the last hole on the right hand side

Additional ESSENTIAL™ sinks available.
See Bar / Prep and Laundry Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

Art meets technology.

The ultimate expression of art and technology. Artisanal techniques, advanced engineering and state-of-the-art technology. Combine these elements with premium construction and surgical grade stainless steel, and a masterpiece emerges.

In small, exclusive production runs, each STEELART sink is superbly crafted with precision from a single panel of premium quality 304 series, 18-gauge stainless steel with 18/10 chrome-nickel content. All BLANCO STEELART sinks come with a Limited Lifetime Warranty.



STEELART® Sinks

Sink: RADIUS™ 10 U SUPER SINGLE, Stainless Steel | Faucet: BLANCO CULINA™, Classic Steel | Accessory: TORRE™ Soap Dispenser, Classic Steel



Zero-radius corners

PRECISION undermount sinks feature zero radius corners and angular bowl geometry.



10 mm radius Corners

Pioneered by BLANCO, RADIUS 10 sinks feature elegant slightly rounded 10 mm corners that are smooth to the touch.



'X' Pattern

Our 'X' pattern drain groove helps remove water quickly from the sink.



Durinox® Surface

Twice as hard as traditional stainless steel, extremely resistant to scratches and has a velvety-matte look. Durinox® sink on p.44.



Satin Polish Finish

Our luxurious, satin polish finish. This results in a highly reflective, beautiful shine.

ATTIKA™

Elevated Elegance.




Sink: ATTIKA™, Stainless Steel
Faucet: BLANCO CULINA™, Chrome
Accessory: Walnut cutting board



- Strainer and clips included

ATTIKA™



401495

Drop-in
Min Cabinet Size*
30" (760 mm)
Bowl Depth
10" (254 mm)

PRECISION™

Art of precision in every detail.




Sink: PRECISION™ U SUPER SINGLE APRON, Stainless Steel
Faucet: BLANCO CULINA™, Classic Steel
Accessory: CapFlow™

- Strainer(s) and clips included
- Template and installation instructions included (excluding PRECISION™ U SUPER SINGLE APRON)

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.


PRECISION™ U 1 ¼



400473

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)

PRECISION™ U 2



400399

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)


PRECISION™ U SUPER SINGLE



400472

Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)


PRECISION™ U LARGE



400471

Undermount
Min Cabinet Size*
27" (685 mm)
Bowl Depth
10" (254 mm)

PRECISION™ U 1



400397

Undermount
Min Cabinet Size*
21" (530 mm)
Bowl Depth
10" (254 mm)

Additional PRECISION™ sinks available.
See Apron Front and Bar / Prep Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

RADIUS™ 10


Where elegance meets pure design and innovation.



Sink: RADIUS™ 10 U SUPER SINGLE, Stainless Steel
Faucet: BLANCOOCULINA™, Classic Steel
Accessory: TORRE™ Soap Dispenser, Classic Steel


- Strainer(s), clips, template and installation instructions included

RADIUS™ 10 U SUPER SINGLE




Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)

RADIUS™ 10 U LARGE




Undermount
Min Cabinet Size*
27" (685 mm)
Bowl Depth
10" (254 mm)

RADIUS™ 10 U 1½




Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
Main 10" (254 mm)
Sec 8" (205 mm)

RADIUS™ 10 U




Undermount
Min Cabinet Size*
21" (535 mm)
Bowl Depth
10" (254 mm)

RADIUS™ 10 U 1¾



Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)

RADIUS™ 10 U 2



Undermount
Min Cabinet Size*
36" (915 mm)
Bowl Depth
10" (254 mm)

Additional RADIUS™ 10 sinks available.
See Bar / Prep Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.



Farmhouse Sinks

Sink: IKON® 27, Concrete Gray NEW | Faucet: POSH™, Anthracite NEW

Farmhouse Sinks

Excelling in style. Excelling in choices.

Enjoy that timeless farmhouse charm - without the farm. From farmhouse-inspired majestic kitchens to urban condos, BLANCO shows a true commitment to apron front sink design.

BLANCO offers the popular farmhouse sink style in 3 robust materials and over 10 different models. All BLANCO sinks come with a Limited Lifetime Warranty.



SILGRANIT®

Strength, durability and beauty - the legacy continues with the first apron front of its kind, made from our patented granite composite material.



Stainless Steel

As a world leading manufacturer of stainless steel products, our QUATRUS R15 apron front collection combines the traditional farmhouse style with contemporary details.



STEELART®

Individual masterpieces crafted with precision in Germany, in small production runs. Using a single panel of premium stainless steel, BLANCO artisans transform steel into exceptional products.



Fireclay


Old world elegance meets sophisticated design. The creation process includes handfinishing techniques and high firing temperatures resulting in a smooth, glossy, durable surface.

SILGRANIT® farmhouse sinks




Sink: IKON® 33 1 3/4 LOW DIVIDE, Concrete Gray **NEW**
Faucet: BLANCOCULINA™, Chrome


IKON® 33 1 3/4 LOW DIVIDE **NEW** SPRING 2019




IKON® 33



IKON® 30



IKON® 27 **NEW** SPRING 2019



- | | |
|-------------------------|--------------------------------|
| 402331 (Anthracite) | Undermount |
| 402333 (Café) | Min Cabinet Size* 36" (915 mm) |
| 402334 (Cinder) | Bowl Depth 9 1/4" (235 mm) |
| 402335 (Metallic Gray) | Apron Front Depth 10" (254 mm) |
| 402336 (Truffle) | Rim Thickness 1 1/2" (38 mm) |
| 402338 (Concrete Gray)* | |
| 402332 (Biscuit) | |
| 402337 (White) | |

- | | |
|-------------------------|--------------------------------|
| 401870 (Anthracite) | Undermount |
| 401872 (Café) | Min Cabinet Size* 36" (915 mm) |
| 402128 (Cinder) | Bowl Depth 9 1/4" (235 mm) |
| 401874 (Metallic Gray) | Apron Front Depth 10" (254 mm) |
| 402129 (Truffle) | Rim Thickness 1 1/2" (38 mm) |
| 402261 (Concrete Gray)* | |
| 402130 (Biscuit) | |
| 401876 (White) | |

- | | |
|-------------------------|--------------------------------|
| 401831 (Anthracite) | Undermount |
| 401832 (Café) | Min Cabinet Size* 33" (840 mm) |
| 401858 (Cinder) | Bowl Depth 9 1/4" (235 mm) |
| 401865 (Metallic Gray) | Apron Front Depth 10" (254 mm) |
| 401866 (Truffle) | Rim Thickness 1 1/2" (38 mm) |
| 402262 (Concrete Gray)* | |
| 401863 (Biscuit) | |
| 401833 (White) | |


- | | |
|------------------------|--------------------------------|
| 402233 (Anthracite) | Undermount |
| 402235 (Café) | Min Cabinet Size* 30" (760 mm) |
| 402236 (Cinder) | Bowl Depth 9 1/4" (235 mm) |
| 402237 (Metallic Gray) | Apron Front Depth 10" (254 mm) |
| 402238 (Truffle) | Rim Thickness 1 1/2" (38 mm) |
| 402240 (Concrete Gray) | |
| 402234 (Biscuit) | |
| 402239 (White) | |

Stainless Steel farmhouse sinks




Sink: QUATRUS® R15 ERGON SUPER SINGLE APRON, Stainless Steel **NEW**
Faucet: PANERA™, Stainless Steel
Accessories: Ash cutting board included. Rails sold separately.

QUATRUS® R15 ERGON SUPER SINGLE APRON **NEW** SPRING 2019



- | | |
|--------|--------------------------------|
| 402254 | Undermount |
| | Min Cabinet Size* 36" (915 mm) |
| | Bowl Depth 9" (230 mm) |
| | Apron Front Depth 9" (230 mm) |
| | Ash cutting board included. |

QUATRUS® R15 U 2 APRON




- | | |
|--------|--------------------------------|
| 401867 | Undermount |
| | Min Cabinet Size* 36" (915 mm) |
| | Bowl Depth 9" (230 mm) |
| | Apron Front Depth 9" (230 mm) |

QUATRUS® R15 U SUPER SINGLE APRON



- | | |
|--------|--------------------------------|
| 401868 | Undermount |
| | Min Cabinet Size* 36" (915 mm) |
| | Bowl Depth 9" (230 mm) |
| | Apron Front Depth 9" (230 mm) |

QUATRUS® R15 U 1 MEDIUM APRON



- | | |
|--------|--------------------------------|
| 401869 | Undermount |
| | Min Cabinet Size* 27" (685 mm) |
| | Bowl Depth 9" (230 mm) |
| | Apron Front Depth 9" (230 mm) |

All IKON® sinks: To protect from damage, this model should be shipped on a pallet


* **NEW** SPRING 2019

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.


* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

STEELART® farmhouse sinks

PRECISION™ Durinox® SUPER SINGLE APRON


	402122	Undermount Min Cabinet Size* 36" (915 mm) Bowl Depth 10" (254 mm) Apron Front Depth 9" (230 mm)
--	---------------	---

PRECISION™ U SUPER SINGLE APRON

	400191	Undermount Min Cabinet Size* 36" (915 mm) Bowl Depth 10" (254 mm) Apron Front Depth 9" (230 mm)
--	---------------	---

Fireclay farmhouse sink

PROFINA™

	401808	Undermount Min Cabinet Size* 39" (990 mm) Bowl Depth 9 1/8" (232 mm) Apron Front Depth 10" (254 mm) Beech cutting board included. Note: Special Installation Instructions - a custom sink base and support system are required for installation of this sink. The cabinet area beneath the sink MUST be reinforced to provide sufficient support. Wood or metal support frame for the sink must support 400 lbs (182 kg). To protect from damage, this model should be shipped on a pallet
--	---------------	---

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Bar / Prep Sinks

Sink: QUATRUS® R15 U BAR, Stainless Steel | Faucet: EMPRESSA™ BAR / PREP, Stainless Finish

Bar / Prep Sinks

Small sinks. Big advantages.

BLANCO offers an impressive lineup of bar and prep sinks in STEELART, stainless steel and SILGRANIT varieties. Square, rectangle or round shapes in different colours and materials will add to your bar / prep zone. All BLANCO sinks come with a Limited Lifetime Warranty.

SILGRANIT® Bar / Prep sinks

BLANCORONDO™

	400801 (Anthracite)	Drop-in
	400871 (Café)	Min Cabinet Size*
	401421 (Cinder)	21" (535 mm)
		Bowl Depth
		6 1/2" (165 mm)

PRECIST™ U ¾

	400827 (Anthracite)	Undermount
	400882 (Café)	Min Cabinet Size*
	401416 (Cinder)	18" (455 mm)
	401679 (Metallic Gray)	Bowl Depth
	401180 (Truffle)	7 1/2" (190 mm)
	402270 (Concrete Gray)*	
	401815 (Biscuit)	
	401703 (White)	

DIAMOND™ MINI

	400033 (Anthracite)	Drop-in
	400366 (Café)	Min Cabinet Size*
	401405 (Cinder)	18" (455 mm)
	401663 (Metallic Gray)	Bowl Depth
	401151 (Truffle)	8" (205 mm)
	402281 (Concrete Gray)*	
	402137 (Biscuit)	
	400032 (White)	

PERFORMA® U BAR

	401841 (Anthracite)	Undermount
	401842 (Café)	Min Cabinet Size*
	401844 (Cinder)	21" (535 mm)
	401845 (Metallic Gray)	Bowl Depth
	401843 (Truffle)	9" (230 mm)
	402285 (Concrete Gray)*	
	402142 (Biscuit)	
	402143 (White)	

Stainless Steel Bar / Prep sinks

BLANCORONDO™

	400775	Drop-in
		Min Cabinet Size*
		21" (535 mm)
		Bowl Depth
		6 1/2" (165 mm)

LINCOLN™

	400781	Drop-in
		Min Cabinet Size*
		15" (381 mm)
		Bowl Depth
		5 1/2" (140 mm)

WINCHESTER™

	400780	Drop-in
		Min Cabinet Size*
		18" (455 mm)
		Bowl Depth
		6" (150 mm)

ANDANO™ U SMALL SINGLE

	401331	Undermount
		Min Cabinet Size*
		21" (535 mm)
		Bowl Depth
		7 1/2" (190 mm)

ANDANO™ U BAR

	401330	Undermount
		Min Cabinet Size*
		18" (455 mm)
		Bowl Depth
		7 1/2" (190 mm)


* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Stainless Steel Bar / Prep sinks


QUATRUS® R15 U BAR



401515

Undermount
Min Cabinet Size*
21" (535 mm)
Bowl Depth
8" (205 mm)


QUATRUS® U BAR



401245

Undermount
Min Cabinet Size*
21" (535 mm)
Bowl Depth
8" (205 mm)

STELLAR® U BAR



401029

Undermount
Min Cabinet Size*
18" (455 mm)
Bowl Depth
6½" (165 mm)


SUPREME™ U ¾



400719

Undermount
Min Cabinet Size*
18" (455 mm)
Bowl Depth
7" (178 mm)

BLANCOWAVE™ PLUS U ½



400744

Undermount
Min Cabinet Size*
15" (381 mm)
Bowl Depth
7" (178 mm)

STEELART® Bar / Prep sinks


PRECISION™ U ¾



400396

Undermount
Min Cabinet Size*
18" (455 mm)
Bowl Depth
10" (254 mm)


RADIUS™ 10 U BAR



400304

Undermount
Min Cabinet Size*
21" (535 mm)
Bowl Depth
8" (205 mm)

RADIUS™ 10 U SMALL BAR



400430

Undermount
Min Cabinet Size*
18" (455 mm)
Bowl Depth
10" (254 mm)

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Universally Accessible Sinks

Sink: PRECIS™ SINGLE 25 ADA / CSA, Anthracite | Faucet: ARTONA®, Stainless Finish / Anthracite

Universally accessible sinks



Greater accessibility by design.



Accessible design

With proper countertop and cabinet construction, a shallow sink with a rear-positioned drain helps provide sufficient knee clearance when used from a seated position.



Material options

Both Stainless Steel and SILGRANIT sink models are available - SILGRANIT is an extremely durable, granite composite material that is exceptionally easy to clean.



Installation versatility


BLANCO ADA / CSA compliant sink models are available in both undermount and drop-in varieties.



Easy to use faucets

BLANCO has an assortment of single lever and automatically activated faucets – providing easy control of water temperature, flow and direction.


PRECIS™ SINGLE 25
ADA / CSA



- 402073 (Anthracite)
 - 402074 (Cinder)
 - 402075 (Metallic Gray)
 - 402269 (Concrete Gray)*
- Dual-mount****
Min Cabinet Size*
27" (685 mm)
Bowl Depth
5" (127 mm)

Note: 2 additional knock-out holes for accessories
** Sink can be installed as a drop-in or undermount

QUATRUS® U 1 MEDIUM
ADA / CSA



- 402149
- Undermount**
Min Cabinet Size*
27" (685 mm)
Bowl Depth
5 1/2" (140 mm)



ADA / CSA B651 compliant

Check your local code requirements to ensure compliance

* **NEW SPRING 2019**

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

blancocanada.com



Laundry Sinks


Sink: LIVEN™, Biscuit | Faucet: ARTONA®, Stainless Finish / Biscuit | Accessory: Dish rack

Laundry sinks

Laundry room love.

Take your laundry room to the next level with clean, modern and highly functional design aesthetics found in our beautiful collection of laundry sinks. All BLANCO sinks come with a Limited Lifetime Warranty.

LIVEN™




- 401902 (Anthracite)
 - 401904 (Café)
 - 401905 (Cinder)
 - 401906 (Metallic Gray)
 - 401907 (Truffle)
 - 402297 (Concrete Gray)*
 - 401903 (Biscuit)
 - 401908 (White)
- Dual-mount****
Min Cabinet Size*
27" (685 mm)
Bowl Depth
12" (305 mm)
- ** Sink can be installed as a drop-in or undermount
Note: 4 additional knock-out holes for accessories
To protect from damage, this model should be shipped on a pallet

PRACTIKA™




- 400779
- Drop-in**
Min Cabinet Size*
30" (760 mm)
Bowl Depth
10" (254 mm)

QUATRUS® R15 LAUNDRY



- 401802
- Dual-mount****
Min Cabinet Size*
27" (685 mm)
Bowl Depth
12" (305 mm)
- * Sink can be installed as a drop-in or undermount

ESSENTIAL™ LAUNDRY



- 401201
1 hole
 - 401202
3 holes (4" centre)
 - 401203
3 holes (8" centre)
 - 401204
4 holes
- Drop-in**
Min Cabinet Size*
27" (685 mm)
Bowl Depth
12" (305 mm)

* **NEW** SPRING 2019
* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Faucets and Soap Dispensers

Faucet: SOLENTA™ SENSO, Stainless Finish




How to choose a faucet

1 Style


Determine what style will fit the design of your kitchen. From modern semi-professional to traditional bridge faucets – understanding your style preference will help you pick a faucet you will love.

2 Faucet height



Ensure there is enough clearance for upper cabinetry by knowing the height of the faucet you're interested in. High arc faucets are usually more suited for island installations, or in front of a window.

3 Faucet reach



Make sure you check how far the spout reaches out from the faucet's base to ensure it's proportionate to the size of your sink.

4 Features

Look for features like pull-out or pull-down sprays, side sprays, professional hose coils and magnetic docking arms. These features add a lot of value to everyday kitchen tasks.

5 Finish

Chrome, stainless steel, classic steel, matte black or dual finish options can make a huge impact on the overall look and design of your kitchen.



Faucet styles.

With over 100 shapes, sizes and colours to choose from, many BLANCO faucet families include bar / prep varieties, beverage faucets and soap dispensers. All BLANCO faucets come with a Limited Lifetime Warranty.



Semi-professional

Inspired by faucets in professional, commercial kitchens with special details such as pressure sprayers and magnetic docking arms.



Colour-coordinated

Designed to coordinate beautifully with a spectrum of SILGRANIT® sink colours.



Contemporary

Modern, minimalistic design with sleek, streamlined features.



Classic



Traditional design elements with modern performance and function.

Finish options.

In addition to a variety of full metal faucet finishes, BLANCO exclusively offers colour-coordinated finishes in three varieties: Full Finish, Dual Finish, with Chrome, or Dual Finish with Stainless Steel.



Colour-coordinated

Full finish

	Anthracite		Metallic Gray		Biscuit
	Café		Truffle		White
	Cinder				

Dual finish

Chrome / SILGRANIT®

	Chrome / Anthracite		Chrome / Metallic Gray		Chrome / Biscuit
	Chrome / Café		Chrome / Truffle		Chrome / White
	Chrome / Cinder				

Dual finish

Stainless Finish / SILGRANIT®

	Stainless Finish / Anthracite		Stainless Finish / Metallic Gray		Stainless Finish / Biscuit
	Stainless Finish / Café		Stainless Finish / Truffle		Stainless Finish / White
	Stainless Finish / Cinder				

Full metal

	Chrome (Ch) Highly reflective, smooth finish with a brilliant, mirror-like shine.		Classic Steel (CS) Deep, rich brushed finish with a warm undertone.
	Stainless Finish (SF) Slightly softer brushed finish with a cool undertone.		Stainless Steel (Exclusive to PANERA™ faucet) Gently brushed raw steel with a matte finish.

BLANCO Faucets



Premium Quality

BLANCO faucets are made of solid brass and solid stainless steel construction, and include ceramic cartridges that are smooth in operation and pressure resistant.



Easy Installation

All BLANCO faucets are equipped with colour-coded, flexible braided stainless steel inlet hoses for easy installation.



Convenience

Many faucets include our patented silicone nozzles – you can rub the nozzles with your fingertip to prevent buildup from lime scale deposits.



Function

Pull-out sprayheads with dual spray patterns, magnetic handspray holders and sensor technology (on select models) provide the ultimate convenience in the kitchen.

Award-winning design



reddot award 2015
winner



reddot design award
winner 2011



reddot award 2017
winner

Note: All BLANCO faucets require the same size, 1 3/8" diameter drilled faucet hole. All faucet parts that are required for installation are included in the faucet packaging.



Semi-professional faucets



Faucet: BLANCO COCULINA™, Classic Steel

Features

- Insulated handspray with dual selectable spray patterns (except GOURMET faucet)
- Flexible spring / rubber hose allows easy range of motion
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression nut for easy installation
- Solid brass construction
- Ceramic disc cartridge

SOLENTA™



SOLENTA™ SENSE
Pull-down, dual spray



401992
Chrome



401993
Stainless Finish



Battery pack included.



SOLENTA™
Pull-down, dual spray




401990
Chrome



401991
Stainless Finish

GOURMET™



GOURMET™
Solid spout, pressure spray



400522
Chrome




400523
Classic Steel

Colour-coordinated faucets


BLANCOCULINA™



BLANCOCULINA™
Pull-down, dual spray




BLANCOCULINA™ MINI
Pull-down, dual spray



EMPRESSA™



EMPRESSA™ SEMI-PRO
Pull-down, dual spray




Additional EMPRESSA™ faucets (page 65) and matching soap dispenser (page 68) available.

DIVA™




DIVA™
Pull-down, dual spray



CATRIS™



CATRIS™
Pull-down, dual spray



Features

- Insulated handspray with dual selectable spray patterns (except bar / prep faucets)
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression nut for easy installation
- Solid brass construction
- Ceramic disc cartridge



Faucet: URBENA™, Chrome / White

ARTONA®




ARTONA®
Pull-down, dual spray

- | | |
|-----------------------------------|-------------------------------------|
| 442030
Chrome | 442026
SF / Metallic Gray |
| 442029
Stainless Finish | 442027
SF / Truffle |
| 442023
SF / Anthracite | 403773
SF / Biscuit |
| 442024
SF / Café | 442028
SF / White |
| 442025
SF / Cinder | |




ARTONA® BAR / PREP
Pull-down

- | | |
|-----------------------------------|-------------------------------------|
| 442046
Chrome | 442042
SF / Metallic Gray |
| 442045
Stainless Finish | 442043
SF / Truffle |
| 442039
SF / Anthracite | 403782
SF / Biscuit |
| 442040
SF / Café | 442044
SF / White |
| 442041
SF / Cinder | |



Matching soap dispenser available on page 68.

Finishes



URBENA™



2.2 GPM



URBENA™
Pull-down, dual spray

403729

Chrome

403730

Stainless Finish

403731

Ch / Anthracite

403732

Ch / Café

403734

Ch / Cinder

403736

Ch / Metallic Gray

403735

Ch / Truffle

403737

Ch / Biscuit

403738

Ch / White

POSH™



2.2 GPM

POSH™
Pull-out, dual spray

403826
Chrome

403827

Classic Steel

403847 NEW

Anthracite

403848 NEW

White

403830

Ch / Anthracite

403831

Ch / Café

403832
Ch / Cinder

403842

Ch / Metallic Gray

403840

Ch / Truffle


403844

Ch / Biscuit

403846

Ch / White

ALTA™



2.2 GPM

ALTA™
Pull-out, dual spray

401317

Chrome

401318

Classic Steel

401451

Anthracite

401452

Café

401456

Cinder

403810

Metallic Gray

401453

Truffle

403811

Biscuit

401454

White

401315

Ch / Anthracite

401316

Ch / Café

401450

Ch / Cinder

403805

Ch / Metallic Gray

401327

Ch / Truffle


403806

Ch / Biscuit

403809

Ch / White

TORINO™ JR.



2.2 GPM

TORINO™ JR.
Pull-out, dual spray

440520

Chrome

403760

Classic Steel

441210

Anthracite

440521

Café

441517

Cinder

403803

Metallic Gray

441328

Truffle

403804

Biscuit

403823

White



2.2 GPM

ALTA™ BAR / PREP
Solid spout

400544

Chrome

400545

Classic Steel

400570

Anthracite

400571

Café

403812

Cinder

403818

Metallic Gray

403817

Truffle

403819

Biscuit

403825

White

RITA™



2.2 GPM

RITA™
Pull-down, dual spray

401460

Chrome



401461

Classic Steel


401462

Ch / Anthracite

Finishes



Finishes



Contemporary faucets



Faucet: PANERA™, Stainless Steel

Features

- Premium insulated handspray
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression nut for easy installation
- Solid brass construction (except PANERA™ faucet)
- Stainless Steel construction for PANERA™ faucet
- Ceramic disc cartridge

Classic faucets



Faucet: EMPRESSA™ BRIDGE, Stainless Finish

Features

- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression nut for easy installation
- Solid brass construction
- Ceramic disc cartridge


PANERA™



PANERA™
Pull-out, dual spray

402043
Stainless Steel

SILHOUETTE™



SILHOUETTE™
Pull-out

400548
Chrome

400549
Classic Steel

EMPRESSA™



EMPRESSA™ BRIDGE
Pull-down, dual spray

442504
Chrome

442505
Stainless Finish



EMPRESSA™ SEMI-PRO
Pull-down, dual spray

442508
Chrome

442509
Stainless Finish


HARMONY™



HARMONY™
Pull-down

400518
Chrome

400519
Classic Steel



HARMONY™ BAR / PREP
Solid spout

400550
Chrome

400551
Classic Steel



EMPRESSA™ HIGH ARC
Pull-down, dual spray

442501
Chrome


442500
Stainless Finish




EMPRESSA™ BAR / PREP
Pull-down

442512
Chrome

442513
Stainless Finish



 Matching soap dispenser
available on page 68.


NAPA™



2.2 GPM



NAPA™
Pull-down, dual spray


-  **441506**
Chrome
-  **441507**
Stainless Finish




2.2 GPM

NAPA™ BAR / PREP
Pull-down, dual spray

-  **441759**
Chrome
-  **441760**
Stainless Finish



 Matching soap dispenser
available on page 68.

CANTATA™ Pot Filler



2.2 GPM

CANTATA™
Pot filler

-  **400525**
Chrome
-  **400526**
Classic Steel





SONOMA™




2.2 GPM

Optional
1.5 GPM
reducer
included

SONOMA™
Pull-down, dual spray

-  **401569**
Chrome
-  **401570**
Stainless Finish

 Plaque de
conversion inclus.



 Matching soap dispenser
available on page 68.

SOLA™ Beverage Faucet



1.5 GPM

SOLA™
Beverage faucet

-  **401655**
Chrome
-  **401656**
Stainless Finish

Soap Dispensers



Soap Dispenser: LATO™, Stainless Finish

- Solid brass construction
- Refillable from above the deck
- Suitable for liquid dish or hand soap (recommendation: dilute soap with water - 70/30 proportion to prevent clogging)
- Limited Lifetime Warranty

ARTONA®



ARTONA® Soap Dispenser
12.5 fl oz. (370 ml)

- | | |
|-----------------------------------|-------------------------------------|
| 442048
Chrome | 442052
SF / Metallic Gray |
| 442047
Stainless Finish | 442053
SF / Truffle |
| 442049
SF / Anthracite | 403800
SF / Biscuit |
| 442050
SF / Café | 442054
SF / White |
| 442051
SF / Cinder | |


TORRE™



TORRE™ Soap Dispenser
15 fl oz. (450 ml)

- | | |
|--------------------------------|--------------------------------|
| 400601
Chrome | 401851
Metallic Gray |
| 400537
Classic Steel | 401215
Truffle |
| 400693
Anthracite | 401850
Biscuit |
| 400694
Café | 401216
White |
| 401449
Cinder | |


EMPRESSA™



EMPRESSA™ Soap Dispenser
12 fl oz. (355 ml)

- | |
|-----------------------------------|
| 442516
Chrome |
| 442517
Stainless Finish |

QUADRIS™ II



QUADRIS™ II Soap Dispenser
10 fl oz. (300 ml)

- | |
|--------------------------------|
| 401472
Chrome |
| 401473
Classic Steel |


NAPA™



NAPA™ Soap Dispenser
12.5 fl oz. (370 ml)

- | |
|-----------------------------------|
| 441755
Chrome |
| 441756
Stainless Finish |


SONOMA™



SONOMA™ Soap Dispenser
12.5 fl oz. (370 ml)

- | |
|-----------------------------------|
| 441757
Chrome |
| 441758
Stainless Finish |

LATO™



LATO™ Soap Dispenser **NEW SPRING 2019**
10 fl oz. (300 ml)

- | | |
|-----------------------------------|-------------------------------------|
| 402298
Chrome | 402305
Ch / Metallic Gray |
| 402299
Stainless Finish | 402306
Ch / Truffle |
| 402300
Ch / Anthracite | 402302
Ch / Biscuit |
| 402303
Ch / Café | 402307
Ch / White |
| 402304
Ch / Cinder | |



Sink Accessories

Accessory: Floating grid


BLANCO Accessories



Go beyond the basics.
Add functional beauty.

A wide range of custom sink accessories create a whole new kitchen experience, offering added convenience, function, and style. BLANCO accessories are available for both undermount and drop-in sinks, as well as farmhouse sinks in stainless steel or SILGRANIT.

Bottom grids



Floating grids



Colanders



Multi-functional sink rails **NEW**



Baskets



Cutting boards



QUATRUS® Gourmet Series




Ash compound cutting board
406345




Workstation
406344



Elevated grid
406346



Super single grid,
QUATRUS® R15
406347



Super single grid,
QUATRUS®
402125

OLON™ Organic Waste System



OLON™
Organic Waste System
401919




Cutting board




Maple cutting board
406501



Ash compound cutting board
406345




Walnut cutting board
406380



Beech cutting board
406340

Rails



Rails (set of 2), QUATRUS® R15
ERGON SUPER SINGLE APRON
402256 NEW SPRING 2019



Mechanical pop-up strainers



3 1/2" Mechanical pop-up strainer,
Round button design
406244



3 1/2" Mechanical pop-up strainer,
Square button design
401243 (Chrome button) 401242 (St. Steel button)

Basket strainers




3 1/2" strainer with 5" plastic tailpipe
406216 (Basic)
406314 (Standard)
406311 (Premium)




3 1/2" crumb cup strainer
406310 (Basic)
406320 (Standard)
406301 (Premium)

Mesh baskets



Mesh basket
406461



Mesh basket
406399

Colanders




Colander
406462




Colander
406397


Racks




Dish rack
401807



Laundry rack
401952




Floating dish rack NEW
406998



Floating dish rack NEW
406999

Crockery basket



Crockery basket
406470


Workstation



Workstation
406344


Warranty

Magnetic caddy



Magnetic caddy
230694

CapFlow™



CapFlow™ strainer cover
517666

Sink clips



Package of 10 clips to
undermount drop-in sinks
406251

Deck plate



Deck plate
400620
(Chrome)

400621
(Stainless steel)

BLANCOCLEAN



Coloured sink cleaner
406200



Stainless Steel sink cleaner
406201



12 Pack coloured
sink cleaner
406210



12 Pack Stainless
Steel cleaner
406211



12 Pack combo
cleaner (6 of each)
406212

A/C adaptor



A/C 110V adaptor
406595

Grids

Full product details available at
blancocanada.com.

Limited Lifetime Warranty:

Stainless Steel and SILGRANIT® Sinks

BLANCO CANADA INC. hereafter referred to as BLANCO, is pleased to offer a Limited Lifetime Warranty with all BLANCO sinks used in normal domestic installations. BLANCO warrants its sinks to be free from all manufacturing defects in material and workmanship.

BLANCO will repair or replace, at no charge, excluding labour, any sink supplied by BLANCO that is proven to be defective under normal use. An equivalent replacement will be issued to the original owner provided the defective sink was installed in accordance with BLANCO installation procedures, used and cleaned as recommended and not damaged due to abuse, misuse or negligence. Chips, scratches and stains are not deemed to be manufacturing defects. BLANCO will not be held liable for chips, scratches and stains that can occur under normal use over a period of time. Please refer to cleaning instructions to maintain your sink in its original appearance. BLANCO shall not be held liable under this warranty where the sink has been used in a non-domestic application, improperly installed, or damaged from the impact caused by a heavy object being dropped on the sink or from improper handling. BLANCO shall not be liable for any inconvenience or expense for material or labour related to the removal or replacement of a defective sink or for any loss or damage to any person or property whatsoever resulting from the defective sink. All transportation costs to and from the point of purchase will be the responsibility of the purchaser.

Any sink returned must be in the original packaging and include all the accompanying accessories, parts and documentation. BLANCO reserves the right to inspect any sink reported to be defective prior to replacement of the sink.

WARRANTY EXCLUSIONS

Excluded are any accessories that accompany the sink (strainers, waste fittings, waste chutes etc.).

Accessories and Soap Dispensers

BLANCO warrants its accessories and soap dispensers to be free from manufacturing defects for a period of one (1) year from the date of purchase.

Limited Lifetime Warranty: Faucets

All faucets are thoroughly checked and tested in the factory. However, if the faucet has a manufacturing defect, BLANCO reserves the right to replace the damaged part or the entire faucet.

BLANCO warrants its faucets to be free from manufacturing defects in material and workmanship; and the finish and ceramic disk cartridge to be free from manufacturing defects and workmanship, to the original consumer purchaser of the faucet from the original date of purchase for as long as the original consumer purchaser owns their home. If the cartridge proves to be defective during the warranty period, BLANCO will provide a replacement free of charge.

**Finish and ceramic disk cartridge
(*Lifetime to original consumer purchaser)**

LIFETIME*

**Mechanical components, hand spray and hoses
(*Lifetime to original consumer purchaser)**

LIFETIME*

Warranty

A new enhanced warranty program for faucets took effect April 15, 2010. (This is not retroactive to previously purchased faucets). It extends the previous 2-year limited period for mechanical components, hand spray and hoses to a Limited Lifetime Warranty period. (As before, the finish and ceramic disc cartridge have limited lifetime warranties).

This warranty does not cover faucets which have been improperly installed or subject to improper use or used in a location other than a residential kitchen or faucets which have been damaged due to mineral deposits or the use of corrosive or abrasive cleaning agents. This warranty does not cover shipping costs, labour costs or any other cost associated with the installation or replacement of the product/parts and is extended only to the original consumer purchaser of the faucet.

BLANCO is not responsible or liable for indirect, special or consequential damages arising out of or in connection with the use or performance of its faucets and its liability under this warranty is limited to the replacement of the defective material at the location of purchase.

Obligation of the original owner

The original dated sales receipt must be retained by the customer and is the only acceptable proof of purchase.

BLANCO makes no additional warranties, expressed or implied and any implied warranty including that of merchantability or fitness for a particular purpose, is limited in its duration to the duration of the written limited warranties set forth herein.

No employee, agent or other person is authorized to provide any warranty on behalf of BLANCO for a BLANCO product that is in addition to or different from the warranty stated above unless the warranty has been previously approved by an authorized BLANCO representative.

This warranty gives you specific legal rights and you may also have other rights which may vary from province to province.

To obtain warranty service,
please call BLANCO Customer Service
toll free at 1-877-425-2626



BLANCO Canada head office
Brampton, ON



BLANCO Canada SILGRANIT manufacturing facility
Toronto, ON

Disclaimers:
BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organizations.

All technical data and information are provided as a public service to customers of BLANCO Canada Inc. ("BLANCO"). All designs and model numbers of products are trademarks of BLANCO. Prices and specifications of BLANCO's products are subject to change without notice or obligation. BLANCO may also change or discontinue models of its products without notice or obligation. While BLANCO endeavors to provide you with accurate information and descriptions of its products, accuracy and completeness cannot be guaranteed. For precise cut-out dimensions, please refer to the installation template or specification sheet included with product. BLANCO is not responsible for, nor does it have any liability for any mistakes or typographical errors, including liability for incidental, consequential, or special damages. All products should be inspected and measured promptly upon delivery and certainly before any improvements or alterations are done in anticipation of or preparation for installation. BLANCO assumes no liability for the use of such information or for any damages incurred through its use or application. Nothing contained in this publication is to be construed as contractual or providing any form of warranty or representation on the part of BLANCO. BLANCO makes no warranties, express or implied, including but not limited to any warranty of merchantability or of fitness for a particular purpose, as to the information contained herein or the products described herein.

Ink colours in this publication are reproduced as close as possible to the actual product colour or finish, however, variations may occur.

Image Policy
All images are copyright BLANCO Canada Inc. Use of BLANCO images requires prior written authorization from BLANCO. (BLANCO and SILGRANIT® are registered trademarks of BLANCO GmbH + Co KG.)

Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

[illegible]

BLANCO CANADA INC.
100 Corporation Drive
Brampton, Ontario L6S 6B5
Toll Free Tel: 1-877-425-2626
Toll Free Fax: 1-877-825-2626
blancocanada.com



BLANCO