



Home Appliances

International
Catalogue
2020

TEKA

Teka Kitchen appliances

Teka group	03
Cook your way to life	05
Our values	07
Worldwide presence	09
Based on you	15
Art and design	17

Products	Ovens	32
	Compacts	84
	Microwaves	108
	Hobs	128
	Free Standing cookers	200
	Hoods	206
	Dishwashers	276
	Cold Line	296
	Laundry	328
	Water heaters	348
Kitchen accessories	362	



Teka Group

*Thousands of solutions.
Millions of moments.*

Teka Group belongs to the German Heritage B holding, being the consumption section specialist in kitchen and bath household appliances. Teka Group comprehends different worldwide leading brands, such as Teka, Küppersbusch, Intra, Mofem or Thor. The group, with more than 140 years of history, has become an international example of household appliances and sanitary manufacturing. Teka brand is one of the most important European manufacturer of stainless steel sinks, built-in kitchen appliances, and bath solutions. As of today, Teka owns 15 factories and 4.000 workers around the world, with presence in more than 120 countries in five continents.

TEKA

Küppersbusch
FÖR KÖCHEN MIT STIL

intra
SCANDINAVIAN DESIGN

 MOFÉM

The kitchen is the heart of your home. In Teka, we design appliances to be the soul of your kitchen. Because it is here where life happens, where some of the best moments of our lives take place.

The kitchen is more for us than just a place where meals are made. It is a place to laugh, to dream, to contribute, to talk, to make decisions, to share news, to make life plans and, in the end, a place to live unforgettable moments. For all these reasons, we design and manufacture appliances to bring solutions and real innovation to the kitchen, solutions that fit with your lifestyle and in harmony with your home. Every day we work to better understand your needs and bring new solutions to help you out by finding new possibilities in the kitchen. Our trademark, born in Germany, relies on quality, technology and innovation. Teka products are known worldwide for their reliability, efficiency and precision. Today, after almost 100 years of history, Teka keeps working exhaustively to give all of its products the best functionalities and design to reach excellence in every step. Our values, deeply rooted in our company, are clear: Honesty, Generosity and Originality.

This means we work for you and we are always by your side, helping you to solve your everyday problems with world class quality solutions. Customer satisfaction is our main concern. We have strived from our very beginning towards best quality products, the most modern and original designs, and the best innovations at a fair price.




A close-up photograph of a young girl with light brown hair, smiling slightly while looking off-camera. She has dark chocolate smudges on her face, particularly around her mouth and nose. Her hands, which are also covered in chocolate, are stirring a large metal mixing bowl with a wooden spoon. The bowl contains a thick, dark substance, likely chocolate. The background is blurred, showing what appears to be a kitchen setting.

Cook your **way to life**

A wide-angle photograph of a natural landscape. In the foreground, there's a steep hillside covered in dark green vegetation. To the right, a large body of water, possibly a lake or a wide river, stretches across the frame, its surface calm and reflecting the light. In the background, there are more hills and mountains, some with snow-capped peaks visible under a clear sky.

Creating
meaningful
moments



Honesty

We are on your side

We connect with our customers, with a responsible, clear and transparent dialogue .Teka is close to you, understands your needs and enables you to discover new possibilities when in your kitchen.

Generosity

We do more

We focus on the genuine and essential: our aim is to transform the functional into humans. That's why we care about providing outstanding technology, innovation and original design, at fair prices. To combine home stories with our heritage of superiors


Originality

A relevant alternative

We awaken emotions and preference, thanks to our singular way of doing things. Our goal is to connect with people by enabling experiences that go beyond product features and innovation. For us, inspiration is the right path towards becoming our customer

Wherever
a customer
needs us,

**we deliver
solutions**



1

📍 PARIS, FRANCE

Eiffel Tower. Eiffel Tower, Paris.



2

📍 EL CAIRO, EGYPT

Four Seasons Hotel. Four Seasons, five stars hotel.



4

📍 DUBAI, UAE

Park Tower. Two-tower mixed-use complex in the heart of Dubai International Financial Centre.



5

📍 BERLIN, GERMANY


Hotel Adlon. Hotel Adlon Kempinski in Berlin.

A tall, modern residential tower at dusk or night, illuminated from within.

6

DUBAI, UAE


Damac Heights. Residential tower of 335 m. Located in Dubai Marina

Interior view of the Adolfo Suárez Madrid-Barajas Airport terminal, featuring a large glass-enclosed area and yellow structural columns.

7

MADRID, SPAIN

Adolfo Suárez Airport. T4, Madrid Airport.

Exterior view of Heathrow Airport Terminal 3 at night, illuminated with purple lights.


8

LONDON, UK

Heathrow Airport. Heathrow Airport in London.



10



9

9

📍 DOHA, QATAR

The Pearl of Qatar. Located in Doha, The Pearl is an artificial archipelago that covers almost four million square meters, with 15.000 apartments and a little Venice inside the complex.

10

📍 DUBAI, UAE

Ocean Heights. Residential skyscraper of 310 meters high and 83 floors, located in Dubai Marina.



11



12



11

📍 **MADRID, SPAIN**

Santiago Bernabéu Stadium. Real Madrid C.F. Football Stadium.



12

📍 **ABU DABHI, UAE**

Millenium Bab Al Qsar Hotel. Five stars hotel located in front of the Emirates Palace.

13

📍 **LONDON, UK**


Emirates Stadium. Arsenal FC Football Stadium


14

📍 **DUBAI, UAE**

Princess Tower. Residential building of 414 meters high and 101 floors. It's the second tallest residential building in the world.

Based on you





We work to make your life easier, and to design products to be the perfect complement for your kitchen.

As we truly believe that the kitchen is the heart of our homes and our lives, we create products to be in harmony with your lifestyle. To help you choose and know which product best suits to your style, we have created three different lifestyle product categories, to have an option that suits you perfectly. All our products are classified by these three lifestyles, to facilitate the search and comparison of products.

MAESTRO

The products of the **MAESTRO** range are designed for the most demanding ones. For those in love with the kitchen who want to enjoy the latest innovations, and who enjoy haute cuisine in their home. With this range, you will get the most out of your gastronomic skills, and you will have at your disposal the best options for your appliances.

If you are looking for the most powerful induction hob, the oven with more features & possibilities, or the quietest hood on the market, this is your range.

TOTAL

The **TOTAL** range is made for those who love to cook and do not want to give up having the best options at their fingertips.

An option designed for those who want the best results at the minimum consumption. People who care about the environment so they choose eco appliances.


EASY

The **EASY** range is designed for those looking for functional appliances, with good performance and at a fair price. Simple but smart solutions affordable for everyone..

INFINITY DESIGN

Design is one of the most important characteristics in every product we make. We understand this design as an element that adds style, functionality and beauty to your kitchen. The essence of our brand is to work on the Infinity Design, which we apply to every product to get a modern, minimalist and functional style. Lines and shapes combine with the rest of elements in the kitchen.

Infinity Design



Timeless Design





TIMELESS DESIGN

Through the brand Teka we have been present in millions of homes for more than 75 years.

During this period, we have lived countless trends, fashions and styles in kitchens around the world. In addition, the quality and durability of our products make them present in homes for many years, so our designers work to anticipate trends and create timeless designs that work in your kitchen.



Design and
sophistication



Pure lines and
essential forms









Comfort and
serenity

URBAN COLORS EDITION



Urban Colors Edition has been created inspired by urban iconic elements from the biggest capitals of the world.

In this edition are reflected objects and materials that have marked the big cities for the past 100 years. From the urban steam to London's iconic bricks, passing through stone pavements and the longest city rivers. For the first time, color

combinations are possible in the main kitchen elements: oven; hood, induction hob, gas hob, microwave, coffee machine, compacts, refrigerator, sinks and taps.

Choose just one color or **combine them your way**



NIGHT RIVER BLACK

A collection inspired by the night reflection of the great urban rivers, like the Tiber, Seine, the Thames, Danube or Rhin. Dark tones with an elegant finish, that mimic with the rest of your kitchen, offering a discreet, modern and unique result.



LONDON BRICK BROWN

A special and distinctive color, inspired by the brick originating in the streets of London. Brown tones for the riskiest ones and for those who want to feel the freedom and the authenticity of the British capital in their kitchen..



STONE GREY

Stone grey have born from the roads of the European capitals. Cobbled paths with hundreds of years behind that combined with modern elements. This collection is a reference of design and architecture, a cosmopolitan and exclusive tone for your kitchen.



STEAM GREY

Steam is an unmistakable element in our culture. Generated in old ships and trains and present nowadays in New York or Chicago streets. An original color, which moves away from a classic line, creating harmony in your kitchen.



WHITE MARBLE

Formed by the tone of the purest and most exclusive element: marble. Present in our civilization for millennia, existing in some of the most important pieces of art in the history of mankind, yesterday and today. From the Parthenon to the Arc de Triomphe. From the Taj Mahal to the Duomo. From the Capitol to the Colosseum. A color that fills your kitchen with purity and beauty.



Metallic Edition



Metallic edition adapts to the new trends with bright and attractive colors. The harmony of the color blends into a unique and pure space purity. Metallic edition reaches the perfect balance between design and robustness under two unexpected collections: Brass Collection and Titanium Collection.

The Collections offer an avant-garde design based on pure lines and PVD coatings. A unique contemporary touch to your kitchen.



Country Style Edition



*Country Style Edition
is here, a collection
combining rustic style
design with the ultimate
features in the kitchen.*





Warm colors and curved shapes, with rugged interior design as a symbol of rustic and modern styles coexisting together, ready for those who look for rustic design but also for those who want the best features in the kitchen.

Faster and more efficient devices designed for your comfort to be the center of your kitchen.

These products were created to blend in with a countryside kitchen style, perfectly integrated with the warmth of wood, strength of metal or stone.

An edition designed to keep the warm and cozy countryside kitchen style to conform a welcoming room to enjoy the big moments.






The kitchen is where
life happens

OVENS





The first & Unique Oven to cook **the perfect Steak**

Cooking the perfect steak needs very high temperatures. The Powerful SteakGrill can reach up to 700°C and combined with the cast iron special grid you will cook a high-quality restaurant steak.

With the **SteakMaster** practice and experience is not necessary. Just choose the meat cut and the oven will do the rest. Thanks to 20 automatic programs, the oven will follow every single step, even keeping the steak at room temperature.

There is a manual control for cooking experts to use just the directions you want the oven to follow, at your service.



The iOven

Best results with just **one touch**

The ultimate technology in ovens. An exclusive design with **all the latest features**:

Cooking assistant: 50 recipes



Full touch control



MeatProbe



Full extension telescopic guides for a 100% extraction



**DualClean cleaning system:
Pyrolytic + HydroClean**

**The Steam
Box**

A full touch control color display design creating
the most innovative
control.



Eat healthy without giving up tasty food



The SteamBox



The SteamBox turns your oven in a steam one. Your food will keep all nutrients, vitamins and minerals without any oil, preserving flavour, texture and original aroma. With a wide range of accessories feel free to cook juicy food on individual trays or big pieces of meat on the grid. You can cook with water or even wine for a tasty touch but always with the **healthiest results**.



Uniform cooking

SurroundTemp



Smell of fresh baked cookies, everyone of them crunchy and baked right as it should. Multifunction SurroundTemp ovens guarantee an evenly distribution of the heat, even cooking at different levels. Get a surrounding heat effect in your dishes with the **extra back resistance**.

Well-done recipes



MeatProbe



Precise cooking point from the inside of every piece of food. You will get the right texture you are looking for in your dishes through a complete control of the **cooking temperature**, so you can easily get the most of your recipes. Perfect for meat, poultry and fish.

Feel the comfort at home

Full Extension Telescopic Guide




More robust and smoother running. Full precision and total extraction with the new telescopic guides, 100% of the tray is extracted make easier the recipe access.



A+ Energy Class



We take care of your recipes to be perfect but also want you to save energy and money. A+ energy rating with an energy saving up to 20% compared with A class. May all your wishes come true.



**Minimum
consumption cooking**

Find more time for **incredible** **moments**

DualClean



Pyrolysis or steam cleaning. Teka DualClean models have everything you need to clean your oven. For a daily routine, Hydroclean system, a helping hand for a fast and efficient cleaning with minimum energy consumption. If your last Sunday family meal with a roast beef was a success and you do need a deep cleaning, you can choose among three different pyrolysis levels. Reduce to ashes the dirt in your oven with just one touch. Cleaning an oven never was so easy.



Pyrolysis



The oven heats up to a very high temperature (almost 500°C), leaving only a thin layer of ash that can be easily wiped with a cloth once the oven is cooled. Forget about spending time with unhealthy products to keep the oven clean and ready for every use.



EasyClean system



One of our goals is safety and our ovens can have up to 4 glasses on the door (CoolTouch system). And yes, we also can figure out how hard can be to clean a grease stain in the third glass. So we have created an easy access system. Just push the side of the door panel and you will find the way into each glass for a complete cleaning.



HydroClean



When the water reaches high temperatures (steam), softens the grease adhered to the walls of the oven, and when it cools down allows to clean the oven easily, without effort. 90°C + 4 mint heating + 20' cooling down PRO: Automatic function ECO: Manual function.



Greatest safety in your kitchen

Cool Touch System®

Full glass door with up to 4 glass panels to keep the outside temperature to a minimum. You can even touch the door because Teka goes beyond the legal requirement with lower temperatures.



Safety and convenience

SoftClose



Say goodbye to annoying noises thanks to the soft open and close door of the oven. An extra of durability and security (your fingers will be happy about it too).

Ovens

The kitchen is where
life happens

MAESTRO								
	TFT 5"	TFT 4"	TOUCH CONTROL DISPLAY LED					
PYROLYTIC DUALCLEAN	 iOven P	 SteakMaster	 HLB 8600 P	 HLB 860 P	 HLB 8400 P	 HLB 840 P		
HYDROCLEAN PRO	 iOven	 HLB 8600	 DoubleCook HLD 45.15	 HLF 840	 HLB 840	 HLB 860	 HLF 940	 HLB 850
HYDROCLEAN ECO				 HLB 838	 HLB 830			

TOTAL			EASY	
TOUCH CONTROL DISPLAY LED	MECHANICAL	ANALOGIC	MECHANICAL	TOUCH CONTROL DISPLAY LED
 HSB 635 P	 HSB 625 P	 HSB 620 P		 HCB 6435 P
 HSB 645	 HSB 640	 HSB 638	 HSF 900	 HBE 490 ME
 HSB 635	 HSB 630	 HRB 6400 AT	 HRB 6300 VN	 HCB 6545
 HRB 6400 VN	 HRB 6400 ATS	 HRB 6400 VNS	 HRB 6300 VNS	 HBB 635
			 HBE 615 ME	 HCB 6435
 HSB 615				 HBB 615 GD
 HSB 610	 HRB 6100 ATS	 HRB 6300 AT	 HBB 605	 HBB 435
 HEB 625	 HRB 6100 AT	 HRB 6100 VNS	 HBB 535	 HBB 510
		 HRB 6300 ATS		 HCB 135
		 HGS 750 I		 HBB 490
		 HGS 750 R		 HBE 435 ME

MAESTRO

TFT 5"

TFT 4"

TOUCH CONTROL DISPLAY LED

GAS

60

TOTAL	EASY	
TOUCH CONTROL DISPLAY LED	MECHANICAL	MECHANICAL



HSF 924 G



HLF 824 G



HCB 6415



FGE 724



HCB 4435



FGA 740




NEW

MAESTRO STEAKMASTER



- SteakMaster Oven
- Powerful SteakGrill (700°C)
- SurroundTemp Multifunction oven
- 12 cooking functions
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/63 litres
- TFT 4" true color Touch control
- LED illuminated knobs
- 20 automatic programs for meat
- Personal cook assistant: 20 international recipes
- Automatic Express preheating
- SlowCook: low temperature cooking
- Children safety block, timer and door
- Automatic disconnection security system
- 4 removable glazed door
- SoftClose system
- Full glass inner door
- Plus + Full Extension telescopic guides, 5 cooking levels
- Special cast iron grid for Steaks
- Tangential ventilation Plus with 2 speeds



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 595mm Width 595mm Depth 537+22mm



MAESTRO IOVEN P



- Multifunction SurroundTemp - 18 Cooking funtions
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- TFT 5" true color Touch control
- Personal Cook assistant: 50 programmed recipes
- MeatProbe
- SlowCook function: low temperature cooking
- Keep warm, bake bread, quick heating, pizza, ferment, defrosting & ECO functions
- Children safety block
- Automatic disconnection security system
- Quadruple glazed door
- SoftClose system
- Full Extension telescopic guides, 5 cooking levels
- Drop down maxi grill
- The SteamBox included
- Anti-tip deep & baking tray and 2 reinforced grids
- Tangential ventilation Plus with 2 speeds



COLOR

Black Glass


FRAME Stainless steel

EXTERNAL DIMENSIONS


Height 595mm Width 595mm Depth 537+22mm



MAESTRO IOVEN



- Multifunction SurroundTemp - 18 Cooking funtions
- Hydroclean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- TFT 5" true color Touch control
- Personal Cook assistant: 50 programmed recipes
- MeatProbe
- SlowCook function: low temperature cooking
- Keep warm, bake bread, quick heating, pizza, ferment, defrosting & ECO functions
- Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- Full Extension telescopic guides easy slide
- Drop down maxi grill
- The SteamBox included
- Anti-tip deep & baking tray and 2 reinforced grids
- Tangential ventilation



COLOR

Black Glass

FRAME Stainless steel


EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

MAESTRO HLB 8600 P



- Urban Colors Edition
- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp Multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 2 telescopic guides: 1 Full Extension + 1 Plus-Extension, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Quadruple glazed door
- SoftClose system
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



NEW

MAESTRO HLB 8400 P



- Urban Colors Edition
- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp multifunction - 8 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Quadruple glazed door
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)




NEW

MAESTRO HLB 8400 P




- Urban Colors Edition
- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp multifunction - 8 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Quadruple glazed door
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



COLOR

Stone grey glass


FRAME Infinity glass



COLOR

Stone grey glass

FRAME Infinity glass



COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

MAESTRO HLB 8400 P



- Urban Colors Edition
- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp multifunction - 8 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Quadruple glazed door
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



NEW

MAESTRO HLB 8600



- Urban Colors Edition
- Teka Hydroclean®PRO cleaning system
- SurroundTemp multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- SoftClose system
- Deep tray and reinforced grid (with anti-tip system)




NEW

MAESTRO HLB 8600




- Urban Colors Edition
- Teka Hydroclean®PRO cleaning system
- SurroundTemp multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- SoftClose system
- Deep tray and reinforced grid (with anti-tip system)



COLOR

White Glass


FRAME Infinity glass



COLOR

Steam grey glass

FRAME Infinity glass



COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

**NEW****MAESTRO HLB 8600**


- Urban Colors Edition
- Teka Hydroclean@PRO cleaning system
- SurroundTemp multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- SoftClose system
- Deep tray and reinforced grid (with anti-tip system)

**NEW****MAESTRO HLB 8600**

- Urban Colors Edition
- Teka Hydroclean@PRO cleaning system
- SurroundTemp multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- SoftClose system
- Deep tray and reinforced grid (with anti-tip system)

**NEW****MAESTRO HLB 8600**


- Urban Colors Edition
- Teka Hydroclean@PRO cleaning system
- SurroundTemp multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- SoftClose system
- Deep tray and reinforced grid (with anti-tip system)

**COLOR**

Stone grey glass

FRAME Infinity glass


EXTERNAL DIMENSIONS
Height 595mm **Width** 595mm **Depth** 537+22mm

**COLOR**

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS
Height 595mm **Width** 595mm **Depth** 537+22mm

**COLOR**

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS
Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO HLB 8400



- Urban Colors Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Double glazed door
- Dynamic ventilation
- Deep tray and reinforced grid (with anti-tip system)



NEW

MAESTRO HLB 8400



- Urban Colors Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Double glazed door
- Dynamic ventilation
- Deep tray and reinforced grid (with anti-tip system)




NEW

MAESTRO HLB 8400




- Urban Colors Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Double glazed door
- Dynamic ventilation
- Deep tray and reinforced grid (with anti-tip system)



COLOR

Stone grey glass


FRAME Infinity glass



COLOR

Black Glass

FRAME Infinity glass



COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

MAESTRO HLB 8410



- Urban Colors Edition
- Teka Hydroclean®PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Double glazed door
- Dynamic ventilation
- Deep tray and reinforced grid (with anti-tip system)



NEW

MAESTRO HLB 8410




- Urban Colors Edition
- Teka Hydroclean®PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Double glazed door
- Dynamic ventilation
- Deep tray and reinforced grid (with anti-tip system)



MAESTRO HLB 860 P




- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp Multifunction - 12 cooking functions
- True colour TFT 4" display with digital timer
- 2 telescopic guides: 1 Full Extension + 1 Plus-Extension, 5 cooking levels
- Personal cooking assistant (20 recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Fast heating
- Quadruple glazed door
- SoftClose system
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



COLOR

Reflex glass


FRAME Infinity glass



COLOR

Steam grey glass

FRAME Infinity glass



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



MAESTRO HLB 840 P



- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp multifunction - 8 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Quadruple glazed door
- SoftClose system
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



MAESTRO HLB 840 P




- DualClean cleaning system: Pyrolytic self-cleaning (3 levels) + Teka Hydroclean® PRO
- SurroundTemp multifunction - 8 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Fast heating
- Quadruple glazed door
- SoftClose system
- Auto safety lock
- Tangential ventilation with 2 speeds
- Deep tray and reinforced grid (with anti-tip system)



MAESTRO HLF 940




- Multifunction SurroundTemp
- Hydroclean® PRO cleaning system
- Plus + Full Extension telescopic guides
- Children safety block
- Triple glazed door
- Dynamic ventilation
- Door three glasses
- Anti-tip deep & baking trays and cooking grid



COLOR

Black Glass


FRAME Stainless steel



COLOR

White Glass

FRAME Stainless steel



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

EXTERNAL DIMENSIONS

Height 480mm **Width** 890mm **Depth** 538+22mm



MAESTRO HLF 840



- Multifunction 9 cooking functions
- Hydroclean® PRO cleaning system
- Energy class: A
- Capacity: 77/91 L (net / gross)
- Touch control display
- Digital timer
- Grill / Maxi Grill: 1.050 / 1.700 W
- Triple glass door
- Tangential ventilation
- Child safety lock
- Supery enamel
- Chromed telescopic guide
- Deep tray especially for roasts

MAESTRO DOUBLECOOK HLD 45.15






- Multifunction Surroundtemp
- Energy class: A
- Touch Control digital display
- Upper cavity :
- Capacity: 48/38 litres (net/gross)
- 5 cooking functions
- Grill
- Lower cavity:
- Capacity: 31/18 litres (net/gross)
- 4 cooking Functions
- 2 Grilles (upper/lower)

MAESTRO HLB 860



- Multifunction SurroundTemp - 9 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with TFT 4
- LED illuminated knobs
- Personal Cook assistant: 20 programmed recipes
- Automatic Express preheating
- SlowCook function: low temperature cooking
- Pizza, ferment, defrosting & ECO functions
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- SoftClose system
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Tangential ventilation
- Anti-tip deep tray and reinforced grid
- Drop down maxi grill



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 580mm Width 760mm Depth 560mm

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 540+22mm

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



MAESTRO HLB 850



- Multifunction SurroundTemp - 9 Cooking funtions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- ECO & defrosting functions
- Children safety block
- Triple glazed door
- SoftClose system
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid



MAESTRO HLB 840






- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- ECO & defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide



MAESTRO HLB 840



- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- ECO & defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- Plus Extension telescopic guide



COLOR



FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

COLOR



FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

COLOR



FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm


MAESTRO HLB 838





- Multifunction SurroundTemp – 9 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Triple glazed door
- SoftClose system
- Full glass inner door
- 1 Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Optional The Steam Box and Pro-titanium Dual tray


MAESTRO HLB 838


- Multifunction SurroundTemp – 9 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Triple glazed door
- SoftClose system
- Full glass inner door
- 1 Extension telescopic guide
- Dijynamic ventilation
- Anti-tip deep tray and reinforced grid


MAESTRO HLB 830


- Multifunction
- HydroClean® PRO cleaning system
- Esmalte Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- 1 telescopic guide
- Anti-tip deep tray and cooking grid
- Dynamic ventilation

**COLOR**

Black Glass

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

COLOR

Black Glass

FRAME Stainless steel**EXTERNAL DIMENSIONS**

Height 595mm Width 595mm Depth 537+22mm



TOTAL HSB 635 P



- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- 4 glazed door
- Full glass inner door
- Plus Extension telescopic guide
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds

TOTAL HSB 630 P




- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- 4 glazed door
- Full glass inner door
- Plus Extension telescopic guide
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds

TOTAL HSB 630 P



- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- 4 glazed door
- Full glass inner door
- Plus Extension telescopic guide
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds




COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm




COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



TOTAL HSB 625 P



- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- Triple glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds



TOTAL HSB 620 P




- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- Triple glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds



TOTAL HSB 620 P




- Pyrolytic Multifunction
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block, timer and door
- Automatic disconnection security system
- Triple glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds


COLOR
 Stainless Steel
FRAME Stainless Steel


EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm


COLOR
 Black
FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm


COLOR
 White
FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

OVENS



TOTAL HSF 900



- HydroClean® ECO cleaning system
- 7 Cooking functions
- A Energy class
- Capacity, gross/net: 91/77
- Children safety block
- Tangential ventilation
- Triple glazed door
- Anti-tip deep & baking trays and cooking grid



TOTAL HSB 645




- Multifunction SurroundTemp
- 9 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Dynamic ventilation
- Anti-tip deep & baking trays and cooking grid Dynamic ventilation



TOTAL HSB 640



- Multifunction Turbo
- HydroClean PRO cleaning system
- Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO and defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- 1 Telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid
- Dynamic ventilation




COLOR

Stainless Steel

FRAME Stainless Steel

62




COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 480mm Width 890mm Depth 538+22mm



COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



TOTAL HSB 640



- Multifunction Turbo
- HydroClean PRO cleaning system
- Slippery enamel
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO and defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- Telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid
- Dynamic ventilation



TOTAL HSB 638




- Multifunction 9 Cooking functions
- HydroClean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple glazed door
- SoftClose system
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid
- Dynamic ventilation



TOTAL HSB 635




- Multifunction
- HydroClean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Double glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid Dynamic ventilation
- Dynamic ventilation


COLOR
 White

FRAME Frameless


EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm


COLOR
 Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm


COLOR
 Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



TOTAL HSB 630



- Multifunction
 - HydroClean® PRO cleaning system
 - Enamel Slippery
 - A+ Energy class: up to 20% less consumption
 - Capacity, gross/net: 71/70 litres
 - Touch Control panel with LED display
 - Express preheating function
 - ECO and defrosting functions
 - Children safety block
 - Double glazed door
 - Full glass inner door
 - Plus Extension telescopic guide easy slide
 - Anti-tip deep & baking trays and cooking grid Dynamic ventilation
 - Dynamic ventilation



TOTAL HSB 630




- Multifunction
 - HydroClean® PRO cleaning system
 - Enamel Slippery
 - A+ Energy class: up to 20% less consumption
 - Capacity, gross/net: 71/70 litres
 - Touch Control panel with LED display
 - Express preheating function
 - ECO and defrosting functions
 - Children safety block
 - Double glazed door
 - Full glass inner door
 - Plus Extension telescopic guide easy slide
 - Anti-tip deep & baking trays and cooking grid Dynamic ventilation
 - Dynamic ventilation



TOTAL HSB 615



- Multifunction - 6 Cooking functions
 - HydroClean® ECO cleaning system
 - A+ Energy class: up to 20% less consumption
 - Capacity, gross/net: 71/70 litres
 - Minute Minder
 - Express preheating function
 - ECO and defrosting functions
 - Double removable glazed door
 - Full glass inner door
 - 1 plus-extension telescopic guide easy slide
 - Dynamic ventilation
 - Anti-tip deep & baking trays and cooking grid Dynamic ventilation
 - Optional The Steam Box and Pro-titanium Dual tray




COLOR



FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm




COLOR



FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR



FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL HSB 610



- Multifunction
- HydroClean® ECO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Minute Minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid Dynamic ventilation
- Dynamic ventilation



TOTAL HSB 610






- Multifunction
- HydroClean® ECO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Minute Minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep & baking trays and cooking grid Dynamic ventilation
- Dynamic ventilation



NEW TOTAL HRB 6400 AT



- Country Style Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

OVENS



NEW

TOTAL HRB 6400 ATS



- Country Style Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



NEW

TOTAL HRB 6400 VN



- Country Style Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light




NEW

TOTAL HRB 6400 VNS




- Country Style Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Touch Control with electronic timer
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light




COLOR

Anthracite Silver



COLOR

Vanilla Brass



COLOR

Vanilla Silver

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

TOTAL HRB 6300 AT

- Country Style Edition
- Teka Hydroclean®PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



NEW

TOTAL HRB 6300 ATS


- Country Style Edition
- Teka Hydroclean®PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Analog clock with minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light




NEW

TOTAL HRB 6300 VN


- Country Style Edition
- Teka Hydroclean®PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Analog clock with minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light

**COLOR**

Anthracite Brass

**COLOR**

Anthracite Silver

**COLOR**

Vanilla Brass

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

OVENS



NEW

TOTAL HRB 6300 VNS



- Country Style Edition
- Teka Hydroclean@PRO auto cleaning system
- SurroundTemp multifunction - 9 cooking functions
- Analog clock with minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



NEW

TOTAL HRB 6100 AT



- Country Style Edition
- Teka Hydroclean cleaning system® ECO
- SurroundTemp multifunction - 9 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light




NEW

TOTAL HRB 6100 ATS




- Country Style Edition
- Teka Hydroclean cleaning system® ECO
- SurroundTemp multifunction - 6 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light




COLOR

Vanilla Silver



COLOR

Anthracite Brass



COLOR

Anthracite Silver

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

TOTAL HRB 6100 VN



- Country Style Edition
- Teka Hydroclean cleaning system® ECO
- SurroundTemp multifunction - 9 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



NEW

TOTAL HRB 6100 VNS




- Country Style Edition
- Teka Hydroclean cleaning system® ECO
- SurroundTemp multifunction - 6 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Double glazed door
- Dynamic ventilation
- Deep and baking tray, special for roast and grill (with anti-tip system)
- Operating pilot light



EASY HCB 6435 P




- Multifunction 8 cooking functions
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO
- Mechanical preheating
- Capacity gross/net: 70/65 litres
- Touch control programmer and timer
- Pop in/out knobs
- 3-glazed door
- Full glass inner door
- Embossed cavity
- Cooling fan with 2 speeds
- Children safety block option, timer and door
- Automatic disconnection security system
- Baking tray and cooking grid




COLOR

Vanilla Brass



COLOR

Vanilla Silver



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



EASY HBB 635



- Multifunction 8 Cooking functions
- Hydroclean® Pro cleaning system
- A+ Energy class
- Capacity, gross/net: 70/71 litres
- Touch Control panel with LED display
- Minute minder
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep tray & baking trays and cooking grid



EASY HBB 605




- Multifunction
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 71/70 litres
- Minute minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep & baking trays and cooking grid Dynamic ventilation



EASY HCB 6545



- Multifunction oven (Surround Temp)
- Hydroclean PRO
- 9 cooking functions
- Top + Bottom, Maxigrill + fan, Grill, Maxigrill, ECO,
- Bottom + TURBO, Bottom, Turbo, Defrosting
- Mechanical preheating
- Capacity gross/net: 71/70 litres
- Touch control programmer
- Pop in/out knobs
- 2-glazed door
- Full glass inner door
- Tray guides with 5 levels
- Enamelled cavity with 1 telescopic guide
- Cooling fan
- Panel blocking, grill protection, anti-tip tray system,
- Deep tray enamel and standard grid




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR


Stainless Steel

FRAME

Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



EASY HCB 6435



- Hydroclean PRO
- Multifunction oven (Strip)
- 8 cooking functions
- Mechanical preheating
- Capacity gross/net: 70/65 litres
- Touch control programmer with start stop
- Pop in/out knobs
- 2-glazed door
- Full glass inner door
- Embossed cavity
- Cooling fan (Dynamic ventilation)
- Children safety block option
- Baking tray and cooking grid
- Slippery enamel



EASY HCB 6415




- Multifunction oven (strip)
- 6 cooking functions
- Mechanical preheating
- Capacity gross/net: 70/65 litres
- Pop in/out knobs
- 2-glazed door
- Full glass inner door
- Embossed cavity
- Cooling fan
- Baking tray



EASY HBB 615 GD



- Multifunction 8 Cooking functions
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 71/70 litres
- Minute minder
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep & baking trays and cooking grid




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



EASY HBB 535



- Conventional
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 77/76 litres
- Minute minder
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep tray and cooking grid



EASY HBB 510




- Conventional
- HydroClean® ECO cleaning system
- Enamel Slippery
- Energy class: A
- Capacity, gross/net: 77/76 litres
- Minute minder
- Double removable glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Dynamic ventilation
- Optional The Steam Box and cast aluminium tray



EASY HBB 490



- Conventional
- Enamel Slippery
- Energy class: A
- Capacity, gross/net: 75/72 litres
- Double removable glazed door
- Full glass inner door
- Deep tray
- Anti-tip cooking grid
- Dynamic ventilation



COLOR


Stainless Steel

FRAME

Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR


White

FRAME

Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR

White

FRAME

Frameless

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



EASY HBB 435



- Conventional
- Enamel Slippery
- A Energy class
- Capacity, gross/net: 75/72 litres
- Double removable glazed door
- Full glass inner door
- Deep tray
- Dynamic ventilation
- Anti-tip cooking grid



EASY HBB 510




- Conventional
- HydroClean® ECO cleaning system
- Enamel Slippery
- Energy class: A
- Capacity, gross/net: 77/76 litres
- Minute minder
- Double removable glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Dynamic ventilation



EASY HCB 4435



- Conventional
- 3 cooking functions
- Fingerprint proof stainless steel
- Capacity gross/net: 75/72 litres
- Pop in/out knobs
- 2-glazed door
- Full glass inner door
- Embossed cavity
- Cooling fan
- Baking tray


COLOR

Stainless Steel

FRAME Frameless

COLOR

Black

FRAME Frameless

COLOR

Stainless Steel

EXTERNAL DIMENSIONS
Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



EASY HCB 135



- Static oven
- 3 cooking functions
- Fingerprint proof stainless steel
- Capacity gross/net: 75/72 litres
- Fix knobs
- 2-glazed door
- Full glass inner door
- Embossed cavity
- Cooling fan
- Deep tray



EASY HBE 615 ME




- Teka HydroClean®PRO cleaning system
- Polivalent Multifunction oven- 6 cooking functions
- Minute minder
- 1 Plus-Extension telescopic guide, five cooking levels
- Fast heating
- Double glazed door
- Deep, baking tray, special for roast and grill (with anti-tip system)
- Stainless steel fingerprint proof



EASY HBE 435 ME



- Polivalent conventional oven - 3 cooking functions
- Double glazed door
- Baking tray
- Stainless steel fingerprint proof




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm




COLOR

Stainless Steel

FRAME No

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



COLOR

Stainless Steel

FRAME No

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



NEW

EASY HBE 490 ME

- Polivalent conventional oven - 3 cooking functions
- Double glazed door
- Baking tray




NEW

EASY HBE 490 ME

- Polivalent conventional oven - 3 cooking functions
- Double glazed door
- Baking tray


**TOTAL HEB 625**

- Multifunctional oven
- 65L Volume
- 6 cooking programs
- Digital display
- Embedded control buttons
- Touch control programmer
- 1 deep tray
- Cooling fan
- Double glass cover
- 5 cooking levels
- Chrome supported tray rails
- Cooking grill
- Standard lighting
- A energy class

**COLOR**


White

FRAME No

**COLOR**

Black

FRAME No

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

EXTERNAL DIMENSIONS

Height mm Width mm Depth mm



HEB 627



- Multifunctional oven
- 65L Volume
- 6 cooking programs
- Digital display
- Embedded control buttons
- Touch control programmer
- 1 deep tray
- Cooling fan
- Double glass cover
- 5 cooking levels
- Chrome supported tray rails
- Cooking grill
- Standard lighting
- A energy class

TOTAL HSF 924 G






- Multifunction gas oven with electric grill
- B Energy class
- Capacity Gross/Net: 88/69 litres
- Black Knob timer with stop programmer
- Children safety block
- Double glazed door
- Full glass inner door
- Automatic gas oven ignition
- Deep tray and cooking grid
- Tangential ventilation

MAESTRO HLF 924 G



- Stainless steel with anti-fingerprint finish
- 5 cooking functions
- Capacity: 75 L (26 p³)
- Front controls
- Mechanical Minute: 120 minutes
- Electric grill: 1,900 W
- Triple glass door
- Forced tangential ventilation
- Vacuum gas evacuation system
- Thermocouple safety integrated in the burner
- Ignition integrated in the burner and operated by the control
- Gas burner: 1 burner: 4,000 W
- Deep tray special for roasts



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height mm Width mm Depth mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 595mm Width 898mm Depth 525mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 898mm Depth 525mm



MAESTRO HLF 824 G



- Stainless steel with anti-fingerprint finish
- 5 cooking functions
- Capacity: 75 L (2.6 p³)
- Mechanical Minute: 120 minutes
- Electric grill: 1.900 W
- Triple glass door
- Tangential ventilation
- Vacuum gas evacuation system
- Thermocouple safety integrated in the burner
- Ignition integrated in the burner and operated by the control
- Gas burner: 1 burner: 4.000 W
- Deep tray special for roasts



TOTAL HLF 824 G




- Stainless steel with anti-fingerprint finish
- 5 cooking functions
- Capacity: 75 L (2.6 p³)
- Mechanical Minute: 120 minutes
- Electric grill: 1.900 W
- Triple glass door
- Tangential ventilation
- Vacuum gas evacuation system
- Thermocouple safety integrated in the burner
- Ignition integrated in the burner and operated by the control
- Gas burner: 1 burner: 4.000 W
- Deep tray special for roasts



TOTAL HGS 750 I



- Stainless steel with anti-fingerprint
- 5 cooking functions
- Capacity: 56 / 45L (net / gross)
- Front controls
- Mechanical Minute: 120 minutes
- Electric grill: 1.400 W
- Double glazed door
- Tangential ventilation
- Thermocouple safety integrated in the burner
- Ignition integrated in the burner and operated by the control
- Gas burner: 1 burner: 2.400 W (8.189 BTU)
- Crystal Clean® interior enamel
- Chrome guides with five cooking heights
- Chrome grille
- Deep tray with Crystal Clean® enamel, especially for roasts




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 798mm Depth 525mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 798mm Depth 525mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 540mm

OVENS



TOTAL HGS 750 R



- Stainless steel with anti-fingerprint
- 5 cooking functions
- Capacity: 56 / 45L (net / gross)
- Front controls
- Mechanical Minute: 120 minutes
- Electric grill: 1.400 W
- Double glazed door
- Tangential ventilation
- Thermocouple safety integrated in the burner
- Ignition integrated in the burner and operated by the control
- Gas burner: 1 burner: 2.400 W (8.189 BTU)
- Crystal Clean® interior enamel
- Chrome guides with five cooking heights
- Chrome grille
- Deep tray especial for roasts



EASY FGE 724




- Gas oven with electric grill
- Energy class: B
- Capacity Gross/Net: 65/57 litres
- Mechanical control knobs
- Adjustable thermostat
- Safety device
- Catalytic panels inner walls
- Deep tray and cooking grid
- Tangential ventilation



EASY FGA 740




- Gas oven
- 4 cooking functions
- Capacity: 59 liters
- Stainless steel front with anti-fingerprint
- Electronic start
- Resistance and temperature selectors
- Gratin electric grill and Rotisserie grill
- Interior walls with catalytic self cleaning
- Evacuation system with forced ventilation
- 5-level chrome guides with Antivuelco ® system
- Glazed interior
- Extra large roasting pan
- Double glass door system




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 540mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 540mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 540mm



OVENS

Modelo	SteakMaster	iOVEN P	iOven	HLB 8600 P	HLB 8400 P	HLB 8600	HLB 8400	HLB 8410
INNER CAVITY DIMENSIONS								
Height (mm)	367	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	405	402	402	402	402	402	402	402
Volume Net (L)	63	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.552	3.198	3.198	3.552	3.552	3.215	3.215	3.215
Bottom Heating Element (W)	1.050	1.150	1.150	1.050	1.050	1.150	1.150	1.150
Grill (W)	2.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	3.500	2.450	2.500	2.450	2.450	2.500	2.500	2.500
Turbo (W)	-	2.000	2.000	2.000	2.000	2.000	2.000	2.000
Multifunction motor (W)	25	22	22	25	25	22	22	22
Inner Light	25	25	4	25	25	25	25	25
Cooling fan motor (W)	30	18	18	30	30	18	18	18
Cable connection lenght (cm)	150	150	150	150	110	150	110	150
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	√	√	√	√	-	-
Children safety	√	√	√	√	√	√	√	√
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	4	4	3	4	4	3	2	3
CLEANING SYSTEMS								
Hydroclean ECO	-	-	-	-	-	-	-	-
Hydroclean PRO	√	√	√	√	√	√	√	√
Pyrolytic	√	√	-	√	√	-	-	-
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A+	A+	A+	A+	A+	A+	A+
Modelo	HLB 860 P	HLB 840 P	HLF 940	HLF 840	DoubleCook HLD 45.15	HLB 860	HLB 850	HLB 840
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	318	380	215	364	364	364
Width (mm)	475	475	639	639	452	475	475	475
Depth (mm)	402	402	380	318	395	402	402	402
Volume Net (L)	70	70	77	77	38	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.552	3.552	3.553	3.553	6.148	3.215	3.215	3.215
Bottom Heating Element (W)	1.050	1.050	1.055	1.055	1.800	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.700	1.700	1.800	1.400	1.400	1.400
Maxigrill (W)	2.450	2.450	2.750	2.750	-	2.500	2.500	2.500
Turbo (W)	2.000	2.000	2.400	2.400	-	2.000	2.000	2.000
Multifunction motor (W)	25	25	30	30	30	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	30	30	18	18	18	18	18	18
Cable connection lenght (cm)	150	110	110	110	200	150	150	110
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	√	√	-	√	-	-
Children safety	√	√	√	√	√	√	√	√
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	4	4	3	3	2	3	3	2
CLEANING SYSTEMS								
Hydroclean ECO	-	-	-	-	√	-	-	-
Hydroclean PRO	√	√	√	√	-	√	√	√
Pyrolytic	√	√	-	-	-	-	-	-
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A	A	A	A+	A+	A+

Modelo	HLB 838	HLB 830	HSB 635 P	HSB 630 P	HSB 625 P	HSB 620 P	HSF 900	HSB 645
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	364	364	364	364	318	364
Width (mm)	475	475	475	475	475	475	639	475
Depth (mm)	402	402	402	402	402	402	380	402
Volume Net (L)	70	70	70	70	70	70	77	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	2.593	3.552	3.552	3.552	3.552	2.848	3.215
Bottom Heating Element (W)	1.150	1.150	1.050	1.050	1.050	1.050	1.055	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.700	1.400
Maxigrill (W)	2.500	-	2.450	2.450	2.450	2.450	2.750	2.500
Turbo (W)	-	-	-	-	-	-	-	2.000
Multifunction motor (W)	22	22	25	25	25	25	30	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	30	30	30	30	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	-	-	✓	✓	✓	✓	-	-
Children safety	✓	✓	✓	✓	✓	✓	-	✓
Grill protection	✓	✓	✓	✓	✓	✓	✓	✓
Full glazed door	3	2	4	4	3	3	2	2
CLEANING SYSTEMS								
Hydroclean ECO	-	-	-	-	-	-	✓	-
Hydroclean PRO	✓	✓	✓	✓	✓	✓	-	✓
Pyrolytic	-	-	✓	✓	✓	✓	-	-
Crystal Clean Enamel	✓	✓	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	A+	A	A+
Modelo	HSB 640	HSB 638	HSB 635	HSB 630	HSB 615	HSB 610	HRB 6400 AT	HRB 6400 ATS
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	2.615	2.615	2.615	2.615	2.615	3.215	3.215
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.500	2.500	2.500	-	-	2.500	2.500
Turbo (W)	2.000	-	-	-	-	-	2.000	2.000
Multifunction motor (W)	22	22	22	22	22	22	22	22
Inner Light	25	25	25	25	25	25	Right top corner	Right top corner
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	150	150
SAFETY SYSTEMS								
Automatic disconnection security system	-	-	-	-	-	-	-	-
Children safety	✓	✓	✓	✓	-	-	✓	✓
Grill protection	✓	✓	✓	✓	✓	✓	✓	✓
Full glazed door	2	3	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	-	-	-	-	✓	✓	-	-
Hydroclean PRO	✓	✓	✓	✓	-	-	✓	✓
Pyrolytic	-	-	-	-	-	-	-	-
Crystal Clean Enamel	✓	✓	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A	A	A+	A+

OVENS

Modelo	HRB 6400 VN	HRB 6400 VNS	HRB 6300 AT	HRB 6300 ATS	HRB 6300 VN	HRB 6300 VNS	HRB 6100 AT	HRB 6100 ATS
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	3.215	3.215	3.215	3.215	3.215	2.615	2.615
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.500	2.500	2.500	2.500	2.500	—	—
Turbo (W)	2.000	2.000	2.000	2.000	2.000	2.000	—	—
Multifunction motor (W)	22	22	22	22	22	22	22	22
Inner Light	Right top corner	Right top corner	25	Right top corner	25	Right top corner	25	Right top corner
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	150	150	150	150	150	150	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	—	—	—	—	—	—	—	—
Children safety	✓	✓	✓	✓	✓	✓	—	—
Grill protection	✓	✓	✓	✓	✓	✓	✓	✓
Full glazed door	2	2	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	—	—	—	—	—	—	✓	✓
Hydroclean PRO	✓	✓	✓	✓	✓	✓	—	—
Pyrolytic	—	—	—	—	—	—	—	—
Crystal Clean Enamel	✓	✓	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A	A	A	A	A	A
Modelo	HRB 6100 VN	HRB 6100 VNS	HCB 6435 P	HBB 635	HBB 605	HCB 6545	HCB 6435	HCB 6415
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	446	475	475	446	446	446
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	65	70	70	70	65	65
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.615	2.615	3.552	2.615	2.615	2.615	2.615	2.615
Bottom Heating Element (W)	1.150	1.150	1.050	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	—	—	2.450	2.500	—	2.500	2.500	—
Turbo (W)	—	—	—	—	—	—	—	—
Multifunction motor (W)	22	22	25	22	22	22	22	22
Inner Light	Right top corner	Right top corner	25	25	25	25	25	25
Cooling fan motor (W)	18	18	30	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	—	—	✓	—	—	—	—	—
Children safety	—	—	✓	✓	—	—	✓	—
Grill protection	✓	✓	✓	✓	✓	✓	✓	✓
Full glazed door	2	2	3	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	✓	✓	—	—	✓	—	—	—
Hydroclean PRO	—	—	✓	✓	—	✓	✓	—
Pyrolytic	—	—	✓	—	—	—	—	—
Crystal Clean Enamel	✓	✓	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A	A+	A+	A	A+	A+	A

Modelo	HBB 615 GD	HBB 535	HBB 510	HBB 490	HBB 435	HCB 4435	HCB 135	HBE 615 ME
INNER CAVITY DIMENSIONS								
Height (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	446	446	446	446	475
Depth (mm)	402	441	441	441	441	441	441	402
Volume Net (L)	70	76	76	72	72	72	72	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.615	2.593	2.593	2.593	2.593	2.593	2.593	2.615
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	-	-	-	-	-	-	2.500
Turbo (W)	-	-	-	-	-	-	-	-
Multifunction motor (W)	22	-	-	-	-	-	-	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	-	-	-	-	-	-	-	-
Children safety	-	-	-	-	-	-	-	-
Grill protection	✓	✓	✓	✓	✓	✓	✓	✓
Full glazed door	2	2	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	✓	✓	✓	-	-	-	-	✓
Hydroclean PRO	-	-	-	-	-	-	-	✓
Pyrolytic	-	-	-	-	-	-	-	-
Crystal Clean Enamel	✓	✓	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A	A	A	A	A	A	A

Modelo	HBE 435 ME	HBE 490 ME	HEB 625	HEB 627	HSF 924 G	HLF 924 G
INNER CAVITY DIMENSIONS						
Height (mm)	364	364	-	-	308	308
Width (mm)	446	446	-	-	615	615
Depth (mm)	441	441	-	-	388	388
Volume Net (L)	72	72	-	-	69	69
ELECTRICAL FEATURES						
Maximum Nominal Power (W)	2.593	2.593	-	-	1.998	1.998
Bottom Heating Element (W)	1.150	1.150	-	-	4.000	4.000
Grill (W)	1.400	1.400	-	-	-	-
Maxigrill (W)	2.500	2.500	-	-	-	-
Turbo (W)	-	-	-	-	-	-
Multifunction motor (W)	-	-	-	-	30	30
Inner Light	25	25	-	-	25	25
Cooling fan motor (W)	18	18	-	-	18	18
Cable connection lenght (cm)	110	110	-	-	110	110
SAFETY SYSTEMS						
Automatic disconnection security system	-	-	-	-	-	-
Children safety	-	-	-	-	-	-
Grill protection	✓	✓	-	-	✓	✓
Full glazed door	2	2	-	-	2	3
CLEANING SYSTEMS						
Hydroclean ECO	-	-	-	-	-	-
Hydroclean PRO	-	-	-	-	-	-
Pyrolytic	-	-	-	-	-	-
Crystal Clean Enamel	✓	✓	-	-	✓	✓
ENERGY EFFICIENCY						
Energy Efficiency Class	A	A	-	-	B	B

19.24



TEKA

The kitchen is where small things **become essential**

COMPACTS





Infinite possibilities for limited space

May all your wishes come true

Smallest details are usually very important, and so it happens with Teka compacts in your kitchen. Not only because of an amazing style and design, but also thanks to their many features. Countless possibilities, infinite advantages with a compact size that is huge in performance. Teka combines smart solutions in hardly 45 centimetres. You can use it as a regular oven or a microwave, and it has temperature functions to suit all your needs as the chef you are at home.



All the functions of a regular oven in just 60 centimetres. Microwaves of 45 centimetres, coffee machines, steamers or even combi ovens with microwave features to find the best combination in your kitchen.



Coffee Machine

Coffee made to impress

Share unique moments around a cup of exquisite espresso or cappuccino. Our automatic coffee machine adds an exclusive touch of personality and refinement, while amplifying the aromas and flavours of your favourite blends. Choose among built-in capsule coffee machines or with coffee grinder. Because great conversations start with delicious coffee.



Vacuum sealer

Freshness in your food

Keep the flavour and nutrients longer. With vacuum packaging we remove air from inside to create a barrier for oxygen and humidity. Taking care of yourself feels good. Different combinations are possible with the compact range. The plate warmer in white or black glass is the perfect match for you compact oven or microwave.

Compacts

The kitchen is where small things become essential.

MAESTRO	
TFT 4"	TOUCH CONTROL DISPLAY LED
COFFE MACHINE	 CLC 835 MC
COMBI: OVENS + MICROWAVES	 HLC 847 C
PYROLYTIC DUALCLEAN	 HLC 860 P
MULTIFUNCTION SURROUNDTEMP	 HLC 840  HLC 8400
STEAMER + OVENS	 HLC 847 SC  HLC 8471 SC
STEAMER	 HLC 8471 S
MICROWAVES	 MLC 844  MLC 8440
VACUUM SEALING MACHINE	 VS 1520 GS
PLATE WARMER	 CP 150 GS

	TOTAL	EASY		
LCD DISPLAY	TOUCH CONTROL DISPLAY LED	ANALOGIC	TOUCH CONTROL DISPLAY LED	MECHANICAL
				
CLC 855 GM				
				
HLC 844 C	HSC 644 C			
				
HSC 635 P			HBC 625 P	
				
HSC 635			HBC 535	
				
HSC 644 S				
				
MWR 32 BIA AT	MWR 32 BIA ATS	MWR 32 BIA VN		

COMPACTS



NEW

MAESTRO CLC 855 GM



- Urban color Edition
- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1.8 litres water tank
- Automatic decalcifier



NEW

MAESTRO CLC 855 GM




- Urban color Edition
- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1.8 litres water tank
- Automatic decalcifier



MAESTRO CLC 855 GM



- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1.8 litres water tank
- Automatic decalcifier



COLOR



Steam grey glass

FRAME Infinity glass

COLOR

Reflex glass

FRAME Infinity glass



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 592mm Depth mm

EXTERNAL DIMENSIONS

Height 455mm Width 592mm Depth mm

EXTERNAL DIMENSIONS

Height 455mm Width 592mm Depth 411mm



MAESTRO CLC 835 MC



- Multi capsule built-in coffee maker
- Multi capsule (*) and ground coffee machine
- Coffee selector: small, medium, large, extra large and infusions
- Electronic control panel with TFT display
- 5 adapters included
- Automatic LED lights
- Capacity: 1 cup
- Adjustable height cup support
- Temperature selector
- Storage drawer
- 2 side storage compartments
- Drip tray
- 19 bar pump pressure
- 1 litre water tank
- Waste container
- Automatic decalcifier
- Descalling function
- *5 capsule adaptors: Nespresso®, Lavazza®, Caffitaly®, E.S.E pod



MAESTRO CLC 835 MC






- Multi capsule built-in coffee maker
- Multi capsule (*) and ground coffee machine
- Coffee selector: small, medium, large, extra large and infusions
- Electronic control panel with TFT display
- 5 adapters included
- Automatic LED lights
- Capacity: 1 cup
- Adjustable height cup support
- Temperature selector
- Storage drawer
- 2 side storage compartments
- Drip tray
- 19 bar pump pressure
- 1 litre water tank
- Waste container
- Automatic decalcifier
- Descalling function
- *5 capsule adaptors: Nespresso®, Lavazza®, Caffitaly®, E.S.E pod



MAESTRO CLC 855 GM



- Urban color Edition
- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1.8 litres water tank
- Automatic decalcifier



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 330mm

COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 330mm

COLOR

Stone grey glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 592mm **Depth** mm


COMPACTS



MAESTRO HLC 860 P



- Pyrolytic Multifunction SurroundTemp
- DualClean cleaning system:Pyrolytic self-cleaning (3 levels) +HydroClean@ PRO
- Esmalte Slippery
- A+ Energy class: up to 20% less consumption
- Capacity: 45/44 litres (gross/net)
- TFT 4" true color Touch control
- LED illuminated ring knob
- Personal cook assistant: 20 pre-programmed recipes
- 12 cooking functions
- Automatic express preheating function
- SlowCook function: low temperature cooking
- Pizza, ferment, defrosting & ECO functions
- Children safety block, Minute minder and door
- Automatic disconnection security system
- 4 removable glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Tangential ventilation Plus with 2 speeds



COLOR



FRAME Stainless steel

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 537+22mm



TOTAL HSC 635 P



- Pyrolytic Multifunction
- DualClean cleaning system:Pyrolytic self-cleaning (3 levels) +HydroClean@ PRO
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 8 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Double removable glazed door
- Full glass inner door
- Drop down maxi grill
- Plus Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Tangential ventilation Plus with 2 speeds



COLOR



FRAME Stainless steel

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 537+22mm



EASY HBC 625 P



- Pyrolytic Multifunction
- DualClean cleaning system:Pyrolytic self-cleaning (3 levels) +HydroClean@ PRO
- Esmalte Slippery
- A+ Energy class: up to 20% less consumption
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 8 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block, Minute minder and door
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Anti-tip deep tray and cooking grid
- Tangential ventilation Plus with 2 speeds



COLOR




FRAME Frameless

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO HLC 847 SC



- Multifunction + steam oven
- HydroClean® PRO auto cleaning system
- Multifunction SurroundTemp - 15 cooking functions
- Steam cooking 30-100°C
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function & Automatic fast heating
- Sterilization and regeneration functions
- MeatProbe
- 1 litre water tank
- Triple glazed door
- SoftClose system
- Tangential ventilation
- 2 Gastronorm with tray, deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



COLOR

Black Glass


FRAME Stainless steel

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO HLC 8471 SC



- Urban Colors Edition
- Multifunction + steam oven
- HydroClean® PRO auto cleaning system
- Multifunction SurroundTemp - 15 cooking functions
- Steam cooking 30-100°C
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function & Automatic fast heating
- Sterilization and regeneration functions
- MeatProbe
- 1 litre water tank
- Triple glazed door
- SoftClose system
- Tangential ventilation
- 2 Gastronorm with tray, deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



COLOR

Steam grey glass


FRAME Infinity glass

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO HLC 8471 SC



- Multifunction + steam oven
- HydroClean® PRO auto cleaning system
- Multifunction SurroundTemp - 15 cooking functions
- Steam cooking 30-100°C
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function & Automatic fast heating
- Sterilization and regeneration functions
- MeatProbe
- 1 litre water tank
- Triple glazed door
- SoftClose system
- Tangential ventilation
- 2 Gastronorm with tray, deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



COLOR

Reflex glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

COMPACTS



NEW

MAESTRO HLC 8471 S



- Urban Colors Edition
- Steam oven
- True colour TFT 4" display with digital timer
- Steam cooking 30-100°C
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- 1 litre water tank
- Sterilization and regeneration functions
- MeatProbe
- Triple glazed door
- SoftClose system
- Door opening security disconnection
- Tangential ventilation
- 2 Gastronorm with tray
- Deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



NEW

MAESTRO HLC 8471 S




- Steam oven
- True colour TFT 4" display with digital timer
- Steam cooking 30-100°C
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- 1 litre water tank
- Sterilization and regeneration functions
- MeatProbe
- Triple glazed door
- SoftClose system
- Door opening security disconnection
- Tangential ventilation
- 2 Gastronorm with tray
- Deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



TOTAL HSC 644 S



- Steam oven
- Touch Control with electronic timer
- Five cooking levels
- Steam cooking 30-100°C
- 1 litre water tank
- Sterilization and regeneration functions
- Triple glazed door
- Door opening security disconnection
- Tangential ventilation
- Deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



COLOR


Steam grey glass

FRAME Infinity glass

COLOR

Reflex glass

FRAME Infinity glass



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm



MAESTRO HLC 847 C



- Multifunction + Microwave oven
- HydroClean® PRO auto cleaning system
- Multifunction SurroundTemp - 16 cooking functions
- True colour TFT 4" display with digital timer
- Five cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- Slow cook function
- Automatic fast heating
- Microwave, Pizza, and ECO functions
- Defrosting based on time and weight
- Triple glazed door
- SoftClose system
- Door opening security disconnection
- Tangential ventilation
- Glass tray and reinforced grid (with anti-tip system)



MAESTRO HLC 844 C




- Combi Multifunction SurroundTemp + Microwave
- HydroClean® ECO cleaning system
- Esmalte Slippery
- Capacity, gross/net: 41/40 litres
- Touch Control panel with LED display
- 11 cooking functions
- Quick start 30
- Pizza, ECO functions & automatic defrost by time and weight
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Tangential ventilation
- Anti-tip glass tray and reinforced grid
- Optional Muticook and cast aluminium tray



MAESTRO HLC 844 C



- Combi Multifunction SurroundTemp + Microwave
- HydroClean® ECO cleaning system
- Esmalte Slippery
- Capacity, gross/net: 41/40 litres
- Touch Control panel with LED display
- 11 cooking functions
- Quick start 30
- Pizza, ECO functions & automatic defrost by time and weight
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Tangential ventilation
- Anti-tip glass tray and reinforced grid
- Optional Muticook and cast aluminium tray




COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm




COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

COMPACTS



NEW

TOTAL HSC 644 C



- Combi MF Turbo + Mwo
- HydroClean® ECO cleaning system
- Esmalte Slippery
- Capacity gross/net: 41/40 litres
- Touch Control panel with LED display
- 11 cooking functions
- Quick start 30
- Pizza, ECO functions & automatic defrost by time and weight
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Anti-tip glass tray and reinforced grid
- Tangential ventilation
- Optional Muticook and cast aluminium tray

MAESTRO HLC 840




- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 9 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple removable glazed door
- Full glass inner door
- Drop down maxi grill
- 1 telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray

MAESTRO HLC 840




- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 9 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple removable glazed door
- Full glass inner door
- Drop down maxi grill
- 1 telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray



COLOR

Stainless Steel

FRAME Stainless steel




COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 537+22mm

**NEW****MAESTRO HLC 8400**




- Urban Color Edition
- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 9 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple removable glazed door
- Full glass inner door
- Drop down maxi grill
- 1 telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray

**NEW****MAESTRO HLC 8400**

- Urban Color Edition
- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 9 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple removable glazed door
- Full glass inner door
- Drop down maxi grill
- 1 telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray

**NEW****MAESTRO HLC 8400**

- Urban Color Edition
- Multifunction SurroundTemp
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 9 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Triple removable glazed door
- Full glass inner door
- Drop down maxi grill
- 1 telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray

**COLOR**

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm

COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm

COLOR

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm

COMPACTS



NEW

MAESTRO MLC 844



- Microwave + Grill
- 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill
- 0-90 min. Timer
- Quick start 30"
- chromed guides
- 5 Cooking heights
- 1 reinforced grids
- Touch Control panel with LED display
- 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- Defrost by time and weight
- Double Glazed door



NEW

MAESTRO MLC 844



- Microwave + Grill
- 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill
- 0-90 min. Timer
- Quick start 30"
- chromed guides
- 5 Cooking heights
- 1 reinforced grids
- Touch Control panel with LED display
- 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- Defrost by time and weight
- Double Glazed door






NEW

MAESTRO MLC 8440



- Urban color Edition
- Microwave + Grill - 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill
- 0-90 min. Timer
- Quick start 30"
- chromed guides
- 5 Cooking heights
- 1 reinforced grids
- Touch Control panel with LED display
- 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- Defrost by time and weight
- Double Glazed door



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm

COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm

COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm



NEW

MAESTRO MLC 8440

- Urban color Edition
- Microwave + Grill - 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill
- 0-90 min. Timer
- Quick start 30"
- chromed guides
- 5 Cooking heights
- 1 reinforced grids
- Touch Control panel with LED display
- 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- Defrost by time and weight
- Double Glazed door

**TOTAL MWR 32 BIA AT**


- Country Style Edition
- Microwave + grill
- 3 cooking functions
- Minute minder
- 5 microwave power levels, 1.000 W out
- Defrosting by time
- Integrated turntable
- Triple glazed door
- Tangential ventilation
- Door opening security disconnection
- Capacity: 44 litres
- Browning plate and 2 grids



NEW

TOTAL MWR 32 BIA ATS

- Country Style Edition
- Microwave + grill
- 3 cooking functions
- Minute minder
- Integrated turntable
- 5 microwave power levels, 1.000 W out
- Defrosting by time
- 2 Grids and browning plate
- Double glazed door
- Tangential ventilation
- Door opening security disconnection
- Capacity: 32 litres


**COLOR**

Stone grey glass

FRAME Infinity glass

EXTERNAL DIMENSIONS


Height 455mm **Width** 595mm **Depth** 559mm

**COLOR**

Anthracite Brass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm

**COLOR**

Anthracite Silver

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm

COMPACTS



NEW

TOTAL MWR 32 BIA VN



- Country Style Edition
- Microwave + grill
- 3 cooking functions
- Minute minder
- 5 microwave power levels, 1.000 W out
- Defrosting by time
- Integrated turntable
- Triple glazed door
- Tangential ventilation
- Door opening security disconnection
- Capacity: 44 litres
- Browning plate and 2 grids

TOTAL MWR 32 BIA VNS






- Country Style Edition
- Microwave + grill
- 3 cooking functions
- Minute minder
- Integrated turntable
- 5 microwave power levels, 1.000 W out
- Defrosting by time
- 2 Grids and browning plate
- Double glazed door
- Tangential ventilation
- Door opening security disconnection
- Capacity: 32 litres

TOTAL HSC 635



- Multifunction
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Esmalte Slippery
- Capacity: 45/44 litres (gross/net)
- Touch Control panel with LED display
- 8 cooking functions
- Express preheating function
- ECO and defrosting functions
- Children safety block
- Double removable glazed door
- Full glass inner door
- Drop down maxi grill
- Plus Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray



COLOR

Vanilla Brass

COLOR

Vanilla Silver

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 472mm

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 472mm

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 537+22mm



EASY HBC 535



- Conventional
- HydroClean® ECO cleaning system
- A Energy class
- Esmalte Slippery
- Capacity: 49/48 litres (gross/net)
- Minute Minder
- 3 cooking functions
- Double removable glazed door
- Full glass inner door
- Plus Extension telescopic guide easy slide
- Anti-tip deep tray and cooking grid
- Dynamic ventilation
- Optional Muticook and cast aluminium tray




MAESTRO VS 1520 GS

- Urban color Edition
- Vacuum sealing machine
- Storage for accessories
- Kitchen scale
- Protecting cover for kitchen scale
- Roll holder for aluminum foil
- Roll holder for cling film
- Soft-close
- Self-closing
- Frontal Glass not included:
 - 111890002 - Black Glass
 - 111890006 - London Brick Brown Glass
 - 111890004 - Stone Grey Glass
 - 111890005 - Steam Grey Glass
 - 111890003 - White Glass




MAESTRO CP 150 GS

- Urban color Edition
- Plate warmer
- Temperature range: 30°-80°
- 6 plates setting: 6 dinner plates (24 cm), 6 deep plates (10 cm), and 3 serving platters (17, 19 and 32 cm) or 20 dinner plates (28 cm) or 40 tea cups or 80 coffee cups.
- Pull out telescopic drawer
- Push-pull opening system
- Anti-sliding base
- Frontal Glass not included:
 - 111890002 - Black Glass
 - 111890006 - London Brick Brown Glass
 - 111890004 - Stone Grey Glass
 - 111890005 - Steam Grey Glass
 - 111890003 - White Glass



COLOR

Stainless Steel

FRAME Frameless


COLOR

FRAME Infinity glass


COLOR

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 537+22mm


EXTERNAL DIMENSIONS

Height 250mm Width 645mm Depth 670mm

EXTERNAL DIMENSIONS

Height 140mm Width 595mm Depth 557mm

Section 2



Modelo	HLC 860 P	HSC 635 P	HBC 625 P	HLC 847 SC	HLC 8471 SC	HLC 8471 S	HSC 644 S	HLC 847 C
INNER CAVITY DIMENSIONS								
Height (mm)	232	232	232	232	232	232	232	232
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	405	385	405	405	365
Volume Net (L)	44	44	44	44	44	48	48	40
Volume Gross (L)	45	45	45	45	45	49	49	41
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.915	2.515	2.515	3.000	3.000	3.000	2.300	3.400
MWO Power (W)	-	-	-	0	-	-	-	1.000
Static oven (W)	1.050	1.050	1.050	2.250	2.250	-	-	2.100
Bottom Heating Element (W)	1.050	1.050	1.050	1.150	1.150	1.150	1.150	1.000
Grill (W)	1.400	1.400	1.400	1.400	1.400	-	-	1.400
Maxigrill (W)	2.450	2.450	2.450	2.500	2.500	-	-	2.500
Turbo (W)	1.800	-	-	1.800	1.800	-	-	1.600
Multifunction motor (W)	22	22	25	22	22	-	-	30
Inner light (W)	25	25	25	25	25	25	25	25
Cooling fan motor (W)	30	30	30	35	35	35	35	18
Cable connection length	150	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	✓	✓	✓	✓	✓	✓	✓	✓
Children safety	✓	✓	✓	✓	✓	✓	✓	✓
Grill protection	✓	✓	✓	✓	✓	-	-	✓
Full glazed door	4	3	3	4	4	3	3	3
CLEANING SYSTEMS								
Hydroclean ECO	-	-	-	-	-	-	-	-
Hydroclean PRO	✓	✓	✓	✓	✓	-	-	✓
Pyrolytic	✓	✓	✓	-	-	-	-	-
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	-	-	-

COMPACTS

Modelo	HLC 844 C	HSC 644 C	HLC 840	HLC 8400	MLC 844	MLC 8440	MWR 32 BIA AT	MWR 32 BIA ATS
INNER CAVITY DIMENSIONS								
Height (mm)	232	232	232	232	232	232	420	420
Width (mm)	475	475	475	475	475	475	390	390
Depth (mm)	365	365	402	402	365	365	210	210
Volume Net (L)	40	40	44	44	44	44	32	32
Volume Gross (L)	41	41	45	45	45	45	38	38
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.400	3.400	3.015	3.015	3.200	3.200	3.300	3.300
MWO Power (W)	1.000	1.000	—	—	1.000	1.000	1.000	1.000
Static oven (W)	2.100	2.100	2.550	2.550	—	—	—	—
Bottom Heating Element (W)	1.000	1.000	1.150	1.150	—	—	—	—
Grill (W)	—	—	1.400	1.400	1.400	1.400	1.500	1.500
Maxigrill (W)	2.500	2.500	2.500	2.500	—	—	—	—
Turbo (W)	1.600	1.600	1.800	1.800	—	—	—	—
Multifunction motor (W)	30	30	22	22	—	—	—	—
Inner light (W)	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	35	35
Cable connection length	110	110	110	110	110	110	150	150
SAFETY SYSTEMS								
Automatic disconnection security system	✓	✓	—	—	✓	✓	✓	✓
Children safety	✓	✓	—	—	—	—	—	—
Grill protection	✓	✓	✓	✓	✓	✓	—	—
Full glazed door	3	3	3	3	2	2	3	3
CLEANING SYSTEMS								
Hydroclean ECO	✓	✓	—	—	—	—	—	—
Hydroclean PRO	—	—	✓	✓	—	—	—	—
Pyrolytic	—	—	—	—	—	—	—	—
ENERGY EFFICIENCY								
Energy Efficiency Class	—	—	A+	A+	—	—	—	—

Modelo	MWR 32 BIA VN	MWR 32 BIA VNS	HSC 635	HBC 535
INNER CAVITY DIMENSIONS				
Height (mm)	420	420	232	229
Width (mm)	390	390	475	475
Depth (mm)	210	210	402	441
Volume Net (L)	32	32	44	48
Volume Gross (L)	38	38	45	49
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	3.300	3.300	2.615	2.593
MWO Power (W)	1.000	1.000	–	–
Static oven (W)	–	–	2.550	2.550
Bottom Heating Element (W)	–	–	1.150	1.150
Grill (W)	1.500	1.500	1.400	1.400
Maxigrill (W)	–	–	2.500	–
Turbo (W)	–	–	–	–
Multifunction motor (W)	–	–	22	–
Inner light (W)	25	25	25	25
Cooling fan motor (W)	35	35	18	18
Cable connection length	150	150	110	110
SAFETY SYSTEMS				
Automatic disconnection security system	√	√	–	–
Children safety	–	–	–	–
Grill protection	–	–	√	√
Full glazed door	3	3	3	3
CLEANING SYSTEMS				
Hydroclean ECO	–	–	–	√
Hydroclean PRO	–	–	√	–
Pyrolytic	–	–	–	–
ENERGY EFFICIENCY				
Energy Efficiency Class	–	–	A+	A
Modelo	CLC 835 MC		CLC 835 GM	
Multicapsule	√		–	
INNER CABINET DIMENSIONS				
Cabinet height (mm)	450		450	
Cabinet width (mm)	560		560	
Cabinet depth (mm)	580		–	
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	2.100		1.350	
Cable connection length	110		180	
Modelo	VS 1520 GS		CP 150 GS	
DIMENSIONS				
Height (mm)	–		100	
Width (mm)	–		470	
Depth (mm)	–		500	
ELECTRICAL FEATURES				
Voltage (V)	220-240		–	
Maximum connection rating (W)	–		–	
Cable connection lenght (cm)	110		110	



TEKA

19:52

0 ΔV

ΔV

Cooking is **believing**

MICROWAVES

MICROWAVES DESIGN





Design and harmony to create the perfect cooking environment at home

Cooking fast and easy without saying goodbye to that unique taste of our traditional recipes. Teka microwaves offer countless and intuitive functions with an exclusive design. Our microwaves style fits perfectly with our ovens and compacts, creating harmony in every kitchen. Shapes, materials and colours are carefully designed to create wellness in your home. Make a piece of art of your kitchen.



Creating unforgettable moments is **easier and faster than ever**

Easy installation

Frontal trim kit is included in the microwave for an Easy installation. The frame is already fixed to the microwave oven instead of the cabinet, so the assembly process is faster and we can get our new microwave ready in just 5 minutes and using 4 screws.

Memorize your favourite recipes

With Teka microwave ovens you can select different power memories and heating times so you can repeat your favourite recipes as many times as you wish.



Ceramic base

No boundaries in your kitchen

Your cooking will never have boundaries again. Teka microwaves bring you wide cooking surfaces to use bigger plates. You won't have to get another hot-but-cold dish again from the microwave thanks to our homogeneous heat system. Waves distribution comes from the lower ceramic part of the appliance and there is no need to use turntable plates. Microwave is completely flat inside so it is easier to clean and to reach any part of it where food stains may remain. We have as well an excellent efficiency.



Crunch plate

Real crispy microwave pizza

Crunch plate will give us the chance to cook easy and fast. You can do a potato omelette without turn it upside down, cook a quiche or even do some crunchy French fries. You can even have crispy pizzas thanks to the plate, reaching very high temperatures to turn the borders golden brown and crusty.

Microwaves

Cooking is believing.

FREE INSTALATION		BUILT-IN		MAESTRO				
MICROWAVES	+ GRILL	MICROWAVES		ELECTRONIC CONTROL DISPLAY			MECHANICAL	
		ML 822 BIS	ML 8220 BIS	ML 822 BIS R	ML 820 BIS	ML 820 BIS	ML 820 BIS L	ML 8220 BIS L
								ML 8220 BIS L
								ML 825 TFL
								ML 820 BI

TOTAL		EASY	
ELECTRONIC CONTROL DISPLAY	MECHANICAL	ELECTRONIC CONTROL DISPLAY	MECHANICAL
			
MS 622 BIS L	MS 622 BIS R	MS 620 BIS	MWR 22 BI
			
MWR 22 BI			
			
MB 620 BI		MB 620 BI	
			
MS 620 BIS	MWE 255 FI	MWE 225 FI	MWR 22 BI
			
MWR 22 BI			
			
MS 620 BIH		MS 622 BI L	
<hr/>			
			
MWE 200 G	MWE 230 G	MW 200 G	
			
MWE 225 G	MWE 225 G	MW 225 G	
<hr/>			
			
MW 225			



MAESTRO ML 822 BIS



- "Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



MAESTRO ML 8220 BIS




- "Urban Colors Edition
- Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



MAESTRO ML 822 BIS R



- "Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



COLOR

Black Glass

FRAME Stainless steel

COLOR

Black Glass

FRAME Infinity glass

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



MAESTRO ML 822 BIS L



- "Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



MAESTRO ML 8220 BIS L






- "Urban Colors Edition
- Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



MAESTRO ML 8220 BIS L



- "Urban Colors Edition
- Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm Width 595mm Depth 334mm

COLOR

Stone grey glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm Width 595mm Depth 334mm

COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm Width 595mm Depth 334mm

MICROWAVES



NEW

MAESTRO ML 8220 BIS L



- "Urban Colors Edition"
- Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



NEW

MAESTRO ML 8220 BIS L






- "Urban Colors Edition"
- Ceramic base microwave + grill
- Electronic glass control panel with digital clock
- Dropdown grill, 1.200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid"



MAESTRO ML 825 TFL



- "Microwave + grill"
- Touch Control panel with LED display
- Drop down maxi grill, 1.000 W
- Five power levels, 900 W
- Total gross capacity : 25 litres
- Stainless steel inner
- Full glass inner and outside door
- Quick start 30"
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- 8 direct access menus
- Children safety block
- Grill"



COLOR

Steam grey glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 384mm **Width** 595mm **Depth** 392mm



MAESTRO ML 820 BIS



- "Microwave + Grill"
- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 700 W
- 3 direct access menus
- Quick start + 30"
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Quartz Grill, 1000 W
- 1 Round grid"

MAESTRO ML 820 BIS






- "Microwave + Grill"
- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 700 W
- 3 direct access menus
- Quick start + 30"
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Quartz Grill, 1000 W
- 1 Round grid"

MAESTRO ML 820 BI



- "Microwave"
- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 1 cooking function
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity"



COLOR

White Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

MICROWAVES



TOTAL MS 622 BIS L



- "Microwave + Grill"
- Ceramic base
- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 2 direct access menus
- 3 cooking functions
- Quick start + 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- Left door opening
- Reinforced grid"



TOTAL MS 622 BIS R






- Microwave + Grill
- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 3 direct access menus
- 2 memories
- 3 cooking functions
- Quick start + 1 minute
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Reinforced grid
- Tangential ventilation
- Right door opening



TOTAL MS 622 BI L



- "Microwave"
- Ceramic base
- Capacity: 22 litres
- Electromechanical controls
- Electronic door opening
- 5 power levels, 850 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- Reinforced grid"



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



TOTAL MS 620 BIS



- "Microwave + Grill"
- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 700 W
- 3 direct access menus
- 3 cooking functions
- Quick start + 30"
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Quartz Grill, 1000 W
- 1 round grid"



TOTAL MWE 255 FI




- "Microwave + grill"
- Stainless steel (fingerprint proof)
- Electronic controls
- Grill (Quartz), 1.000 W
- Five power levels, 900 W
- Total gross capacity : 25 litres
- Stainless steel cavity
- Inner and outside glass door
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- Time and electronic functios selector
- 8 direct access menus
- +30" function
- Children safety block"



TOTAL MWE 225 FI




- "Microwave + grill"
- Stainless steel (fingerprint proof)
- Electronic Control panel
- Quartz Grill, 1.000 W
- 5 power levels, 800 W
- Total gross capacity : 20 litres
- Stainless Steel inner
- Inner and outside gloss door
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- Time and electronic functions selector
- 8 direct access menu
- +30" function
- Children safety block"



COLOR

Stainless Steel


FRAME Stainless steel



COLOR

Stainless Steel

FRAME Stainless steel



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

EXTERNAL DIMENSIONS

Height 388mm **Width** 595mm **Depth** 413mm

EXTERNAL DIMENSIONS

Height 382mm **Width** 595mm **Depth** 369mm

MICROWAVES



TOTAL MS 620 BIH



- "Microwave"
- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 3 direct access menus
- 1 memory
- 1 cooking function
- Quick start + 1 minute
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Double glazed door
- Stainless steel inner cavity"



EASY MB 620 BI






- "Microwave"
- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity"



EASY MB 620 BI



- "Microwave"
- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity"



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

COLOR

White

FRAME White

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm

**NEW****TOTAL MWR 22 BI**




- "Country Style Edition"
- Ceramic base microwave + grill
- Electromechanical control
- Five power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Auto defrost by time"

**TOTAL MWR 22 BI**

- Country Style Edition
- Ceramic base microwave + grill
- Electromechanical control
- Five power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Auto defrost by time

**TOTAL MWR 22 BI**

- Country Style microwave
- Ceramic base + grill
- Electromechanical control
- Five power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Auto defrost by time

**COLOR**

Vanilla Silver

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm

COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm

COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm

MICROWAVES



NEW

TOTAL MWR 22 BI



- "Country Style Edition"
- Ceramic base microwave + grill
- Electromechanical control
- Five power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Auto defrost by time"



EASY MWE 230 G




- "Free standing Microwave + grill
- Electronic Control panel
- Quartz Grill, 1.000 W
- 5 power levels, 800 W
- Total gross capacity : 23 litres
- Painted inner
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- +30" function
- 8 direct access menu
- Children safety block"



EASY MWE 225 G



- "Free standing Microwave + grill
- Stainless steel (fingerprint proof)
- Electronic Control panel
- Quartz Grill, 1.000 W
- 5 power levels, 800 W
- Total gross capacity : 20 litres
- Stainless Steel inner
- Inner and outside gloss door
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- Time and electronic functions selector
- 8 direct access menu
- +30" function
- Children safety block"



COLOR

Anthracite Silver

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm

EXTERNAL DIMENSIONS

Height 292mm **Width** 485mm **Depth** 386mm



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 258mm **Width** 440mm **Depth** 340mm





EASY MWE 225 G



- "Free standing Microwave + grill
- Stainless steel (fingerprint proof)
- Electronic Control panel
- Quartz Grill, 1.000 W
- 5 power levels, 800 W
- Total gross capacity : 20 litres
- Stainless Steel inner
- Inner and outside gloss door
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time
- Time and electronic functions selector
- 8 direct access menu
- +30° function
- Children safety block"



EASY MW 225 G






- "Free standing Microwave + grill
- Mechanic Control panel
- Quartz Grill, 1.000 W
- 5 power levels, 700 W
- Total gross capacity : 20 litres
- Painted inner
- Minute minder: 0 - 35 minutes
- Defrosting by weight and time"



EASY MW 225



- "Free standing Microwave
- Mechanic control panel
- 5 power levels, 700 W
- Total gross capacity : 20 litres
- Painted inner
- Minute minder: 0 - 35 minutes
- Defrosting by weight and time"



COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 258mm Width 440mm Depth 340mm

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 258mm Width 440mm Depth 340mm

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 258mm Width 440mm Depth 340mm

MICROWAVES



EASY MWE 200 G




- Microwave + Grill
- Capacity: 20 litres
- Electronic control panel with digital display
- Quick start +30"
- 5 Power levels: 700 W.
- Grill power : 1,000 W
- 8 Auto-cook menus
- 3 Cooking function (Mic, Grill, Mic-Grill)
- Defrost by time and weight
- Timer 0-95 minutes
- Turntable 25.5 cm
- Safety block



EASY MW 200 G

- "Free standing Microwave + grill
- Mechanic Control panel
- Quartz Grill, 1,000 W
- 8 power levels, 700 W
- Total gross capacity : 20 litres
- Painted inner
- Minute minder: 0 - 95 minutes
- Defrosting by weight and time"



COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 258mm **Width** 442mm **Depth** 340mm

EXTERNAL DIMENSIONS

Height 258mm **Width** 440mm **Depth** 340mm

Modelo	ML 8220 BIS	ML 822 BIS	ML 822 BIS R	ML 822 BIS L	ML 8220 BIS L	ML 825 TFL	ML 820 BIS	ML 820 BI
INNER CAVITY DIMENSIONS								
Height (mm)	220	220	220	220	220	368	210	210
Width (mm)	350	350	350	350	350	328	305	305
Depth (mm) (mm)	280	280	280	280	280	206	280	280
Volume (l)	22	22	22	22	22	25	20	20
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.500	2.500	2.500	2.500	2.500	1.450	1.100	1.100
Microwave power	850	850	850	850	850	900	750	750
Grill power (W)	1.200	1.200	1.200	1.200	1.200	1.000	1.000	-
Cable connection length	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Children safety block	-	✓	✓	✓	-	✓	✓	-
Safety thermostat	✓	✓	✓	✓	✓	✓	✓	✓
Automatic disconnection when opening the door	✓	✓	✓	✓	✓	✓	✓	✓
Tangential ventilation	✓	✓	✓	✓	✓	-	-	-

Modelo	MS 622 BIS L	MS 622 BIS R	MS 622 BI L	MS 620 BIS	MWE 255 FI	MWE 225 FI	MS 620 BIH	MB 620 BI
INNER CAVITY DIMENSIONS								
Heigth (mm)	220	220	220	210	206	218	210	210
Width (mm)	350	350	350	305	328	295	305	305
Depth (mm) (mm)	280	280	280	280	368	315,8	280	280
Volume (l)	22	22	22	20	25	20,31	20	20
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.500	2.500	1.400	1.100	1.450	1.250	1.100	1.100
Microwave power	850	850	850	750	900	800	750	750
Grill power (W)	1.200	1.200	-	1.000	1.000	1.000	-	-
Cable connection length	110	110	110	110	-	-	110	110
SAFETY SYSTEMS								
Children safety block	✓	✓	-	✓	✓	✓	-	-
Safety thermostat	✓	✓	✓	✓	✓	✓	✓	✓
Automatic disconnection when opening the door	✓	✓	✓	✓	-	-	✓	✓
Tangential ventilation	✓	✓	✓	-	-	-	-	-

Modelo	MWR 22 BI	MWE 230 G	MWE 225 G	MW 225 G	MW 225	MWE 200 G	MW 200 G
INNER CAVITY DIMENSIONS							
Heigth (mm)	350	201	208,2	208,2	208,2	208,2	208,2
Width (mm)	280	314	306	306	306	306	306
Depth (mm) (mm)	220	347	306,6	306,6	306,6	306,6	306,6
Volume (l)	22	23	20	20	20	20	20
ELECTRICAL FEATURES							
Maximum Nominal Power (W)	1.400	1.250	1.050	1.050	1.050	1.050	1.050
Microwave power	850	800	700	700	700	700	700
Grill power (W)	-	1.000	1.000	1.000	-	1.000	1.000
Cable connection length	150	-	-	-	-	-	-
SAFETY SYSTEMS							
Children safety block	-	-	✓	-	-	-	-
Safety thermostat	✓	✓	✓	✓	✓	✓	✓
Automatic disconnection when opening the door	✓	-	-	-	-	-	-
Tangential ventilation	✓	-	-	-	-	-	-



Teka **adds soul** to
your kitchen

H0BS


HOBS

CONTROL

iKnob

Feel the power of absolute control. An induction hob unique in every sense thanks to the exclusive design. Power and precision in just one control. The control of the hobs works with the removable knob with an extremely soft touch.

Satisfaction of
complete control



Higher level of **precision**

MultiSlider


Independent and direct control of each part of the hob to reach a higher precision level. Slide your finger or press the power you need. You will never be wrong with your recipes thanks to the new touch control slider.





Direct Functions

Temperature control by sensors avoids oil can reach excessively high temperatures . We take care of you through precision, thanks to the 8 intuitive functions.



Grilling 200°C

Ready to cook red meat and vegetables recipes at high temperature. Choose the best company to share your piece of art with and... bon apétit!



Deep Frying 180°C

The best program for deep frying. High precision to keep from high-temperature toxic substances. Healthy kitchen, enjoy safely your recipes.



Simmering 90°C

Perfect for your slow-cooked recipes. If you love stews and soups, this is the right program for you.



Melting 48°C

You can melt butter, chocolate or sugar with no fear of burning them.



Pan Frying 190°C

So many uses for just one program. Perfect to cook delicate food like fish, chicken, eggs and pancakes at perfect temperature.



Boiling 100°C

You can bring to boil 1 liter of water in 3 minutes. Speed and efficiency in your dishes and your kitchen.



Keep Warm 60°C

Keep your recipes warm until you serve them on the table. Nobody likes cold food, don't you think?.



Confit 80°C

The perfect temperature to create homemade confit at low and constant temperature.



Old traditional cooking with the **newest technology**

ExactFlame

Trying to guess the power of the flame is just part of the past. With ExactFlame you can easily control flame intensity with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.



Cooking **without** limits



Full Flex DirectSense induction


Cook with no limits thanks to its FullFlex technology using the whole cooking surface. Use your imagination and cook with recipients of any size, your recipes won't have limits.

DirectSense control the Temperature in the by sensors avoids oil can reach excessively high temperatures. Use your imagination and cook with recipients of any size at the perfect temperature without limits.

Space induction

Flex area is designed to use every single corner of the cooking area with different shape pans. Perfect for grids, grill, TeppanYaki or rectangular recipients.





Flex induction with SlideCooking

Just move the pan from place to place and SlideCooking feature will do the rest. The hob automatically changes the power for maximum convenience, so you will cook over a high flame (power 9), at the front part of the hob, medium (power 5) at the centre and you will keep your dishes warm at the bottom (power 3). A giant leap for comfort cooking. The flex area is perfect for grids, TeppanYaki grill, rectangular recipients or anything you can imagine. With a unique and useful design, each pan has the right cooking zone.

Just slide & Cook




Go **one step further** with your recipes...



SuperZone XL

Cooking for all the family or create that big paella you were talking about with friends weeks ago come to life. With Paella zone XXL, 320mm, everybody is welcome at home to enjoy meals. Cook with big pans for great moments.



SCHOTT
CERAN®


Schott


We know you choose Teka because you choose quality. That is why we work hard everyday to make that claim our life philosophy, where durability and resistance are definitely important features. We make our highest demands come true with Schott glasses, a market leader known for quality.

... and become **a real chef**

Temperature Sensors

Find the right cooking temperature for the best results can be a challenge. Thanks to temperature sensors we can reach a uniform and constant cooking temperature. A smart way to give you a helping hand in the kitchen.






Inductions hobs

- Very fast
- Very easy to clean
- Direct heating
- Safety - Not burn on the surface


Vitroceramic hobs


- More cost effective
- Easy bowl detection



Gas hobs

- Traditional cooking
- Direct control
- Fast
- Glass or stainless Steel surface





EX Gas hobs

Cast iron grids designed to use the whole surface. Made of iron and gathered so we can easily move recipients from one place to another. With high efficiency SABAF burners for a real energy saving up to 20% compared with traditional stoves, thanks to an impressive design.

Gas + induction

together in the same space

Take the advantages of two very different cooking technologies at the same time. Traditional mud kitchenware or the lastest pans, is up to you. Cook your traditional mud pot stews or cooking easy and fast with the induction technology



The Best of **Both Worlds**

Hobs

Teka adds soul to your kitchen.

MAESTRO							
	IKNOB	MULTISLIDER	TOUCH CONTROL				
INDUCTION 80/90	IZS 96600	SPACE IRF 9430	IR 9530	IR 8300 HS	IR 8430	IRF 9480 TFT	
INDUCTION 60	iKnob IT 6350	IZS 66700	SLIDE ITS 65600	IZS 65600	IRC 9430 KS	IR 9330 HS	IZ 8320 HS
MODULAR		SPACE IZF 6424	SPACE IZF 6420	SPACE ITF 6320		IZ 7210	
VITROCERAMIC 60/80		IZS 34600	IZC 42300	IRF 3200	IR 3200	IR 4200	
MODULAR					TRC 83631		

TOTAL		EASY	
MULTISLIDER	TOUCH CONTROL	MULTISLIDER	TOUCH CONTROL



IRC 6320



IT 6420



IBC 63010 MSS



IZ 6415



IB 6415



IZ 6420



IT 6320



IZ 6315



IB 6315



IB 6310



IZ 6320



IZ 5320



IBC 64000 TTC



IZC 32300



EFX 32300



TZ 6420



TT 6320



TZ 6320



TB 6315



TR 6315



TB 6310



TZ 6415



TR 5300



TT 6315



TZ 6315



VT N DC



VT CM



TB 6415



VTC B



TZ 3210



TR 3220



VT CM 30 2P



EFX 30.1 2H-T



EFX 30.1 2H

MAESTRO		TOTAL			
	GASONGGLASS	STAINLESS STEEL	GASONGGLASS	STAINLESS STEEL	
GAS	90			GZC 95320 GZC 96310 GZC 85320	EW 90.5G AI AL TR CI EFX 90.1 6G AI AL DR CI EFX 90.1 5G AI AL DR CI
	70			GZC 75330	EX 70.1 5G AI AL DR CI EX 70.1 5G AI AL DR CI
	60	 	  	GZC 64300 GZC 64320 GZC 64321 GZC 63310	CGW LUX 60 TC 4G AI AL CI IG 620 1G AI AL DR CI IG 620 2G AI AL CI EX 60.1 4G AI DR CI EX 60.1 4G AI AL DR CI EX 60.1 3G AI AL DR CI EP 60 4G AI CI EH 60 4G AI AL TR CI
	MODULAR		 	GZC 32300 GZC 31330	EFX 30.1 GRILL EFX 30.1 TEPPAN-YAKI EFX 30.1 FRYER

EASY

GAS/ON GLASS

STAINLESS STEEL



GBC 75030



CGC 4G AI AL



GBC 64000



GBC 64003



HLX 50 4G AL



HLX 60 3G 1P AI AL



E/60.3 3G 1P AL



E/60.3 4G AI AL



CG.1 4G AI AL



GBC 63010




EFX 30.1 2G AI AL CI



EFX 30.1 2P-T



EFX 30.1 2P




NEW

MAESTRO DIRECTSENSE IZF 68600



- Induction hob
- DirectSense with FullFlexFLEX induction
- Touch Control Multislider
- Cooking timer
- 7 cooking combinations (4 + 2 Flex zones + 1 Full Flex zone)
 - 4 zones of 263 x 195 mm
 - 2 Flex zones of 263 x 390 mm
 - 1 Full Flex zone of 525 x 390 mm
- Special cooking functions with temperature sensors:
 - Grilling, Deep frying, Pan frying, KeepWarm, Boiling, Simmering and Melting
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power: 7.400 W



COLOR



FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm




NEW

MAESTRO IZS 96600



- Induction hob
- FLEX induction with Slide Cooking function
- Touch Control Multislider
- Cooking timer
- 5 cooking combinations (4 + 1 Flex zone)
 - 2 zones of 230 x 200 mm
 - 1 Flex zone of 230 x 400 mm
 - 1 double induction zone Ø 180 / 280 mm
 - SlideCooking function available in the Flex zone
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power: 7.400 W




COLOR



FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 900mm **Depth** 510mm




NEW

MAESTRO IZS 66700



- Induction hob
- FLEX induction with Slide Cooking function
- Touch Control Multislider
- Cooking timer
- 5 cooking combinations (4 + 1 Flex zone)
 - 2 zones of 230 x 200 mm
 - 1 Flex zone of 230 x 400 mm
 - 1 double induction zone Ø 210 mm
 - SlideCooking function available in the Flex zone
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power: 7.400 W





COLOR



FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



NEW

MAESTRO SLIDE ITS 65600

- Induction hob
- FLEX induction with Slide Cooking function
- Touch Control Multislider
- Cooking timer
- 4 cooking combinations (3 + 1 Flex zone)
- 2 zones of 230 x 200 mm
- 1 Flex zone of 230 x 400 mm
- 1 double induction zone of Ø 180 / 280 mm
- SlideCooking function available in the Flex zone
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power: 7.400 W




NEW

MAESTRO IZS 65600

- Induction hob
- FLEX induction with Slide Cooking function
- Touch Control Multislider
- Cooking timer
- 4 cooking combinations (3 + 1 Flex zone)
- 2 zones of 230 x 200 mm
- 1 Flex zone of 230 x 400 mm
- 1 double induction zone of Ø 180 / 280 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power: 7.400 W

MAESTRO IRF 9480 TFT

- Space induction hob
- Full touch control
- 7" Touch screen color
- Cooking timer
- 4 cooking zones:
 - 1 induction Ø 145 mm
 - 2 induction 270 x 180 mm:
 - FlexZone 280 x 385 mm
 - 1 induction Ø 280 mm
- 4 special cooking functions: Boiling, Simmering, Melting and KeepWarm
- Power Plus function
- Power management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- 15 Pre-programmed recipes
- Extra menus: Recipes, Planning, Utilities & Settings
- Maximum nominal power : 7.400 W

**COLOR**

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm

COLOR




Black Glass

FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 900mm **Depth** 510mm

HOBS



MAESTRO SPACE IRF 9430



- Space induction hob
- Touch control slider
- Cooking timer
- 4 cooking zones:
- 2 Flex induction 270 x 180 mm=280x385
- 1 induction Ø 280 mm
- 1 induction Ø 145 mm
- 1 FlexiZone 280 x 385 mm
- Power Plus function
- Child lock
- Stop & Go Function
- Residual heat indicators
- Synchro function
- Pan detector
- Low-temperature function
- Maximum nominal power : 7.400 W

MAESTRO SPACE IZF 6424





- Space induction hob
- Touch Control Multislider
- 2 FlexiZone 235x395 mm
- Cooking timer
- 4 cooking zones:
- -4 induction 235 x 180 mm
- 2 FlexiZone 235 x 395 mm
- 3 special cooking functions: Simmering, Melting and KeepWarm
- Power Plus function
- Power Management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Synchro function
- Pan detector
- Maximum nominal power : 7.400 W

MAESTRO SPACE IZF 6420



- Space induction hob
- Touch Control Multislider
- Cooking timer
- 4 cooking zones:
- -2 induction 235 x 180 mm
- -1 induction Ø 210 mm
- -1 induction Ø 145 mm
- 1 FlexiZone 235x395 mm
- 4 special cooking functions: Boiling, Simmering, Melting and KeepWarm
- Power Plus function
- Power Management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Synchro function
- Pan detector
- Maximum nominal power : 7.400 W



COLOR

Black Glass

FRAME Full bevelled glass

COLOR

Black Glass

FRAME Front bevelled glass

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS




Height 50mm **Width** 900mm **Depth** 510mm

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



MAESTRO SPACE IZF 6320



- Space induction hob
- Touch Control Multislider
- Cooking timer
- 3 cooking zones:
 - 2 Flex induction 235 x 180 mm
 - 1 induction Ø 180/280 mm
 - 1 FlexiZone 235x395 mm
- 3 special cooking functions: Simmering, Melting and KeepWarm
- Power Plus function
- Power management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Synchro function
- Pan detector
- Maximum nominal power : 7.400 W

MAESTRO SPACE ITF 6320





- Space induction hob
- Touch Control Multislider
- Cooking timer
- 3 cooking zones:
 - 2 Flex induction 235 x 180 mm
 - 1 induction Ø 180/280 mm
 - 1 FlexiZone 235x395 mm
- 3 special cooking functions: Simmering, Melting and KeepWarm
- Power Plus function
- Power management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Synchro function
- Pan detector
- Maximum nominal power : 7.400 W

MAESTRO IKNOB IT 6450



- Induction hob
- iKnob touch control
- Cooking timer
- 4 cooking zones:
 - 1 induction Ø 145 mm
 - 1 induction Ø 210 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 180 mm
- Special cooking functions: Boiling & KeepWarm function
- Power Plus Function
- Power Management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Synchro function
- Pan detector
- Maximum nominal power: 7.400 W



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm

COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm



MAESTRO iKNOB IT 6350



- Induction hob
- iKnob touch control
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø 190/300 mm
 - 1 induction Ø 210 mm
 - 1 induction Ø 145 mm
- Special cooking functions: Boiling & KeepWarm function
- Power Management function
- Power Plus Function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Pan detector
- Maximum nominal power : 7.400 W



MAESTRO IRC 9430 KS



- Induction hob
- Touch Control Slider
- Cooking timer
- 4 cooking zones + Synchro:
 - 1 induction Ø 280 mm
 - 1 induction Ø 145 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 180 mm
- Special cooking functions: Boiling & KeepWarm function
- Residual heat indicators
- Power Plus function
- Stop & Go function
- Maximum nominal power : 7.400 W



MAESTRO IR 9330 HS



- Induction hob
- Touch control slider
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø 180/280 mm
 - 1 induction Ø 210 mm
 - 1 induction Ø 145 mm
- Boiling function
- Power Plus function
- Child lock
- Stop & Go Function
- Residual heat indicators
- Synchro function
- Pan detector
- Low-temperature function
- Maximum nominal power : 7.400 W



COLOR



FRAME Slim metal frame

150



COLOR



FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 55mm **Width** 950mm **Depth** 520mm




COLOR



FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 900mm **Depth** 400mm



TOTAL IRC 6320



- Touch Control Multislider
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø145 mm
 - 1 induction Ø180 mm
 - 1 induction Ø180 / 280 mm
- Special cooking functions: Boiling, simmering, melting and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Maximum nominal power: 5.900 W



MAESTRO IR 9530





- Touch Control Slider
- Cooking timer
- 5 cooking zones
 - 1 induction Ø 210 mm
 - 1 induction Ø190/300 mm
 - 1 induction Ø 145 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 180 mm
- Special cooking functions: Boiling, KeepWarm function
- Power Plus function
- Stop & Go function
- Synchro funtion
- Maximum nominal power : 11.000 W



MAESTRO IR 8430



- Touch Control Slider
- Cooking timer
- 4 cooking zones + Synchro
- -1 induction Ø 280 mm
- -1 induction Ø 145 mm
- -1 induction Ø 180 mm
- -1 induction Ø 180 mm
- Special cooking functions: Boiling, KeepWarm function
- Power Plus function
- Stop & Go function
- Maximum nominal power : 7.400 W



COLOR

Black Glass

FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 55mm **Width** 590mm **Depth** 510mm

COLOR

Black Glass

FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 900mm **Depth** 510mm

COLOR

Black Glass

FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 800mm **Depth** 510mm



NEW

MAESTRO IZ 8320 HS



- Touch Control Multislider
- Cooking timer
- 3 zones cooking zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190 / 300 mm
- Special cooking functions: Boiling, simmering, melting and heat maintenance
- Power Plus function
- Stop & Go function
- Silence mode
- Maximum nominal power: 7.400 W



MAESTRO IR 8300 HS



- Induction hob
- Touch control
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø 180/280 mm
 - 1 induction Ø 210 mm
 - 1 induction Ø 145 mm
- KeepWarm function
- Power Plus function
- Power management function
- Child lock
- Silence mode
- Residual heat indicators
- Low-temperature function
- Maximum nominal power : 7.400 W



MAESTRO IZ 7210

- Induction hob
- Touch Control
- Cooking timer
- 2 cooking zones
- 1 induction ø 240 mm
- 1 induction ø 280 mm
- Power function
- Residual heat indicators
- Child lock
- Maximum nominal power : 3.500 W



COLOR

Black Glass

FRAME Front bevelled glass

COLOR

Black Glass

FRAME Frameless

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS


Height 55mm Width 800mm Depth 400mm

EXTERNAL DIMENSIONS

Height 50mm Width 800mm Depth 400mm

EXTERNAL DIMENSIONS

Height 60mm Width 730mm Depth 430mm



TOTAL IT 6420




- Touch control MultiSlider
- individual Cooking timer for each cooking zone
- 4 cooking zones + Synchro
- -1 induction ø 145 mm
- -1 induction ø 210 mm
- -1 induction ø 180 mm
- -1 induction ø 180 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Power management function
- Child lock
- Stop & Go function
- Silence Mode
- Residual heat indicator
- Maximum nominal power: 7.400 W



TOTAL IZ 6420






- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 5 cooking zones (4 zones + synchro)
 - -1 induction Ø145 mm
 - -1 induction Ø180 mm
 - -1 induction Ø180 mm
 - -1 induction Ø210 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Child lock
- Stop & GO function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Synchro function
- Maximum nominal power: 7.400 W



TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 5 cooking zones (4 zones + synchro)
 - -1 induction Ø145 mm
 - -1 induction Ø180 mm
 - -1 induction Ø180 mm
 - -1 induction Ø210 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Child lock
- Stop & GO function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Synchro function
- Maximum nominal power: 7.400 W



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm Width 605mm Depth 515mm

COLOR

Steam grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 5 cooking zones (4 zones + synchro)
 - 1 induction Ø145 mm
 - 1 induction Ø180 mm
 - 1 induction Ø180 mm
 - 1 induction Ø210 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Child lock
- Stop & GO function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Synchro function
- Maximum nominal power: 7.400 W



NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 5 cooking zones (4 zones + synchro)
 - 1 induction Ø145 mm
 - 1 induction Ø180 mm
 - 1 induction Ø180 mm
 - 1 induction Ø210 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Child lock
- Stop & GO function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Synchro function
- Maximum nominal power: 7.400 W






NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 5 cooking zones (4 zones + synchro)
 - 1 induction Ø145 mm
 - 1 induction Ø180 mm
 - 1 induction Ø180 mm
 - 1 induction Ø210 mm
- Special cooking functions: QuickBoiling, Simmering, Melting and KeepWarm
- Power Plus function
- Child lock
- Stop & GO function
- Silence mode
- Residual heat indicators
- Fast-Click easy installation
- Synchro function
- Maximum nominal power: 7.400 W



COLOR



White Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR



Stone grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR




London brick brown glass


FRAME Front bevelled glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

**NEW****TOTAL IT 6320**



- Induction hob
- MultiSlider touch control
- Cooking timer
- 3 cooking zones:
- -1 induction Ø 190/300 mm
- -1 induction Ø 210 mm
- -1 induction Ø 145 mm
- Power Plus function
- 4 special cooking functions: Boiling, Simmering, Melting and KeepWarm
- Power management function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicators
- Maximum nominal power : 7.400 W

**EASY IZ 6415**

- Induction hob
- MultiSlider touch control
- Cooking timer
- 4 cooking zones:
- -1 induction Ø 145 mm
- -1 induction Ø 210 mm
- -1 induction Ø 180 mm
- -1 induction Ø 145 mm
- Stop & Go function
- Silence mode
- Residual heat indicator
- Maximum nominal power : 7.200 W

**EASY IB 6415**

- Induction hob
- MultiSlider touch control
- 4 cooking zones:
- -1 induction Ø 145 mm
- -1 induction Ø 210 mm
- -1 induction Ø 180 mm
- -1 induction Ø 145 mm
- Power function
- Power management function
- Stop & Go function
- Silence mode
- Residual heat indicator
- Maximum nominal power : 7.200 W

**COLOR**

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm




NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 induction zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190/300 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Fast-Click easy installation
- Maximum nominal power: 7.400 W



TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 induction zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190/300 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Fast-Click easy installation
- Maximum nominal power: 7.400 W




NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 induction zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190/300 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Fast-Click easy installation
- Maximum nominal power: 7.400 W



COLOR

Steam grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm


COLOR

White Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

**NEW****TOTAL IZ 6320**



- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 induction zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190/300 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Fast-Click easy installation
- Maximum nominal power: 7.400 W

NEW**TOTAL IZ 6320**

- Urban Colors Edition
- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 induction zones:
 - 1 induction Ø145 mm
 - 1 induction Ø210 mm
 - 1 induction Ø190/300 mm
- Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Fast-Click easy installation
- Maximum nominal power: 7.400 W

NEW**EASY IZ 6315**

- Induction hob
- Cooking timer
- 4 cooking zones:
 - 1 induction Ø 180/280 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 145 mm
- Power Plus function
- Child lock
- Stop & Go Function
- Silence mode
- Residual heat indicator
- Power Management function
- Maximum nominal power : 7.200 W

**COLOR**

Stone grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

London brick brown glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR


Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

HOBs




NEW

EASY IB 6315



- Induction hob
- MultiSlider touch control
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø 210 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 145 mm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicator
- Maximum nominal power : 7.200 W




NEW

EASY IB 6310



- Induction hob
- MultiSlider touch control
- Cooking timer
- 3 cooking zones:
 - 1 induction Ø 260 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 145 mm
- Power Plus function
- Child lock
- Stop & Go function
- Silence mode
- Residual heat indicators
- Maximum nominal power : 5.900 W




NEW

EASY IBC 64000 TTC



- Induction hob
- Touch control
- Silence mode
- 4 cooking zones
 - 1 induction Ø 145 mm
 - 1 induction Ø 180 mm
 - 1 induction Ø 145 mm
 - 1 induction Ø 180 mm
- Power management function
- Power Plus function
- Residual heat indicators
- Maximum nominal power : 7.200 W



COLOR

Black Glass

FRAME C-edged glass

COLOR

Black Glass

FRAME C-edged glass

COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

**NEW****EASY IBC 63010 MSS**


- Induction hob
- Touch control MultiSlider
- Cooking timer
- 3 cooking zones:
- -1 induction Ø 145 mm
- -1 induction Ø 180 mm
- -1 induction Ø 280 mm
- Power function
- Stop & Go
- Residual heat indicators
- Fast-Click easy installation
- Maximum nominal power : 5.900 W

**TOTAL IZ 5320**

- Induction hob
- Touch Control Multislider
- Cooking timer
- 3 cooking zones:
- -1 induction Ø145 mm
- -1 induction Ø145 mm
- -1 induction Ø180 / 280 mm
- Special cooking functions: simmering, melting and KeepWarm
- Power Plus function
- Stop & Go function
- Silence mode
- Residual heat indicator
- Maximum rated power: 7.300 W

**NEW****MAESTRO TRC 83631**

- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones:
- -1 high light Ø 145 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 / 210 / 270 mm
- Burst of cooking function
- Child lock
- Stop & Go function
- Maximum nominal power: 5.700 W

**COLOR**

Black Glass

FRAME C-edged Glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 55mm **Width** 600mm **Depth** 435mm

COLOR


Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 800mm **Depth** 400mm


HOBS



TOTAL TT 6420




- Vitroceramic hob
- Touch control
- Cooking timer
- 4 cooking zones:
- -1 high light Ø 145 mm
- -1 high light Ø 180/210 mm
- -1 high light Ø 180 mm
- Burst of cooking function
- Child lock
- Stop & Go function
- Residual heat indicator
- Maximum nominal power: 6.200 W



TOTAL TZ 6420






- Vitroceramic hob
- Touch control
- Cooking timer
- 4 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 180 mm
- -2 high light Ø 145 m
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 6.200 W



TOTAL TT 6320



- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 120/180 mm
- -1 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.600 W



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 63mm Width 605mm Depth 515mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm


COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS


Height 63mm Width 605mm Depth 515mm



NEW
TOTAL TZ 6320




- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 120/180 mm
- -1 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.600 W



NEW
EASY TZ 6415





- Vitroceramic hob
- Touch control
- Cooking timer
- 4 cooking zones :
- -1 high light Ø 210 mm
- -1 high light Ø 180 mm
- -2 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 6.300 W




NEW
EASY TB 6415



- Vitroceramic hob
- Touch control
- Cooking timer
- 4 cooking zones:
- -1 high light Ø 145 mm
- -1 high light Ø 210 mm
- -1 high light Ø 145 mm
- -1 high light Ø 180 mm
- Fast Click installation
- Maximum nominal power: 6.300W


**COLOR****FRAME** Front bevelled glass**EXTERNAL DIMENSIONS**Height 63mm **Width** 600mm **Depth** 510mm**COLOR****FRAME** Front bevelled glass**EXTERNAL DIMENSIONS**Height 63mm **Width** 600mm **Depth** 510mm**COLOR****FRAME** C-edged glass**EXTERNAL DIMENSIONS**Height 63mm **Width** 600mm **Depth** 510mm



EASY TT 6315




- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.400 W



EASY TZ 6315




- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 mm
- Child lock
- Burst of cooking function
- Residual heat indicator
- Maximum nominal power: 5.400 W



EASY TB 6315



- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.400 W



COLOR

Black Glass

FRAME Stainless steel frame

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm




COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 63mm Width 600mm Depth 510mm



EASY TR 6315




- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- -1 high light Ø 210/270 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.400 W



EASY TB 6310




- Vitroceramic hob
- Touch control
- 3 cooking zones :
- -1 high light Ø 180/230 mm
- -1 high light Ø 180 mm
- -1 high light Ø 145 mm
- Child lock
- Residual heat indicator
- Maximum nominal power: 5.100 W



EASY VT CM

- NEW**
- Vitroceramic hob
 - Mechanical control panel
 - 4 cooking zones :
 - -2 high light 180 mm Ø
 - -2 high light 145 mm Ø
 - Residual heat indicator
 - Maximum nominal power: 6000 W



COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm

COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm

COLOR


Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 60mm **Width** 600mm **Depth** 510mm


HOBS



NEW

TOTAL TR 5300

- Vitroceramic hob
- Touch control
- Cooking timer
- 3 cooking zones :
- 1 high light Ø 180/230 mm
- 1 high light Ø 120/180 mm
- 1 high light Ø 100 mm
- Burst of cooking function
- Child lock
- Residual heat indicator
- Maximum nominal power: 4.750 W





EASY VTC B

- Polivalent 60 cm vitroceramic hob
- Polivalent (control panel in the oven)
- Stainless steel frame
- Residual heat indicator
- 4 cooking zones :
- 1 high light (210 mm Ø)
- 1 high light (180 mm Ø)
- 2 high light (145 mm Ø)
- Max. nominal power : 6300 W



EASY VT N DC

- Polivalent 60 cm vitroceramic hob
- Polivalent (control panel in the oven)
- Stainless steel frame
- Residual heat indicator
- 4 cooking zones :
- 1 high light (210 mm Ø)
- 1 high light (180 mm Ø)
- 2 high light (145 mm Ø)
- Max. nominal power : 6300 W



COLOR

Black Glass

FRAME Full bevelled glass

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 435mm

COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 115mm Width 600mm Depth 510mm

COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm Width 590mm Depth 510mm



EASY CGC 4G AI AL

- Gas typology : LPG (butane/propane)
- Frameless tempered glass
- Metallic frontal knobs
- Auto-ignition
- Gas burners: Auxiliary burner, 1.00 Kw, 2 Semi-fast burners, 1.75 Kw, 1 Fast burner , 3.0 Kw
- Cast iron grids



EASY CG.1 4G AI AL




- Gas typology : LPG (butane/propane)
- Stainless Steel tempered frame
- Auto-ignition
- Gas burners: Auxiliary burner, 1.00 Kw, 2 Semi-fast burners, 1.75 Kw, Fast burner , 3.0 Kw
- Cast iron grids



MAESTRO IG 940 1G AI AL DR CI



- Gas on glass + induction hob
- Touch control
- Cooking time programmer
- 5 cooking zones:
- 2 induction Ø 210 mm. (1.500 W)
- 2 induction Ø 145 mm. (1.200 W)
- 1 gas Double ring burner (5.00 kW)
- Power function
- Power management function
- Cast iron grids
- Auto-ignition
- Auto-lock safety device
- Child lock
- Residual heat indicator
- Metallic look knobs
- Total nominal power (gas): 5.00 kW
- Total nominal power (induction): 7.200 W




COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm




COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 115mm **Width** 590mm **Depth** 510mm




COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 50mm **Width** 880mm **Depth** 505mm



MAESTRO IG 620 1G AI AL DR CI



- Gas on glass + induction hob
- Touch control and frontal knobs
- Cooking timer
- 3 cooking zones:
- -1 induction Ø 210 mm. (1.500 W)
- -1 induction Ø 145 mm. (1.200 W)
- -1 gas Double ring burner (5.00 kW)
- Power function
- Power management function
- Cast iron grids
- Auto-ignition
- Auto-lock safety device
- Child lock
- Residual heat indicator
- Maximum nominal power (gas): 5.00 kW
- Maximum nominal power (induction): 3.600 W



MAESTRO IG 620 2G AI AL CI




- Gas on glass + induction hob
- Touch control
- Cooking time programmer
- 4 cooking zones:
- -1 induction Ø 210 mm. (1.500 W)
- -1 induction Ø 145 mm. (1.200 W)
- -1 gas Fast burner (2.80 kW)
- -1 auxiliary burner (1 kW)
- Power function
- Power management function
- Cast iron grids
- Auto-ignition
- Auto-lock safety device
- Child lock
- Residual heat indicator
- Metallic look knobs
- Total nominal power (gas): 3.80 kW
- Total nominal power (induction): 3.600 W



MAESTRO CGW LUX 60 TC 4G AI AL CI



- Gas on glass hob
- Full Touch control
- Cooking timer
- 4 cooking zones :
- -1 fast burner (2.8 kW)
- -1 semi-fast burner (1.75 kW)
- -1 semi-fast burner (1.4 kW)
- -1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-ignition
- Auto-lock safety device
- Residual heat indicators



COLOR


Black Glass

FRAME C-edged glass

COLOR

Black Glass

FRAME C-edged glass



COLOR

Black Glass

FRAME Frameless Glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 505mm

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 505mm

EXTERNAL DIMENSIONS

Height 50mm Width 610mm Depth 512mm



NEW

TOTAL GZC 96310

- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (5.00 kW)
 - 1 fast burner (2.80kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface

NEW




TOTAL GZC 95320

- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (5.00 kW)
 - 1 fast burner (2.80kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface

NEW

TOTAL GZC 85320

- Gas on Glass with ExactFlame
- Front control knobs with ergonomic design
- 9 power levels with precise control of the flame
- 5 cooking zones:
 - 1 double ring burner 5(0.0 kW)
 - 1 fast burner (2.80kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface

**COLOR**

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 900mm Depth 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 900mm Depth 510mm

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 750mm Depth 510mm



NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame a
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
 - Large cast iron grids
- Automatic-ignition
- Auto-lock safety device
- Optional Wok support
- Easy installation kit
- Ceramic glass surface



NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
 - Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface






NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
 - Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 700mm **Depth** 510mm

COLOR

London brick brown glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 700mm **Depth** 510mm


COLOR

Stone grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS


Height 50mm **Width** 700mm **Depth** 510mm



NEW

TOTAL GZC 75330

- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface



NEW

TOTAL GZC 64300




- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface



NEW

TOTAL GZC 64320

- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface

**COLOR**
 White Glass
FRAME Front bevelled glass**EXTERNAL DIMENSIONS**

Height 50mm Width 700mm Depth 510mm

COLOR
 Black Glass
FRAME Front bevelled glass**EXTERNAL DIMENSIONS**

Height 50mm Width 600mm Depth 510mm

COLOR
 Black Glass
FRAME Front bevelled glass**EXTERNAL DIMENSIONS**

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Tempered glass surface



NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Tempered glass surface






NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Auto-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Tempered glass surface



COLOR

London brick brown glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

COLOR

Stone grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

COLOR

Steam grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



NEW

TOTAL GZC 64321



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Auto-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Tempered glass surface



NEW

TOTAL GZC 63310



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 3 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface






NEW

TOTAL GZC 63310



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 3 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface



COLOR

 White Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

 London brick brown glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

 Stone grey glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

EASY GBC 75030



- Gas on Glass Hob
- Front control knobs with ergonomic design
- 3 cooking zones:
 - 1 double ring burner (3.50 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron supports
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Easy installation kit
- Tempered Glass




NEW

EASY GBC 64000



- Gas on Glass Hob
- Front control knobs with ergonomic design
- 4 cooking zones:
 - 1 semi-fast burner (1.75 kW)
 - 1 semi-fast burner (1.40 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Easy installation kit
- Tempered Glass




NEW

EASY GBC 64003



- Gas on Glass Hob
- Lateral control knobs with ergonomic design
- 4 gas burners
- -2 semi-fast burners (1.75 kW)
- -1 fast burner (2.80 kW)
- -1 auxiliary burner (1.00 kW)
- Large cast iron supports
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Easy installation kit
- Tempered Glass



COLOR



FRAME C-edged glass



COLOR



FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 700mm **Depth** 510mm




COLOR




FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 40mm **Width** 600mm **Depth** 435mm

**NEW****EASY GBC 63010**




- Gas on Glass Hob
- Front control knobs with ergonomic design
- 3 cooking zones:
 - 1 double ring burner (3.50 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1.00 kW)
- Large cast iron supports
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Easy installation kit
- Tempered Glass

**TOTAL EFX 90.1 6G AI AL DR CI**

- Gas Hob
- Frontal knobs
- High efficiency burners
- 6 cooking zones:
 - 1 double ring burner (4 kW)
 - 1 fast burner: (3 kW)
 - 3 semi-fast burners (1.75 kW)
 - 1 auxiliary burner: (1 kW)
- Cast iron grids
- Auto-lock
- Auto-ignition

**TOTAL EFX 90.1 5G AI AL DR CI**

- Gas Hob
- Frontal knobs
- High efficiency burners
- 5 cooking zones:
 - 1 double ring burner (4 kW)
 - 1 fast burner: (3 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner: (1 kW)
- Cast iron grids
- Auto-lock
- Auto-ignition

**COLOR**

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 45mm Width 860mm Depth 510mm



COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 45mm Width 860mm Depth 510mm



TOTAL EFX 70.1 5G AI AL DR CI



- Gas Hob
- Frontal knobs
- High efficiency burners
- 5 cooking zones:
 - 1 double ring burner (4 kW)
 - 1 fast burner (3 kW)
 - 2 semi-fast burners: (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock
- Auto-ignition






- Gas Hob
- Frontal knobs
- High efficiency burners
- 5 cooking zones:
 - 1 double ring burner (4 kW)
 - 1 fast burner (3 kW)
 - 2 semi-fast burners: (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock
- Auto-ignition

TOTAL EFX 60.1 4G AI AL DR CI



- Gas Hob
- Frontal knobs
- High efficiency burners
- 4 cooking zones:
 - 1 double ring burner (4 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock
- Auto-ignition



COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 45mm Width 750mm Depth 510mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 45mm Width 750mm Depth 510mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 45mm Width 600mm Depth 510mm



TOTAL EX 90.1 5G AI AL DR CI



- Gas hob
- Frontal knobs
- High Efficiency burners
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids with a professional look
- Auto-lock safety device
- Auto-ignition
- Type of Gas: natural

TOTAL EX 70.1 5G AI AL DR CI






- Gas hob
- Frontal knobs
- High Efficiency burners
- 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids with a professional look
- Auto-lock safety device
- Auto-ignition
- Type of Gas: LPG (butane/ propane)

TOTAL EX 60.1 4G AI DR CI



- Gas hob
- Frontal knobs
- High Efficiency burners
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1kW)
- Cast iron grids with a professional look.
- Auto-lock safety device
- Auto-ignition



COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 33mm **Width** 860mm **Depth** 500mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 33mm **Width** 680mm **Depth** 500mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 33mm **Width** 580mm **Depth** 500mm

HOBs



TOTAL EX 60.1 4G AI AL DR



- Gas hob
- Frontal knobs
- High Efficiency burners
- 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids with a professional look
- Auto-lock safety device
- Auto-ignition
- Type of gas: LPG (butane/ propane)

TOTAL EX 60.1 3G AI AL DR CI






- Gas hob
- Frontal knobs
- High Efficiency burners.
- 3 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 1 semi-fast burner (1.75 kW)
- Cast iron grids with a professional look
- Auto-lock safety device
- Auto-ignition
- Type of gas : LPG (butane/propane)

TOTAL EX 60.1 4G AI AL CI



- Gas hob
- Frontal knobs
- High Efficiency burners
- 4 cooking zones:
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids with a professional look
- Auto-lock safety device
- Auto-ignition
- Type of gas : LPG (butane/propane)



COLOR

Stainless Steel

FRAME Brushed stainless steel

COLOR

Stainless Steel

FRAME Brushed stainless steel

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 33mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS

Height 33mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS

Height 33mm Width 580mm Depth 500mm



TOTAL EH 60 4G AI AL TR CI



- Country Style Edition
- Gas hob
- Frontal knobs
- 4 cooking zones :
- -1 triple ring burner (3.5 kW)
- -1 fast burner (3 kW)
- -1 semi-fast burners (1.75 kW)
- -1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock safety device
- Auto-ignition
- Silver knobs accessory available

TOTAL EH 60 4G AI AL TR CI






- Country Style Edition
- Gas hob
- Frontal knobs
- 4 cooking zones :
- -1 triple ring burner (3.5 kW)
- -1 fast burner (3 kW)
- -1 semi-fast burners (1.75 kW)
- -1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock safety device
- Auto-ignition

EASY HLX 50 4G AL



- Gas hob
- Frontal knobs
- 4 cooking zones :
- -1 fast burner (3 kW)
- -2 semi-fast burners (1.75 kW)
- -1 auxiliary burner (1 kW)
- Enamelled grids
- Auto-lock safety device
- Auto-ignition
- Type of gas: LPG (butane/propane)



COLOR

Vanilla Silver

FRAME Vanilia

EXTERNAL DIMENSIONS

Height 83mm **Width** 580mm **Depth** 500mm

COLOR

Anthracite Silver

FRAME Anthracite

EXTERNAL DIMENSIONS

Height 83mm **Width** 580mm **Depth** 500mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 35mm **Width** 600mm **Depth** 435mm



EASY HLX 60 3G 1P AI AL



- Gas hob
- Lateral knobs
- 4 cooking zones:
 - 1 fast burner (3 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
 - 1 electric plate 145 mm Ø (1 kW)
- Enamelled grids
- Auto-lock safety device
- Auto-ignition
- Type of gas: butane/propane

EASY E/60.3 4G AI AL






- Gas hob
- Frontal knobs
- 4 cooking zones:
 - 1 Auxiliary burner (1.00 kW)
 - 2 Semi-fast burner (1.75 kW)
 - 1 Fast burner (3.0 kW)
- Enamelled grid
- Auto-lock safety device

EASY E/60.3 3G 1P AL



- Gas & electric hob
- Frontal knobs
- 4 cooking zones:
 - 1 Auxiliary burner (1.00 kW)
 - 1 Semi-fast burner (0.75 kW)
 - 1 Fast burner (3.0 kW)
- -1 electric plate 145 mm Ø (1.5 kW)
- Enamelled grid
- Auto-lock safety device
- Pilot light indicator (electric plate)



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm **Width** mm **Depth** mm

COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm **Width** 600mm **Depth** 510mm

COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS


Height 30mm **Width** 600mm **Depth** 510mm


MAESTRO EW 90 5G AI AL TR CI



- Gas hob
- Frontal knobs
- 5 cooking zones :
 - 1 triple ring burner (3.1 kW)
 - 1 fast burner (2.8 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 semi-fast burner (1.4 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-lock safety device
- Auto-ignition


TOTAL EP 60 4G AI CI


- Gas hob
- Lateral knobs
- 5 cooking zones :
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1 kW)
- Cast iron grids
- Auto-ignition


MAESTRO IZC 42300



- Modular Induction hob
- Touch Control slider
- Cooking timer
- 2 induction zones
 - 1 induction Ø 260 mm
 - 1 induction Ø 145 mm
- Special cooking functions: Simmering, Melting and Keep warm
- Power Plus function
- Child lock
- Silence mode
- Fast-Click easy installation
- Maximum nominal power: 3.500 W


COLOR

Stainless Steel

FRAME


Frameless


COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 7mm Width 30mm Depth 580mm


COLOR


Black Glass

FRAME

Front bevelled glass

EXTERNAL DIMENSIONS


Height 50mm Width 450mm Depth 510mm



MAESTRO IR 4200




- Modular induction hob
- Touch control
- Cooking timer
- 2 cooking zones:
- -1 induction Ø 145 mm
- -1 induction Ø 260 mm
- Power Plus Function
- Low temp function
- Child lock
- Residual heat indicators
- Maximum nominal power : 3.500 W




MAESTRO IRF 3200




- Modular induction hob
- Touch control
- Cooking timer
- 2 cooking zones:
- -2 Flex induction 235 x 190 mm=235x395
- Low temp function
- Power Plus Function
- Child lock
- Residual heat indicators
- Maximum nominal power : 3.500 W



TOTAL IZC 32300




- Modular induction hob
- Touch Control
- Cooking timer
- 2 induction zones:
- -1 induction zone Ø 210 mm
- -1 induction zone Ø 145 mm
- Child lock
- Special cooking functions: Simmering, Melting and Keep warm
- Power Plus function
- Silence mode
- Fast-Click easy installation
- Maximum nominal power: 3.500 W



COLOR




FRAME Front & Rear bevelled glass



COLOR



FRAME Front & Rear bevelled glass



COLOR



FRAME Front bevelled glass

EXTERNAL DIMENSIONS



Height 50mm **Width** 450mm **Depth** 520mm

EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 520mm

EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 510mm



NEW

MAESTRO IZS 34600



- Modular induction hob
- FLEX induction with SlideCooking function
- Touch Control Slider
- Cooking timer
- 4 induction zones (2 + Slide Flex + Flex combined)
- -1 Slide Flex zone 230 x 400 mm
- -1 Flex zone 230 x 400 mm
- -2 zones 230 x 200 mm
- Special cooking functions: Simmering, Melting and Keep warm
- Slide Cooking function
- Power Plus function
- Silence mode
- Fast-Click easy installation
- Maximum nominal power: 3.500 W

MAESTRO IR 3200







- Modular induction hob
- Slider touch control
- Cooking timer
- 2 cooking zones:
 - -1 induction Ø 145 mm
 - -1 induction Ø 210 mm
- Low temp function
- Power Plus Function
- Child lock
- Residual heat indicators
- Maximum nominal power : 3.200 W

TOTAL TZ 3210



- Modular Vitroceramic hob
- Touch Control
- 2 cooking zones:
 - -1 high light Ø 145 mm
 - -1 high light Ø180 mm
- Child lock
- Residual heat indicators
- Optional junction kit
- Maximum nominal power: 3.000 W



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 63mm Width 300mm Depth 510mm

COLOR

Black Glass

FRAME Front & Rear bevelled glass

EXTERNAL DIMENSIONS

Height 55mm Width 300mm Depth 520mm


COLOR

Black Glass

FRAME Front bevelled glass


EXTERNAL DIMENSIONS

Height 58mm Width 300mm Depth 510mm



TOTAL TR 3220

- Modular vitroceramic hob
- Touch Control
- 2 cooking zones:
 - 1 high light Ø 210 mm
 - 1 high light Ø 145 mm
- Keep warm function
- Maximum nominal power: 2.900 W



EASY VT CM 30 2P


- Modular vitroceramic hob
- Frontal knobs
- 2 cooking zones:
 - 1 high light Ø 145 mm (1.200 W)
 - 1 high light Ø 180 mm (1.800 W)
- Residual heat indicators
- Maximum nominal power: 3.000 W



TOTAL GZC 32300



- Modular Gas on Glass with ExactFlame
- Front control knobs with ergonomic design
- 9 power levels with precise control of the flame
- -1 auxiliary burner (1.00 kW)
- -1 fast burner (2.80 kW)
- Large cast iron grids
- Auto-lock safety device
- Automatic ignition
- Optional Wok support
- Easy installation kit
- Ceramic glass surface
- Maximum nominal power: 3.800 W
- Type of Gas: Butane




COLOR

Black Glass

FRAME Front & Rear bevelled glass


182



COLOR

Black Glass

FRAME Front & Rear bevelled glass



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 55mm Width 300mm Depth 520mm

EXTERNAL DIMENSIONS

Height 55mm Width 300mm Depth 520mm

EXTERNAL DIMENSIONS

Height 50mm Width 300mm Depth 510mm

**NEW****TOTAL GZC 31330**




- Modular Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- -1 double ring burner (4.00 kW)
- Large cast iron grids
- Auto-lock safety device
- Automatic ignition
- Optional Wok support
- Easy installation kit
- Ceramic glass surface
- Maximum nominal power: 5.000 W
- Type of Gas: Butane

**EASY EFX 30.1 2P-T**

- Modular electric hob
- Frontal knob
- Timer
- 2 cooking zones:
- -1 electric plate Ø 145mm
- -1 electric plate Ø 180 mm
- Stainless steel surface
- Maximum nominal power: 3500 W

**EASY EFX 30.1 2P**

- Modular electric hob
- Frontal knob
- 2 cooking zones:
- -1 electric plate Ø 145 mm
- -1 electric plate Ø 180 mm
- Stainless steel surface
- Optional junction kit
- Maximum nominal power: 3.000 W

**COLOR**

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 300mm **Depth** 510mm

COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm **Width** 305mm **Depth** 510mm

COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm **Width** 305mm **Depth** 510mm



EASY EFX 30.1 2H

- Modular vitroceramic hob
- Frontal knob
- 2 cooking zones:
 - 1 high light Ø 145 mm
 - 1 high light Ø 180 mm
- Optional junction kit
- Maximum nominal power: 3.000 W




EASY EFX 30.1 2H-T

- Modular vitroceramic hob
- Frontal knob
- 2 cooking zones:
 - 1 high light Ø 145 mm
 - 1 high light Ø 180 mm
- Stainless steel surface
- Maximum nominal power: 3.000 W



EASY EFX 32300

- Modular vitroceramic hob
- Ceramic glass with stainless steel frame
- Touch control with acoustic sensors
- Security lock
- Programming of cooking time up to 99 minutes with audible alarm (possibility of programming all cooking zones at once)
- Power Plus function
- Container detector
- Cooking zones
 - 1 induction plate (Ø 210 mm) 1500/2000 W
 - 1 induction hob (Ø 145 mm) 1200/1600 W
- Residual heat indicators
- Maximum rated power: 3.600W



COLOR

Stainless Steel

FRAME Stainless steel frame

COLOR

Stainless Steel

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 45mm Width 305mm Depth 510mm

EXTERNAL DIMENSIONS

Height 40mm Width 305mm Depth 510mm

COLOR


Stainless Steel

EXTERNAL DIMENSIONS

Height mm Width mm Depth mm

EXTERNAL DIMENSIONS

Height mm Width mm Depth mm



EASY EFX 30.1 2G AI AL CI



- Modular gas hob
- Frontal knobs
- High efficiency burners
- 2 cooking zones:
- -1 rapid (3.00 kW)
- -1 auxiliary (1.00 kW)
- Auto-lock safety device
- Auto-ignition
- Cast iron grids
- Optional junction kit
- Maximum nominal power: 1.100 W






TOTAL EFX 30.1 FRYER

- Modular Fryer
- Frontal knob
- Overheating cut-off system
- Thermostat for a constant oil temperature control
- 2 electric resistances
- Stainless steel surface
- Maximum nominal power: 2.300 W



TOTAL EFX 30.1 TEPPANYAKI

- Modular Teppanyaki
- Frontal knob
- Overheating cut-off system
- High temperature resistance surface (max. 270°C)
- Thermostat for a constant cooking temperature control
- Easy cleaning
- Stainless steel surface
- Maximum nominal power: 2.400 W



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm Width 305mm Depth 510mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height mm Width 305mm Depth 510mm

COLOR

Stainless Steel


EXTERNAL DIMENSIONS

Height mm Width 305mm Depth 510mm



TOTAL EFX 30.1 GRILL

- Modular Barbacue
- Frontal knob
- 1 electric resistance
- Overheating cut-off system
- Cast iron grid
- Stainless steel surface
- Maximum nominal power: 2.400 W



COLOR

 Stainless Steel

EXTERNAL DIMENSIONS

Height mm Width 300mm Depth 510mm

Modelo	DirectSense IZF 68600	IZS 96600	IZS 66700	SLIDE ITS 65600	IZS 65600	IRF 9480 TFT	SPACE IRF 9430	SPACE IZF 6424
BUILT-IN DIMENSIONS								
Width (mm)	560	860	560	560	560	860	860	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	63	63	63	63	63	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	FlexZone	-	Single Zone	FlexZone	FlexZone	-	-	FlexZone
COOKING ZONE -left center , (Type)	-	Single Zone	-	-	-	Single Zone	Single Zone	-
COOKING ZONE -left rear , (Type)	FlexZone	-	Single Zone	FlexZone	FlexZone	-	-	FlexZone
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	Single Zone	-	-	-	Single Zone	Single Zone	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	FlexZone	-	-	FlexZone	FlexZone	FlexZone
COOKING ZONE -right center, (Type)	-	-	-	Double Zone	Double Zone	-	-	-
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	FlexZone	-	-	FlexZone	FlexZone	FlexZone
COOKING ZONE -left front , mm	262,5 X 195	-	145	255x200	255x200	-	-	235x180
COOKING ZONE -left center , mm	-	280	-	-	-	280	280	-
COOKING ZONE -left rear , mm	262,5 X 195	-	210	255x200	255x200	-	-	235x180
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	145	-	-	-	145	145	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	262,5 X 195	228x212,5	228x200	-	-	280x385	270x180	235x180
COOKING ZONE -right center, mm	-	-	-	280 / 180	280 / 180	-	-	-
COOKING ZONE -right rear , mm	262,5 X 195	228x212,5	228x200	-	-	280x385	270x180	235x180
COOKING ZONE -left front, (W)	2400-3700	-	1400 - 1800	1850 - 2200	1850 - 2200	-	2300 - 3700	1850 - 2200
COOKING ZONE -left center, (W)	-	2300 - 3700	-	-	-	2300 - 3700	-	-
COOKING ZONE -left rear, (W)	2400-3700	-	2300 - 3200	1850 - 2200	1850 - 2200	-	-	1850 - 2200
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	1100 - 1800	-	-	-	1400 - 1800	1400 - 1800	-
COOKING ZONE - center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	2400-3700	1850 - 2200	1850 - 2200	-	-	1850 - 2500	1850 - 2500	1850 - 2200
COOKING ZONE -right center, (W)	-	-	-	2500 - 3700	2500 - 3700	-	-	-
COOKING ZONE -right rear, (W)	2400-3700	1850 - 2200	1850 - 2200	-	-	1850 - 2500	1850 - 2500	1850 - 2200
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7400	7400	7400	7400	7400	7400	7400	7400
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

HOBs

Modelo	SPACE IZF 6420	SPACE IZF 6320	SPACE ITF 6320	iKnob IT 6450	iKnob IT 6350	IRC 9430 KS	IR 9330 HS	IRC 6320
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	930	860	570
Depth (mm)	490	490	490	490	490	500	380	492
Height (mm)	50	50	50	50	50	50	50	55
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	-	-	-	-	-	Single Zone	-	-
COOKING ZONE -left rear , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	-	-	Single Zone
COOKING ZONE -center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	Single Zone	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	FlexZone	-	-	Single Zone	-	Single Zone	Double Zone	-
COOKING ZONE -right center, (Type)	-	Double Zone	Double Zone	-	Double Zone	Single Zone	-	Double Zone
COOKING ZONE -right rear, (Type)	FlexZone	-	-	Single Zone	-	-	-	-
COOKING ZONE -left front , mm	145	235x180	235x180	145	145	280	210	180
COOKING ZONE -left center , mm	-	-	-	-	-	145	-	-
COOKING ZONE -left rear , mm	210	235x180	235x180	210	210	-	-	145
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	-	-	-	-	-	145	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	235x180	-	-	180	-	180	180 / 280	-
COOKING ZONE -right center, mm	-	180 / 280	180 / 280	-	190 / 300	180	-	180 / 280
COOKING ZONE -right rear , mm	235x180	-	-	180	-	-	-	-
COOKING ZONE -left front, (W)	1400 - 1800	1850 - 2200	1850 - 2200	1400 - 1800	1400 - 1800	2300 - 3700	2300 - 3200	1850 - 2500
COOKING ZONE -left center, (W)	-	-	-	-	-	1400 - 1800	-	-
COOKING ZONE -left rear, (W)	2300 - 3200	1850 - 2200	1850 - 2200	2300 - 3200	2300 - 3200	-	-	1400 - 1800
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	-	-	-	-	1400 - 1800	-
COOKING ZONE -center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1850 - 2200	-	-	1850 - 2500	-	1800 - 2500	2500 - 3700	-
COOKING ZONE -right center, (W)	-	2500 - 3700	2500 - 3700	-	2500 - 3700	1800 - 2500	-	2500 - 3700
COOKING ZONE -right rear, (W)	1850 - 2200	-	-	1850 - 2500	-	-	-	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7400	7400	7400	7400	7400	7400	7400	7400
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	150	110	110
SAFETY SYSTEMS								
Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

Modelo	IR 9530	IR 8430	IZ 8320 HS	IR 8300 HS	IZ 7210	IT 6420	IZ 6420	IT 6320
BUILT-IN DIMENSIONS								
Width (mm)	860	750	780	780	695	560	560	560
Depth (mm)	490	490	380	380	360	490	490	490
Height (mm)	50	50	55	50	60	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	-	-	-	-	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	-	Single Zone	Single Zone	Single Zone	Single Zone	-	-	-
COOKING ZONE -left rear , (Type)	Single Zone	-	-	-	-	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	Double Zone	Single Zone	Single Zone	Single Zone	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front , (Type)	Single Zone	Single Zone	-	-	-	Single Zone	Single Zone	-
COOKING ZONE -right center, (Type)	-	-	Double Zone	Double Zone	Single Zone	-	-	Double Zone
COOKING ZONE -right rear, (Type)	Single Zone	Single Zone	-	-	-	Single Zone	Single Zone	-
COOKING ZONE -left front , mm	145	-	-	-	-	145	145	145
COOKING ZONE -left center , mm	-	280	210	210	180	-	-	-
COOKING ZONE -left rear , mm	210	-	-	-	-	210	210	210
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	190 / 300	145	145	145	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	180	180	-	-	-	180	180	-
COOKING ZONE -right center, mm	-	-	190 / 300	180 / 280	240	-	-	190 / 300
COOKING ZONE -right rear , mm	180	180	-	-	-	180	180	-
COOKING ZONE -left front , (W)	1400 - 1800	-	-	-	-	1400 - 1800	1400 - 1800	1400 - 1800
COOKING ZONE -left center, (W)	-	2300 - 3700	2300 - 3200	2300 - 3200	1500 - 2200	-	-	-
COOKING ZONE -left rear, (W)	2300 - 3200	-	-	-	-	2300 - 3200	2300 - 3200	2300 - 3200
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	2500 - 3700	1400 - 1800	1400 - 1800	1400 - 1800	-	-	-	-
COOKING ZONE -center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1800 - 2500	1850 - 2500	-	-	-	1850 - 2500	1850 - 2500	-
COOKING ZONE -right center, (W)	-	-	2500 - 3700	2500 - 3700	2000-3000	-	-	2500 - 3700
COOKING ZONE -right rear, (W)	1800 - 2500	1850 - 2500	-	-	-	1850 - 2500	1850 - 2500	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	11000	7400	7400	7400	3500	7400	7400	7400
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

HOBs

Modelo	IZ 6415	IB 6415	IZ 6320	IZ 6315	IB 6315	IB 6310	IBC 64000 TTC	IBC 63010 MSS
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	560	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	50	50	50	50	50	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	Single Zone						
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	Single Zone	Single Zone						
COOKING ZONE -center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	Single Zone	Single Zone	-	-	-	-	Single Zone	-
COOKING ZONE -right center, (Type)	-	-	Double Zone	Double Zone	Double Zone	Single Zone	-	Single Zone
COOKING ZONE -right rear, (Type)	Single Zone	Single Zone	-	-	-	-	Single Zone	-
COOKING ZONE -left front , mm	145	145	145	145	145	145	145	145
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	210	210	210	180	180	180	180	180
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	180	180	-	-	-	-	180	-
COOKING ZONE -right center, mm	-	-	190 / 300	180 / 280	180 / 280	260	-	280
COOKING ZONE -right rear , mm	145	145	-	-	-	-	145	-
COOKING ZONE -left front, (W)	1200 - 1500	1200 - 1500	1400 - 1800	1200 - 1500	1200 - 1500	1200 - 1500	1200 - 1500	1200 - 1500
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	2000 - 2300	2000 - 2300	2300 - 3200	1700 - 2100	1700 - 2100	1700 - 2100	1700 - 2000	1700 - 2000
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1700 - 2100	1700 - 2100	-	-	-	-	1700 - 2000	-
COOKING ZONE -right center, (W)	-	-	2500 - 3700	2500 - 3600	2500 - 3600	2000 - 2300	-	2000 - 2300
COOKING ZONE -right rear, (W)	1200 - 1500	1200 - 1500	-	-	-	-	1200 - 1500	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7400	7200	7200	5900	7200	5900
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

Modelo	IZ 5320	TRC 83631	TT 6420	TZ 6420	TT 6320	TZ 6320	TZ 6415	TB 6415
BUILT-IN DIMENSIONS								
Width (mm)	580	780	560	560	560	560	560	560
Depth (mm)	415	380	490	490	490	490	490	490
Height (mm)	55	63	63	63	63	63	63	63
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	-	Single High Light					
COOKING ZONE -left center , (Type)	-	Single High Light	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	Single Zone	-	Double High Light	Double High Light	Double High Light	Double High Light	Single High Light	Single High Light
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	Single High Light	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	-	-	Single High Light	Single High Light	-	-	Single High Light	Single High Light
COOKING ZONE -right center, (Type)	Double Zone	Triple High Light	-	-	Double High Light	Double High Light	-	-
COOKING ZONE -right rear, (Type)	-	-	Single High Light	Single High Light	-	-	Single High Light	Single High Light
COOKING ZONE -left front , mm	145	-	145	145	145	145	145	145
COOKING ZONE -left center , mm	-	180	-	-	-	-	-	-
COOKING ZONE -left rear , mm	145	-	180 / 210	180 / 210	120 / 180	120 / 180	210	210
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	145	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	145	145	-	-	145	145
COOKING ZONE -right center, mm	180 / 280	145 / 210 / 270	-	-	210 / 270	210 / 270	-	-
COOKING ZONE -right rear , mm	-	-	180	180	-	-	180	180
COOKING ZONE -left front, (W)	1400 - 1800	-	1200	1200	1200	1200	1200	1200
COOKING ZONE -left center, (W)	-	1800	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	1400 - 1800	-	1400 - 2000	1400 - 2000	700 - 1700	700 - 1700	2100	2100
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	1200	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	-	-	1200	1200	-	-	1200	1200
COOKING ZONE -right center, (W)	2500 - 3700	1050 - 1950 - 2700	-	-	1800 - 2700	1800 - 2700	-	-
COOKING ZONE -right rear, (W)	-	-	1800	1800	-	-	1800	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7300	5700	6200	6200	5600	5600	6300	6300
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	-	100	100	110	110	100	100
SAFETY SYSTEMS								
Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

HOBs

Modelo	TT 6315	TZ 6315	TB 6315	TR 6315	TB 6310	VT CM	TR 5300	VTC B
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	580	580	580
Depth (mm)	490	490	490	490	490	492	415	492
Height (mm)	63	63	63	63	63	60	63	115
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light							
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	Single High Light	Double High Light	Single High Light					
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	-	-	-	-	-	Single High Light	-	Single High Light
COOKING ZONE -right center, (Type)	Double High Light	-	Double High Light	-				
COOKING ZONE -right rear, (Type)	-	-	-	-	-	Single High Light	-	Single High Light
COOKING ZONE -left front , mm	145	145	145	145	145	180	100	210
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	180	180	180	180	180	145	120 / 180	145
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	145	-	145
COOKING ZONE -right center, mm	210 / 270	210 / 270	210 / 270	210 / 270	180 / 230	-	180 / 230	-
COOKING ZONE -right rear , mm	-	-	-	-	-	180	-	180
COOKING ZONE -left front, (W)	1200	1200	1200	1200	1200	1800	600	2100
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	1800	1800	1800	1800	1800	1200	700 - 1700	1200
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	-	-	-	-	-	1200	-	1200
COOKING ZONE -right center, (W)	1500 - 2400	1500 - 2400	1500 - 2400	1500 - 2400	1500 - 2400	-	1500 - 2400	-
COOKING ZONE -right rear, (W)	-	-	-	-	-	1800	-	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	5400	5400	5400	5400	5100	6000	4750	6300
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	100	90	110	90
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	-	√	-
Automatic safety disconnection	√	√	√	√	√	-	√	-
Residual heat indicator	√	√	√	√	√	√	√	√

Modelo	VT N DC	CGC 4G AI AL	CGI 4G AI AL	IG 940 IG AI AL DR CI	IG 620 IG AI AL DR CI	IG 620 2G AI AL CI	CGW LUX 60 TC 4G AI AL CI	GZC 96310
BUILT-IN DIMENSIONS								
Width (mm)	580	580	–	860	560	560	570	850
Depth (mm)	492	492	–	490	490	490	480	480
Height (mm)	115	115	–	50	50	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light	SEMRAPID	SEMRAPID	–	–	AUXILIARY	AUXILIARY	AUXILIARY
COOKING ZONE -left center , (Type)	–	–	–	DOUBLE RING	DOUBLE RING	–	–	–
COOKING ZONE -left rear , (Type)	Single High Light	RAPID	RAPID	–	–	RAPID	RAPID	RAPID
COOKING ZONE - center front , (Type)	–	–	–	Single Zone	–	–	–	SEMRAPID
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear . (Type)	–	–	–	Single Zone	–	–	–	SEMRAPID
COOKING ZONE -right front, (Type)	Single High Light	AUXILIARY	AUXILIARY	Single Zone	Single Zone	Single Zone	SEMRAPID	DOUBLE RING
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	Single High Light	SEMRAPID	SEMRAPID	Single Zone	Single Zone	Single Zone	SEMRAPID	SEMRAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	210	–	–	–	–
COOKING ZONE -center center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	145	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	145	145	145	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	210	210	210	–	–
COOKING ZONE -left front, (W)	2100	1750	1750	–	–	1000	–	1000
COOKING ZONE -left center, (W)	–	–	–	5000	5000	–	–	–
COOKING ZONE -left rear, (W)	1200	3000	3000	–	–	2800	–	2800
COOKING ZONE -center front, (W)	–	–	–	1500-2000	–	–	–	1750
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	1200-1600	–	–	–	1750
COOKING ZONE -right front, (W)	1200	1000	1000	1200-1600	1200-1600	1200-1600	–	5000
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	1800	1750	1750	1500-2000	1500-2000	1500-2000	–	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	6900	–	–	7200	3600	3600	–	–
Maximum Nominal Power (W) (Gas)	–	7500	–	5000	5000	3800	600	12700
Wire lenght (cm)	90	–	–	120	120	120	120	–
SAFETY SYSTEMS								
Child Lock	–	–	–	√	√	√	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	√	–	–	–	–	–	–	–

HOBS

Modelo	GZC 95320	GZC 85320	GZC 75330	GZC 64300	GZC 64320	GZC 64321	GZC 63310	GBC 75030
BUILT-IN DIMENSIONS								
Width (mm)	850	570	570	570	570	570	570	570
Depth (mm)	480	480	480	480	480	480	480	480
Height (mm)	50	50	50	50	50	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	-	-	SEMIRAPID	SEMIRAPID	DOUBLE RING	DOUBLE RING	AUXILIARY	AUXILIARY
COOKING ZONE -left center , (Type)	DOUBLE RING	DOUBLE RING	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	-	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	RAPID	SEMIRAPID
COOKING ZONE -center front , (Type)	SEMIRAPID	SEMIRAPID	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	DOUBLE RING	-	-	-	-	DOUBLE RING
COOKING ZONE -center rear , (Type)	SEMIRAPID	SEMIRAPID	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	-	AUXILIARY
COOKING ZONE -right center, (Type)	-	-	-	-	-	-	DOUBLE RING	-
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID	-	SEMIRAPID
COOKING ZONE -left front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	-	-	1750	1400	4000	4000	1000	1000
COOKING ZONE -left center, (W)	5000	5000	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	-	-	1750	1400	1750	1750	2800	1750
COOKING ZONE -center front, (W)	1750	1750	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	4000	-	-	-	-	3500
COOKING ZONE - center rear,(W)	1750	1750	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1000	1000	1000	1000	1000	1000	-	1000
COOKING ZONE -right center, (W)	-	-	-	-	-	-	4000	-
COOKING ZONE -right rear, (W)	2800	2800	2800	2800	2800	2800	-	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	-	-	-	-	-	-	-	-
Maximum Nominal Power (W) (Gas)	11950	12300	11300	6950	9550	9550	-	9000
Wire lenght (cm)	-	-	-	-	-	-	-	-
SAFETY SYSTEMS								
Child Lock	-	-	-	-	-	-	-	-
Automatic safety disconnection	-	-	✓	-	-	-	-	-
Residual heat indicator	-	-	-	-	-	-	-	-

Modelo	GBC 64000	GBC 64003	GBC 63010	EFX 90.1 6G AI AL DR CI	EFX 90.1 5G AI AL DR CI	EFX 70.1 5G AI AL DR CI	EFX 60.1 4G AI AL DR CI	EX 90.1 5G AI AL DR CI
BUILT-IN DIMENSIONS								
Width (mm)	570	575	570	833	833	553	553	833
Depth (mm)	480	405	480	475	475	473	473	475
Height (mm)	50	40	50	45	45	45	45	52
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	SEMIRAPID	RAPID	AUXILIARY	DOUBLE RING	-	-	DOUBLE RING	-
COOKING ZONE -left center , (Type)	-	-	-	-	DOUBLE RING	DOUBLE RING	-	DOUBLE RING
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	-	-	SEMIRAPID	-
COOKING ZONE - center front , (Type)	-	-	-	AUXILIARY	AUXILIARY	AUXILIARY	-	SEMIRAPID
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	-	SEMIRAPID
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	-	-	DOUBLE RING	-	-	-	-	-
COOKING ZONE -right rear, (Type)	RAPID	SEMIRAPID	-	RAPID	RAPID	RAPID	SEMIRAPID	RAPID
COOKING ZONE -left front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	1750	2800	1000	4000	-	-	4000	-
COOKING ZONE -left center, (W)	-	-	-	-	4000	4000	-	4000
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	-	-	1750	-
COOKING ZONE -center front, (W)	-	-	-	1000	1000	1000	-	1750
COOKING ZONE -center center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	1750	1750	1750	-	1750
COOKING ZONE -right front, (W)	1000	1000	-	1750	1750	1750	1000	1000
COOKING ZONE -right center, (W)	-	-	3500	-	-	-	-	-
COOKING ZONE -right rear, (W)	2800	1750	-	3000	3000	3000	1750	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	-	-	-	-	-	-	-	-
Maximum Nominal Power (W) (Gas)	7300	7300	6250	13250	11500	11500	8500	11300
Wire lenght (cm)	-	-	-	-	-	-	-	-
SAFETY SYSTEMS								
Child Lock	-	-	-	-	-	-	-	-
Automatic safety disconnection	-	-	-	-	-	-	-	-
Residual heat indicator	-	-	-	-	-	-	-	-

HOBs

Modelo	EX 70.1 5G AI AL DR CI	EX 60.1 4G AI DR CI	EX 60.1 4G AI AL DR	EX 60.1 3G AI AL DR CI	EX 60.1 4G AI AL CI	EH 60.4 G AI AL TR CI	HLX 50.4 G AL
BUILT-IN DIMENSIONS							
Width (mm)	553	553	553	553	553	553	580
Depth (mm)	473	473	473	473	473	473	415
Height (mm)	52	52	52	52	52	83	35
COOKING ELEMENTS							
COOKING ZONE -left front , (Type)	AUXILIARY	AUXILIARY	AUXILIARY	-	AUXILIARY	Triple Ring	RAPID
COOKING ZONE -left center , (Type)	-	-	-	DOUBLE RING	-	-	-
COOKING ZONE -left rear , (Type)	SEMIRAPID	DOUBLE RING	DOUBLE RING	-	SEMIRAPID	Semirapid	SEMIRAPID
COOKING ZONE -center front , (Type)	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	DOUBLE RING	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	Auxiliary	AUXILIARY
COOKING ZONE -right center, (Type)	-	-	-	-	-	-	-
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	RAPID	RAPID	Rapid	SEMIRAPID
COOKING ZONE -left front , mm	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	1000	1000	1000	-	1000	3500	3000
COOKING ZONE -left center, (W)	-	-	-	4000	-	-	-
COOKING ZONE -left rear, (W)	1750	4000	4000	-	1750	1750	1750
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	4000	-	-	-	-	-	-
COOKING ZONE -center rear,(W)	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1750	1750	1750	1750	1750	1000	1000
COOKING ZONE -right center, (W)	-	-	-	-	-	-	-
COOKING ZONE -right rear, (W)	2800	2800	2800	2800	2800	3000	1750
ELECTRICAL FEATURES							
Maximum Nominal Power (W)(Induction or VTC)	-	-	-	-	-	-	-
Maximum Nominal Power (W) (Gas)	11300	9550	9550	8550	7300	9250	7500
Wire lenght (cm)	-	-	-	-	-	-	-
SAFETY SYSTEMS							
Child Lock	-	-	-	-	-	-	-
Automatic safety disconnection	-	-	-	-	-	✓	-
Residual heat indicator	-	-	-	-	-	-	-

Modelo	EP 60 4G AI CI	IYC 42300	IR 4200	IRF 3200	IYS 34600
BUILT-IN DIMENSIONS					
Width (mm)	580	420	420	270	280
Depth (mm)	500	490	500	500	490
Height (mm)	30	50	50	55	63
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	RAPID	Single Zone	Single Zone	-	-
COOKING ZONE -left center , (Type)	-	-	-	-	-
COOKING ZONE -left rear , (Type)	SEMIRAPID	-	-	-	-
COOKING ZONE - center front , (Type)	-	-	-	FlexZone	FlexZone
COOKING ZONE -center center , (Type)	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	FlexZone	FlexZone
COOKING ZONE -right front, (Type)	SEMIRAPID	-	-	-	-
COOKING ZONE -right center, (Type)	-	-	-	-	-
COOKING ZONE -right rear, (Type)	AUXILIARY	Single Zone	Single Zone	-	-
COOKING ZONE -left front , mm	-	145	145	-	-
COOKING ZONE -left center , mm	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	235x190	255x200
COOKING ZONE -center center, mm	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	235x190	255x200
COOKING ZONE -right front, mm	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-
COOKING ZONE -right rear , mm	-	260	260	-	-
COOKING ZONE -left front, (W)	-	1250-1800	1250 - 1800	-	-
COOKING ZONE -left center, (W)	2800	-	-	-	-
COOKING ZONE -left rear, (W)	-	-	-	-	-
COOKING ZONE -center front, (W)	1750	-	-	1750 - 2200	1750 - 2200
COOKING ZONE -center center, (W)	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	1750 - 2200	1750 - 2200
COOKING ZONE -right front, (W)	1750	-	-	-	-
COOKING ZONE -right center, (W)	-	-	-	-	-
COOKING ZONE -right rear, (W)	1000	2250-3000	2250 - 3000	-	-
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	-	3500	3200	3200	3500
Maximum Nominal Power (W) (Gas)	7300	-	-	-	-
Wire lenght (cm)	-	110	-	-	110
SAFETY SYSTEMS					
Child Lock	-	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓
Residual heat indicator	-	✓	✓	✓	✓

Modelo	IJC 32300	IR 3200	TZ 3210	TR 3220	VT CM 30 2P	GZC 32300	GZC 31330	EFX 30.1 2P-T
BUILT-IN DIMENSIONS								
Width (mm)	280	270	270	270	270	280	280	282
Depth (mm)	490	500	490	500	500	490	490	482
Height (mm)	55	55	58	55	55	50	50	35
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE - center front , (Type)	Single Zone	Single Zone	Single High Light	Single High Light	Single High Light	AUXILIARY	-	Single High Light
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	DOUBLE RING	-
COOKING ZONE -center rear , (Type)	Single Zone	Single Zone	Single High Light	Double High Light	Single High Light	RAPID	-	Single High Light
COOKING ZONE -right front, (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right center, (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right rear, (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	145	145	145	145	145	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	210	210	180	120 / 180	180	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center front, (W)	1250-1800	1250 - 1800	1200	1200	1200	1000	-	1500
COOKING ZONE -center center, (W)	-	-	-	-	-	-	5000	-
COOKING ZONE - center rear,(W)	2250-3000	2250 - 3000	1800	700 - 1700	1800	2800	-	1500
COOKING ZONE -right front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -right center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -right rear, (W)	-	-	-	-	-	-	-	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	3500	3200	3000	2900	3000	-	-	-
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	3800	5000	-
Wire lenght (cm)	110	-	110	110	-	-	110	100
SAFETY SYSTEMS								
Child Lock	√	√	√	√	-	-	-	-
Automatic safety disconnection	√	√	√	√	-	-	-	-
Residual heat indicator	√	√	√	√	√	-	-	√

Modelo	EFX 30.1 2P	EFX 30.1 2H	EFX 30.1 2H-T	EFX 30.1 2G AI AL CI	EFX 30.1 FRYER	EFX 30.1 TEP- PANYAKI	EFX 30.1 GRILL
BUILT-IN DIMENSIONS							
Width (mm)	282	282	282	—	282	282	282
Depth (mm)	482	482	482	—	160	160	160
Height (mm)	35	45	40	—	482	482	482
COOKING ELEMENTS							
COOKING ZONE -left front , (Type)	—	—	—	—	—	—	—
COOKING ZONE -left center , (Type)	—	—	—	—	—	—	—
COOKING ZONE -left rear , (Type)	—	—	—	—	—	—	—
COOKING ZONE - center front , (Type)	Single High Light	Single High Light	Single High Light	—	—	—	—
COOKING ZONE -center center , (Type)	—	—	—	—	—	—	—
COOKING ZONE -center rear , (Type)	Single High Light	Single High Light	Single High Light	—	—	—	—
COOKING ZONE -right front , (Type)	—	—	—	—	—	—	—
COOKING ZONE -right center , (Type)	—	—	—	—	—	—	—
COOKING ZONE -right rear , (Type)	—	—	—	—	—	—	—
COOKING ZONE -left front , mm	—	—	—	—	—	—	—
COOKING ZONE -left center , mm	—	—	—	—	—	—	—
COOKING ZONE -left rear , mm	—	—	—	—	—	—	—
COOKING ZONE -center front , mm	—	145	145	—	—	—	—
COOKING ZONE -center center , mm	—	—	—	—	—	—	—
COOKING ZONE -center rear , mm	—	180	180	—	—	—	—
COOKING ZONE -right front , mm	—	—	—	—	—	—	—
COOKING ZONE -right center , mm	—	—	—	—	—	—	—
COOKING ZONE -right rear , mm	—	—	—	—	—	—	—
COOKING ZONE -left front , (W)	—	—	—	—	—	—	—
COOKING ZONE -left center , (W)	—	—	—	—	—	—	—
COOKING ZONE -left rear , (W)	—	—	—	—	—	—	—
COOKING ZONE -center front , (W)	1500	1200	1200	—	—	—	—
COOKING ZONE -center center , (W)	—	—	—	—	—	—	—
COOKING ZONE - center rear,(W)	1500	1800	1800	—	—	—	—
COOKING ZONE -right front , (W)	—	—	—	—	—	—	—
COOKING ZONE -right center , (W)	—	—	—	—	—	—	—
COOKING ZONE -right rear , (W)	—	—	—	—	—	—	—
ELECTRICAL FEATURES							
Maximum Nominal Power (W)(Induction or VTC)	—	3000	3000	—	2300	2400	2400
Maximum Nominal Power (W) (Gas)	—	—	—	1100	—	—	—
Wire lenght (cm)	100	100	100	100	135	135	135
SAFETY SYSTEMS							
Child Lock	—	—	—	—	—	—	—
Automatic safety disconnection	✓	✓	✓	—	✓	✓	—
Residual heat indicator	—	✓	✓	—	—	—	—



It's not what you cook, but
how you cook it

FREE STANDING COOKERS

FREE STANDING COOKERS



TOTAL FS3R S965GG XL

- Stainless steel free standing cooker
- Capacity: 142 litres
- 3 cooking functions
- Minute minder
- Cast iron grids
- Wok support
- Autoignition
- Autolock safety device
- High efficiency burners
- 1 triple ring burner 4 Kw
- 1 fast ring burner 3 kW
- 2 semi-fast burners 1,75 kW
- 1 auxiliary burner 1 kW
- 1 oven burner 4,5 kW
- 1 grill burner 2 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 2 Deep trays
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural






TOTAL FS 3RS966 GG X

- Stainless steel free standing cooker
- Capacity: 142 litres
- 3 cooking functions
- Timer
- Cast iron grids
- Wok support
- Autoignition
- Autolock safety device
- High efficiency burners
- 2 triple ring burners 4 Kw
- 1 fast ring burner 3 kW
- 3 semi-fast burner 1,75 kW
- 1 oven burner 4,5 kW
- 1 grill burner 2 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 2 Deep trays
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural



MAESTRO FS 3RL966 GGX

- Stainless steel free standing cooker
- Capacity: 142 litres
- 3 cooking functions
- Timer
- Cast iron grids
- Wok support
- Autoignition
- Autolock safety device
- High efficiency burners
- 2 triple ring burners 4 Kw
- 1 fast ring burner 3 kW
- 3 semi-fast burner 1,75 kW
- 1 oven burner 4,5 kW
- 1 grill burner 2 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 2 Deep trays
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm



TOTAL FS3M S90GG S/S

- Stainless steel free standing cooker
- Capacity: 142 litres
- 5 cooking functions
- Timer
- Cast iron grids
- Wok support
- Autoignition
- Autolock safety device
- High efficiency burners
- 1 triple ring burners 4.25 Kw
- 1 fast ring burner 3 kW
- 2 semi-fast burner 1.75 kW 1 auxiliary burner 1.0kW
- 1 oven burner 4.5 kW
- 1 grill burner 2 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 1 Deep trays
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




TOTAL FS3FF S90GG S/S

- Stainless steel free standing cooker
- Capacity: 142 litres
- 5 cooking functions
- Timer
- Cast iron grids
- Wok support
- Autoignition
- Autolock safety device
- High efficiency burners
- 1 triple ring burners 4.25 Kw
- 1 fast ring burner 3 kW
- 2 semi-fast burner 1.75 kW 1 auxiliary burner 1.0kW
- 1 oven burner 4.5 kW
- 1 grill burner 2 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 1 Deep trays
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




EASY EMGG 8660 S RX

- Stainless steel free standing cooker
- Capacity: 134 litres
- 1 cooking functions
- Cast iron grids
- Wok support
- Autoignitio
- High efficiency burners
- 2 fast ring burner 2.5 kW
- 4 semi-fast burner 2.2 kW
- 1 oven burner 3.6 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




COLOR

Stainless Steel - Reflex



COLOR

Black Glass



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 865-910mm Width 895mm Depth 600mm

EXTERNAL DIMENSIONS

Height 875-920mm Width 895mm Depth 600mm

EXTERNAL DIMENSIONS

Height 780mm Width 760mm Depth 640mm

FREE STANDING COOKERS



EASY FSGG 8660 S RX

- Stainless steel free standing cooker
- Capacity: 134 litres
- 1 cooking functions
- Cast iron grids
- Wok support
- Autoignition
- High efficiency burners
- 2 fast ring burner 2.2 kW
- 4 semi-fast burner 2.5 kW
- 1 oven burner 3.6 kW
- Inner light
- Side catalytic panels
- Chromed supports with 5 cooking levels
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




TOTAL FSGG 8665 S RX

- Stainless steel free standing cooker
- Capacity: 134 litres
- 1 cooking functions
- Cast iron grids
- Wok support
- Autoignition
- High efficiency burners
- 1 double ring burner 2.8 Kw
- 1 fast ring burner 2.5 kW
- 4 semi-fast burner 2.2 kW
- 1 oven burner 3.6 kW
- Inner light
- Side catalytic panels
- Chromed supports with 4 cooking levels
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




TOTAL EMGG 8665 S RX

- Stainless steel free standing cooker
- Capacity: 134 litres
- 2 cooking functions
- Timer
- Cast iron grids
- Wok support
- Autoignition
- High efficiency burners
- 1 double ring burner 2.8 Kw
- 1 fast ring burner 2.5 kW
- 4 semi-fast burner 2.2 kW
- 1 oven burner 3.6 kW
- Inner light
- Side catalytic panels
- Chromed supports with 4 cooking levels
- 1 reinforced grid
- Gas typology: LPG (butane/propane), natural




COLOR

Stainless Steel - Reflex



COLOR

Stainless Steel - Reflex



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 970mm Width 760mm Depth 640mm

EXTERNAL DIMENSIONS

Height 970mm Width 760mm Depth 640mm

EXTERNAL DIMENSIONS

Height 780mm Width 760mm Depth 640mm





Kitchen goes way beyond
just preparing food

HOODS



Our goal is to create the best environment for you at home. Our hoods will preserve freshness, silence and harmony for your recipes in every corner of your kitchen saving money at the same time.

Feel the peace and quietness in your kitchen too. Feel the satisfaction of sharing amazing moments there, with the pleasure of an amazing design and the essence of your home. The hood is not just a noisy part of your kitchen, but something that keeps the atmosphere clean and fresh, creating harmony and a peaceful environment to cook or to share a piece of cake. Design is a priority with our hoods, that is why Teka creates exclusive and functional designs that goes along with the look of the rest of the appliances.



Find out what
innovation can
make you **feel**

Quadro

Feel the quiteness in your kitchen

Quadro hood shows an unique vertical design to impress even the most demanding chefs. The hood is made of black glass and anodized aluminium with high durability. The perfect combination also has a white display and an elegant LED lighting distributed all along the cooking area. Because your expectations deserves only the best.



EcoPower Motor

Silence, durability and consumption

EcoPower engines have both efficiency and productivity. Silent EcoPower model, A++ energy classification, bring us the chance to save money (75% compared with a D class), and we can also enjoy a quiet atmosphere with just 37dB anytime we use it.

Rim extraction


Keeps your kitchen fresh

A small slot is showed in the body of the hood and generates high pressure for a better and faster air extraction. Air can not go further than the cooking area thanks to the speed and efficiency of the hood. Cook free of odours and fumes.



New hoods made thinking of you and your future. Available in any kind of shape and size, eco-friendly but easy on your wallet, these hoods fits in your kitchen and in your life.





PERFECT-A4

The perfect balance between efficiency, design and productivity. An incomparable hood thanks to a full 4 A energy label: A class in energy efficiency, fluiddynamic, lightning and also in grease filtering. The hood can extract up to 800 m³ and remove 98% of the grease with its 12 layers filters. And from the hood to the dishwasher, because the stainless steel filters are designed to be washable, so forget about how to keep them clean.

A Energy efficiency

Energy efficiency index (EEI) It is calculated from annual consumption and from energy standard consumption.

A Fluid Dynamic Efficiency

Efficiency of the extraction system, affected by different variables like the shape of the hoods.

A Lighting efficiency class

Indicates the efficiency with which the hood is able to illuminate the cooker hob.

A Grease filtering efficiency class

Indicates the efficiency with which the hood filters grease generated through cooking process



What hood does my kitchen need?

Just calculate your kitchen's volume. For example 12m² with 2,5m height. That's how we get the total volume:
12m² x 2,5m = 30m³

Furniture has to be taken into consideration. Approx. 40%. Final total volume: 18m³ On the basis of the air is renovated 12 times per hour:
18m³ x 12 renovations = 216m³/h

In a 12m² kitchen we need a hood with 216m³/h for an effective extraction



LED light bar

Led light has a very positive effect for the environment. It is called the ecologic lighting due to the lack of mercury or any other hazardous substances that can contribute to the greenhouse effect and increase global warming. LED had other many advantages as low energy consumption, so we can save energy, or the fact that they don't need a warm-up period and they don't produce heat. But LED bar will perfectly light your cooking zone so you won't miss a single thing of your recipes.



All sizes and shapes for every taste and need

Round and rectangular shapes, with glass or steel finish and with infinite benefits. And everything with an emblematic design to create the environment you are looking for in your kitchen.

Hoods

Kitchen goes way beyond just preparing food.

MAESTRO						
	120	110	90	70/60	40	
ISLAND	DHT 1285 ISLAND	DH2 ISLA 1285	DPL 1185 ISLAND	DH2 985 ISLAND	DH2 980 ISLAND	CC 485 ISLAND
VERTICAL			QUADRO DLV 998	DVT 985	DVU 590	DVT 785
			DLV 985	QUADRO DLV 980	DLV 685	DVT 685
			DVF 97670 TBS	DU 985	DVT 785	DVF 67670 TBS
HORIZONTAL	DLH 1186 T	DLH 986 T	DPL 986 T	DLH 786 T	DLH 686 T	
	DPL 1185	PERFECTA4 DLH 985 T	DQ2 985	PERFECTA4 DLH 1185 T		
PYRAMIDAL						

TOTAL**EASY**

90

70/60

90

70/60



DSB 985 ISLAND



DG3 985 ISLAND

DG3 ISLA 980
ISLAND

DSH 985



DPS 986



DPS 786



DSH 785



DSJ 950



DSJ 980



DSJ 680



DSJ 750



DSH 685



DVN 94030 TTC



DVN 74030 TTC



DVN 64030 TTC



DSS 985



DG 985



DG 785



NC 985



GFH 73



GFG 2



DG 650



GFT



XT2 8910



DSS 985



DOS 90.1 AT



DOS 90.1 VN



DSS 785



DM 775



DBB 90



DBB 70



DBP 70 PRO



DM 975



DOS 60.1 AT



DM 675



DBP 90 PRO



DBP 60 PRO



DBB 60



DMR 975



DOS 60.1 VN



DBB 90 HP



DBB 60 HP

Hoods

Kitchen goes way beyond just preparing food.

MAESTRO

120

110

90

70/60

40



INTEGRA 965



INTEGRA 665



CNL 6815 PLUS

INTEGRATION

EXTENDABLE

TOTAL		EASY		
90	70/60	90	70/60	
CNL 9610	GFG 2	C 9420	C 6420 C 6310	
			C 7310	
CNL 6415	CNL 6400	TL 9310	TL 7420	CNL 6400
CNL 6610	CNL 6415 PLUS	C 9310		



MAESTRO DHT 1285 ISLAND



- Ceiling hood
- Rim extraction
- EcoPower motor
- Energy Efficiency class: A
- Remote control panel
- Operating pilot light
- 6 speeds+ 4 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 807
 - Max., m³/h: 631
 - Min. m³/h: 315
- Noise (LwA) Boost Speed, dB: 66
- Noise (LwA) Max Speed, dB: 60
- Noise (LwA) Min Speed, dB: 47
- 4 LED lamps
- 1 aluminium filter
- Stop delay timer
- Filer saturation indicator



MAESTRO DPL 1185






- Island hood
- Rim extraction
- EcoPower motor
- Energy Efficiency class: A
- Rim extraction
- Touch control White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 651
 - Max., m³/h: 629
 - Min., m³/h: 331
- Noise (LwA) Boost Speed, dB: 65.2
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 54
- LED illumination
- Reinforced black glass
- 2 hidden aluminum filters
- Stop delay timer
- Filter saturation indicator



MAESTRO CC 485 ISLAND



- Tubular island hood
- EcoPower motor
- Energy Efficiency class: A
- Touch control
- Digital display
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 771
 - Max., m³/h: 525
 - Min., m³/h: 305
- Noise (LwA) Boost Speed, dB: 78
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 50
- 2 LED lamps
- 1 stainless steel filter
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

COLOR

Black Glass

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1200 mm

EXTERNAL DIMENSIONS

Height 1100 mm

EXTERNAL DIMENSIONS


Height 400 mm



MAESTRO DPL 1185 ISLAND



- Island hood
- Rim extraction
- EcoPower motor
- Energy Efficiency class: A
- 3 speeds+1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 782
- Max., m³/h: 629
- Min., m³/h: 331
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 54
- 4 LED lamps
- Inox panel
- 3 aluminum filters
- Reinforced black glass
- Stop delay timer
- Filter saturation indicator



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 1100 mm



MAESTRO DH2 ISLA 1285



- Island hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 796
- Max., m³/h: 605
- Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 4/3 stainless steel-aluminium filters
- Reinforced Black Glass
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 1200 mm



MAESTRO DH2 1280



- Island hood
- EcoPower motor
- Energy Efficiency class: D
- Electronic panel
- White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 850
- Qboost, m³/h: 650
- Max., m³/h: 400
- Min., m³/h: 295
- Noise (LwA) Boost Speed, dB: 66
- Noise (LwA) Max Speed, dB: 56
- Noise (LwA) Min Speed, dB: 48
- 4 LED lamps
- 4/3 stainless steel-aluminium filters
- Reinforced Black Glass
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 1200 mm



MAESTRO DH2 985 ISLAND



- Island hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic panel
- White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 796
 - Max., m³/h: 605
 - Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 4/3 stainless steel-aluminium filters
- Reinforced Black Glass
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 900 mm



MAESTRO DH2 980 ISLAND



- Island hood
- EcoPower motor
- Energy Efficiency class: D
- Electronic panel
- White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 850
 - Qboost, m³/h: 650
 - Max., m³/h: 400
 - Min., m³/h: 295
- Noise (LwA) Boost Speed, dB: 66
- Noise (LwA) Max Speed, dB: 56
- Noise (LwA) Min Speed, dB: 48
- 4 LED lamps
- 4/3 stainless steel-aluminium filters
- Reinforced Black Glass
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 900 mm



TOTAL DG3 985 ISLAND



- Island hood
- Glass wing
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 796
 - Max., m³/h: 605
 - Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 2 stainless steel filters
- Reinforced transparent glass
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



TOTAL DG3 ISLA 980 ISLAND



- Island hood
- Glass wing
- EcoPower motor
- Energy Efficiency class: D
- Backlit electronic panel with white display
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 850
- Qboost, m³/h: 650
- Max., m³/h: 400
- Min., m³/h: 295
- Noise (LwA) Boost Speed, dB: 66
- Noise (LwA) Max Speed, dB: 56
- Noise (LwA) Min Speed, dB: 48
- 4 LED lamps
- 2 stainless steel filters
- Reinforced transparent glass
- Stop delay timer
- Filter saturation indicator

TOTAL DSB 985 ISLAND






- Island hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with red display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 796
- Max., m³/h: 605
- Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 3 aluminium filters
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator

MAESTRO QUADRO DLV 998



- Quadro vertical hood
- EcoPower motor
- Energy Efficiency class: A++
- Rim extraction
- Touch control panel
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 890
- Qboost, m³/h: 815
- Max., m³/h: 626
- Min., m³/h: 264
- Noise (LwA) Boost Speed, dB: 64.7
- Noise (LwA) Max Speed, dB: 58.2
- Noise (LwA) Min Speed, dB: 37.4
- 1 LED bar
- 2 Glass panel; aluminum filter below
- Stop delay timer
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 900 mm

HOODS



NEW

MAESTRO DLV 985



- Urban Colors Edition
- Quadro vertical hood
- Double turbine motor ECOPOWER
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Saturation filters lighting indicator
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- LED light bar
- Stop delay timer
- Recirculation function optional (SET D10CTP)



MAESTRO DLV 985



- Urban Colors Edition
- Quadro vertical hood
- Double turbine motor ECOPOWER
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Saturation filters lighting indicator
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- LED light bar
- Stop delay timer
- Recirculation function optional (SET D10CTP)




NEW

MAESTRO DLV 985




- Urban Colors Edition
- Quadro vertical hood
- Double turbine motor ECOPOWER
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Saturation filters lighting indicator
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- LED light bar
- Stop delay timer
- Recirculation function optional (SET D10CTP)




COLOR

Steam grey glass



COLOR

Black Glass



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS


Height 900 mm

EXTERNAL DIMENSIONS

Height 900 mm

**NEW****MAESTRO DLV 985**


- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)

**NEW****MAESTRO DLV 985**


- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)

**MAESTRO QUADRO DLV 980**


- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.278 m³/h - max.701 m³/h
- Sound level (*): min.42 dBA - máx.59 dBA
- Recirculation function optional (SET D10CTP)

**COLOR**

Stone grey glass

**COLOR**

London brick brown glass

**COLOR**

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS


Height 900 mm

HOODS



NEW

MAESTRO DLV 685



- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)



MAESTRO DLV 685



- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)




NEW

MAESTRO DLV 685




- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)




COLOR

Steam grey glass



COLOR

Black Glass



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS


Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

**NEW****MAESTRO DLV 685**




- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)

**NEW****MAESTRO DLV 685**

- Urban Colors Edition
- Quadro vertical hood
- Extraction rim system "Contour"
- Digital control Touch Control with white display
- 3 speeds + Intensive
- Stop delay timer
- LED light bar
- Saturation filters lighting indicator
- Double turbine motor ECOPOWER
- Exhaust capacity (*): min.325 m³/h - max.782 m³/h
- Sound level (*): min.54 dBA - máx.65 dBA
- Recirculation function optional (SET D10CTP)

**MAESTRO DVT 985**

- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 895
 - Max. (m³/h): 786
 - Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator

**COLOR**

Stone grey glass

COLOR

London brick brown glass

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 900 mm

HOODS



MAESTRO DVT 985



- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 786
- Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator



MAESTRO DVT 785






- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 786
- Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator



MAESTRO DVT 785



- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 786
- Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator



COLOR

White Glass

COLOR

Black Glass

COLOR

White Glass

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 700 mm



MAESTRO DVT 685



- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 895
 - Max. (m³/h): 786
 - Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator



MAESTRO DVT 685






- Vertical decorative hood
- Eco power
- Touch control panel
- Rim extraction
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 895
 - Max. (m³/h): 786
 - Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED illumination
- 1 aluminium filter
- Stop delay timer
- Filter saturation indicator



MAESTRO DVU 590



- Vertical decorative hood
- Touch control panel
- Remote control
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 553
 - Max. (m³/h): 538
 - Min. (m³/h): 443
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 50 dB
- LED illumination
- 2 aluminium filters
- Stop delay timer



COLOR

Black Glass

COLOR

White Glass

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 900 mm

HOODS



MAESTRO DVU 590



- Vertical decorative hood
- Touch control panel
- Remote control
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 553
 - Max. (m³/h): 538
 - Min. (m³/h): 443
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 50 dB
- LED illumination
- 2 aluminium filters
- Stop delay timer



MAESTRO DVF 97670 TBS




- Vertical decorative hood
- Fresh air function
- Energy efficiency class: A++
- Extraction rim system "Contour"
- Touch control panel
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 740
 - Max. (m³/h): 400
 - Min. (m³/h): 270
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 1 aluminium filter with 6 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional



MAESTRO DVF 97670 TBS




- Vertical decorative hood
- Fresh air function
- Touch control panel
- Extraction rim system "Contour"
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 740
 - Max. (m³/h): 400
 - Min. (m³/h): 270
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 1 aluminium filter with 6 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional




COLOR

White Glass



COLOR

Black Glass



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 898 mm

EXTERNAL DIMENSIONS

Height 898 mm

**NEW****MAESTRO DVF 67670 TBS**




- Vertical decorative hood
- Fresh air function
- Energy efficiency class: A++
- Extraction rim system "Contour"
- Touch control panel
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 740
- Max. (m³/h): 400
- Min. (m³/h): 270
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 1 aluminium filter with 6 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional

**NEW****MAESTRO DVF 67670 TBS**

- Vertical decorative hood
- Fresh air function
- Energy efficiency class: A++
- Extraction rim system "Contour"
- Touch control panel
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 740
- Max. (m³/h): 400
- Min. (m³/h): 270
- Noise (LwA) Max Speed 59 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 1 aluminium filter with 6 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional

**NEW****EASY DVN 94030 TTC**

- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional

**COLOR**

Black Glass

EXTERNAL DIMENSIONS

Height 598 mm

COLOR

White Glass

EXTERNAL DIMENSIONS

Height 598 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 898 mm



NEW

EASY DVN 94030 TTC



- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional

NEW

EASY DVN 74030 TTC






- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional

NEW

EASY DVN 74030 TTC



- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional



COLOR

White Glass

COLOR

Black Glass

COLOR

White Glass

EXTERNAL DIMENSIONS

Height 898 mm

EXTERNAL DIMENSIONS

Height 698 mm

EXTERNAL DIMENSIONS

Height 698 mm



NEW

EASY DVN 64030 TTC



- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional



NEW

EASY DVN 64030 TTC



- Vertical decorative hood
- Energy efficiency class: C
- Extraction rim system "Contour"
- Touch control panel
- 2 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 460
- Max. (m³/h): 410
- Min. (m³/h): 380
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 65 dB
- LED illumination
- 1 aluminium filter with 4 layers
- Stop delay timer
- Filter saturation indicator
- Recirculation function optional Set D11CTP
- Regenerative Charcoal filters optional






MAESTRO PERFECTA4 DLH 1185T

T



- Ultraslim decorative hood
- EcoPower motor
- Energy Efficiency class: A
- 4A (Energy efficiency A, Fluid dynamic efficiency A, lighting efficiency A, grease filtering efficiency A)
- Touch control panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 795
- Qboost, m³/h: 740
- Max., m³/h: 586
- Min., m³/h: 306
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54
- 1 LED BAR
- 3 stainless steel filters (12 layers)
- Stop delay timer
- Filter saturation indicator



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 598 mm

COLOR

White Glass

EXTERNAL DIMENSIONS

Height 598 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1100 mm

HOODS




MAESTRO PERFECTA4 DLH 985

T



- Ultraslim decorative hood
- EcoPower motor
- Energy Efficiency class: A
- 4A (Energy efficiency A, Fluid dynamic efficiency A, lighting efficiency A, grease filtering efficiency A)
- Touch control panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 795
- Qboost, m³/h: 740
- Max., m³/h: 586
- Min., m³/h: 306
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54
- 1 LED BAR
- 3 stainless steel filters (12 layers)
- Stop delay timer
- Filter saturation indicator




COLOR

Black Glass

MAESTRO DLH 1186 T



- Decorative hood
- Double turbine armored motor EcoPower
- Power Rating: A +
- Touch Control digital controls with white display
- 3 speeds + intensive
- Selected speed digital indicator
- Aspiration timer
- Non-Return Valve
- Extraction capacities (*): min. 303 m³ / h - max. 701 m³ / h
- Sound power (*): min. 53 dBA - max. 69 dBA
- LED Lighting BarStainless steel decorative filters
- Filter saturation indicator light
- Possibility of operation in recirculation (SET D1CTP)
- (*) Delegated Regulation (EU) No 65/2014 of the Commission of 1 October 2013.



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 1200 mm



MAESTRO DPL 986 T



- Decorative hood
- Backlit digital controls with white display
- Double turbine armored motor EcoPower
- 3 speeds + intensive
- Selected speed digital indicator
- Aspiration timer
- Filter saturation indicator light
- Non-Return Valve
- 4 LED lamps
- Possibility of operation in recirculation (SET 1 / T1)



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO DLH 986 T



- Decorative hood
- Double turbine armored motor EcoPower
- Power Rating: A +
- Touch Control digital controls with white display
- 3 speeds + intensive
- Selected speed digital indicator
- Aspiration timer
- Filter saturation indicator light
- Non-Return Valve
- Extraction capacities (*): min. 303 m³ / h - max. 701 m³ / h
- Sound power (*): min. 53 dBA - max. 69 dBA
- LED Lighting Bar
- Stainless steel decorative filters
- Possibility of operation in recirculation (SET D1CTP)
- (*) Delegated Regulation (EU) No 65/2014 of the Commission of 1 October 2013.



MAESTRO DLH 786 T






- Decorative hood
- EcoPower motor
- Energy Efficiency class: A+
- Touch control panel with white display
- 3 speeds + 1 intensive
- Exhaust capacities(*): min. 303 m³/h - máx. 701 m³/h
- Noise(*): min. 53 dBA - máx. 69 dBA
- 1 LED BAR
- Stainless steel filters
- Filter saturation indicator
- Possibility of recirculation (SET D1CTP)



MAESTRO DLH 686 T



- EcoPower motor
- Energy Efficiency class: A+
- Touch control with white display
- 3 speeds + 1 intensive
- Exhaust capacities(*): min. 303 m³/h - máx. 701 m³/h
- Noise(*): min. 53 dBA - máx. 69 dBA
- 1LED bar
- Stainless steel filters
- Filter saturation indicator
- Stop delay timer
- Possibility of recirculation (SET D1CTP)



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 600 mm



MAESTRO DU 985



- Vertical decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Touch control White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 807
- Max., m³/h: 631
- Min., m³/h: 315
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 56
- Noise (LwA) Min Speed dB: 48 dB
- 4 LED lamps
- 1 stainless steel filter
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 900 mm



TOTAL DPS 986



- Decorative hood
- EcoPower motor
- Rim extraction
- Touch control panel
- 3 speeds + 1 intensive
- Exhaust capacities:
- Max. (m³/h): 722
- Min. (m³/h): 320
- Noise (LwA) Max Speed 67 dB
- Noise (LwA) Min Speed 54 dB
- LED illumination
- Filter saturation indicator



COLOR


Stainless Steel

EXTERNAL DIMENSIONS


Height 900 mm



TOTAL DPS 786



- Decorative hood
- Eco power
- Rim extraction
- Touch control panel
- 3 speeds + 1 intensive
- Exhaust capacities:
- Max. (m³/h): 722
- Min. (m³/h): 320
- Noise (LwA) Max Speed 67 dB
- Noise (LwA) Min Speed 54 dB
- LED illumination
- Filter saturation indicator



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm




TOTAL DSH 985



- EcoPower motor
- Energy Efficiency class: A
- Electronic control
- Digital display
- 3 speeds + 1 intensive
- Stop delay timer
- Noise(*): min. 54 dBA - máx. 68 dBA
- LED Light Bar
- 2 Stainless steel filters
- Stop delay timer
- Filter saturation indicator



TOTAL DSH 785




- Backlit electronic controls
- Digital Display
- LED Lighting Bar
- Three speeds + intensive
- Selected speed digital indicator
- Aspiration timer
- Stainless steel decorative filters
- Double turbine armored motor EcoPower
- Non-Return Valve
- Extraction capacities (*): min. 305 m³ / h - max. 735 m³ / h
- Sound power (*): min. 54 dBA - max. 68dBA
- Possibility of operation in recirculation (SET 1 / N1)
- Power Rating: A
- (*) Delegated Regulation (EU) No 65/2014 of the Commission of 1 October 2013.



TOTAL DSH 685



- Double turbine armored motor EcoPower
- Energy Efficiency class: A
- Backlit electronic controls
- Digital Display
- Selected speed digital indicator
- Aspiration timer
- Non-Return Valve
- 3 speeds + intensive
- Extraction capacities (*): min. 305 m³ / h - max. 735 m³ / h
- Sound power (*): min. 54 dBA - max. 68dBA
- LED Lighting Bar
- Stainless steel decorative filters
- Possibility of operation in recirculation (SET 1 / N1)
- (*) Delegated Regulation (EU) No 65/2014 of the Commission of 1 October 2013.




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



EASY DSJ 980



- Ultraslim decorative hood
- Push Buttons Control Panel
- Operating Pilot Light
- Conventional Aspiration Type
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 638
- Max. (m³/h): 614
- Min. (m³/h): 268
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 48 dB
- Integrated LED Light
- 3 stainless Steel-aluminum Filter



EASY DSJ 680




- Decorative hood in 60 cm
- Ultra slim
- 4 extraction speeds
- Push button control
- Operating pilot light
- Exhaust capacities: Max. nominal power 1,200 m³/h
- 2 LED lamps
- 2 Aluminium filter



EASY DSJ 950




- Ultraslim decorative hood
- Double turbine motor
- Energy Efficiency class: D
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
- Max. (m³/h): 401
- Min. (m³/h): 231
- Noise (LwA) Max Speed 58 dB
- Noise (LwA) Min Speed 43 dB
- 2 LED illumination
- 3 stainless steel-aluminum filter
- Possibility of operation in recirculation (SET D1CTP)




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 900 mm



EASY DSJ 750



- Ultraslim decorative hood
- Double turbine motor
- Energy Efficiency class: D
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Max. (m³/h): 401
 - Min. (m³/h): 231
- Noise (LwA) Max Speed 58 dB
- Noise (LwA) Min Speed 43 dB
- 2 LED illumination
- 2 stainless steel-aluminium filter
- Possibility of operation in recirculation (SET D1CTP)



EASY DSJ 650




- Ultraslim decorative hood
- Double turbine motor
- Energy Efficiency class: D
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Max. (m³/h): 401
 - Min. (m³/h): 231
- Noise (LwA) Max Speed 58 dB
- Noise (LwA) Min Speed 43 dB
- 2 LED illumination
- 2 stainless steel-aluminium filter
- Possibility of operation in recirculation (SET D1CTP)



MAESTRO DQ2 985




- Glass wing decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet, m³/h: 920
 - Qboost, m³/h: 807
 - Max., m³/h: 631
 - Min., m³/h: 315
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 56
- 3 LED lamps
- 2 stainless steel filters
- Reinforced glass upper structure
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 895 mm



TOTAL DG 985



- Ultraslim glass wing decorative hood
- Eco power
- Backlit electronic panel with white display
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 807
- Min. (m³/h): 315
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 56 dB
- LED illumination
- 1 stainless steel-aluminium filter
- Stop delay timer
- Reinforced glass upper structure



TOTAL DG 785






- Ultraslim glass wing decorative hood
- Eco power
- Backlit electronic panel with white display
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 807
- Min. (m³/h): 315
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 56 dB
- LED illumination
- 1 stainless steel-aluminium filter
- Stop delay timer
- Reinforced glass upper structure



TOTAL NC 985



- Ultraslim glass wing decorative hood
- Eco power
- Backlit electronic panel with white display
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 807
- Min. (m³/h): 315
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 56 dB
- LED illumination
- 1 stainless steel-aluminium filter
- Stop delay timer
- Reinforced glass upper structure



COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 900 mm

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 700 mm

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 900 mm

**TOTAL NC 785**


- Ultraslim glass wing decorative hood
- Eco power
- Backlit electronic panel with white display
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 807
- Min. (m³/h): 315
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 56 dB
- LED illumination
- 1 stainless steel-aluminium filter
- Stop delay timer
- Reinforced glass upper structure

**EASY DG 650**


- Ultraslim glass wing decorative hood
- Push button control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 475
- Max. (m³/h): 380
- Min. (m³/h): 234
- Noise (LwA) Max Speed 64 dB
- Noise (LwA) Min Speed 49 dB
- Integrated halogen lamps
- 1 aluminium filter
- Reinforced glass upper structure

**TOTAL DSS 985**


- Pyramidal decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Illuminated push buttons
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 792
- Qboost, m³/h: 760
- Max., m³/h: 597
- Min., m³/h: 303
- Noise (LwA) Boost Speed, dB: 72,5
- Noise (LwA) Max Speed, dB: 68,2
- Noise (LwA) Min Speed, dB: 53,7
- 3 Stainless steel filters
- LED bar illumination
- Stop delay timer

**COLOR**

Stainless Steel Glass Wing

**COLOR**

Stainless Steel Glass Wing

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 900 mm

HOODS



TOTAL DSS 785



- Pyramidal decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Illuminated push buttons
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 792
- Qboost, m³/h: 760
- Max., m³/h: 597
- Min., m³/h: 303
- Noise (LwA) Boost Speed, dB: 72.5
- Noise (LwA) Max Speed, dB: 68.2
- Noise (LwA) Min Speed, dB: 53.7
- 1 LED bar
- 3/2 Stainless Steel filters MMX
- Stop delay timer



TOTAL DM 975




- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters



TOTAL DM 975




- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

White

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 900 mm



TOTAL DM 775



- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters



TOTAL DM 775






- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters



TOTAL DM 675



- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 700 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm

HOODS



TOTAL DM 675



- Pyramidal decorative hood
- Energy Efficiency class: A
- Push buttons Control Panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3/2 Stainless Steel filters



TOTAL DMR 975




- Rustic decorative hood
- Energy Efficiency class: A
- Push buttons control panel
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 650
- Max., m³/h: 603
- Min., m³/h: 283
- Noise (LwA) Max Speed, dB: 67
- Noise (LwA) Min Speed, dB: 53
- 2 LED lamps
- 3 aluminium filters



TOTAL DOS 90.1 AT

- Rustic decorative hood
- Electronic control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 650
- Max. (m³/h): 603
- Min. (m³/h): 256
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 51 dB
- Integrated halogen lamps
- 2 aluminium filters



COLOR




White

COLOR



Anthracite Brass



COLOR



Anthracite Brass

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 600/900mm



TOTAL DOS 90.1 VN

- Rustic decorative hood
- Electronic control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 603
 - Min. (m³/h): 256
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 51 dB
- Integrated halogen lamps
- 2 aluminium filters






TOTAL DOS 60.1 AT

- Rustic decorative hood
- Electronic control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 603
 - Min. (m³/h): 256
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 51 dB
- Integrated halogen lamps
- 2 aluminium filters



TOTAL DOS 60.1 VN

- Rustic decorative hood
- Electronic control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 603
 - Min. (m³/h): 256
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 51 dB
- Integrated halogen lamps
- 2 aluminium filters



COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Height 600/900mm

COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 600/900mm

COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Height 600/900mm



EASY DBP 90 PRO

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 613
 - Min. (m³/h): 318
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 55 dB
- Integrated halogen lamps
- 3 stainless Steel-aluminum filters




EASY DBP 70 PRO

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 613
 - Min. (m³/h): 318
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 55 dB
- Integrated halogen lamps
- 2 stainless Steel-aluminum filters




EASY DBP 60 PRO

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds + 1 intensive
- Exhaust capacities:
 - Free Outlet (m³/h): 650
 - Max. (m³/h): 613
 - Min. (m³/h): 318
- Noise (LwA) Max Speed 68 dB
- Noise (LwA) Min Speed 55 dB
- Integrated halogen lamps
- 2 stainless Steel-aluminum filters




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 600 mm



EASY DBB 90 HP

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 850
 - Max. (m³/h): 780
 - Min. (m³/h): 240
- Noise (LwA) Max Speed 56 dB
- Noise (LwA) Min Speed 48 dB
- Incandescent Lamps
- 3 aluminum filters






EASY DBB 60 HP

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 850
 - Max. (m³/h): 780
 - Min. (m³/h): 240
- Noise (LwA) Max Speed 56 dB
- Noise (LwA) Min Speed 48 dB
- Incandescent Lamps
- 2 aluminum filters



EASY DBB 90

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 3 aluminum filters



COLOR

Stainless Steel

EXTERNAL DIMENSIONS
Height 900 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS
Height 600 mm

COLOR

Black

EXTERNAL DIMENSIONS
Height 900 mm



EASY DBB 90

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 3 aluminum filters






EASY DBB 70

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 2 aluminum filters



EASY DBB 70

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 2 aluminum filters



COLOR

Stainless Steel

COLOR

Stainless Steel

COLOR

Black

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 700 mm



EASY DBB 60

- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 2 aluminum filters



EASY DBB 60




- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 475
 - Max. (m³/h): 380
 - Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 2 aluminum filters



MAESTRO CNL 9815 PLUS



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 734
 - Qboost, m³/h: 730
 - Max., m³/h: 555
 - Min., m³/h: 295
- Noise (LwA) Boost Speed, dB: 70.4
- Noise (LwA) Max Speed, dB: 65.3
- Noise (LwA) Min Speed, dB: 53.1
- 1 LED bar
- 4 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm

COLOR

Black

EXTERNAL DIMENSIONS

Height 600 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO CNL 6815 PLUS



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 734
 - Qboost, m³/h: 730
 - Max., m³/h: 555
 - Min., m³/h: 295
- Noise (LwA) Boost Speed, dB: 70.4
- Noise (LwA) Max Speed, dB: 65.3
- Noise (LwA) Min Speed, dB: 53.1
- 1 LED bar
- 4 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel

TOTAL CNL 6415 PLUS






- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 393
 - Qboost, m³/h: 385
 - Max., m³/h: 293
 - Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63.9
- Noise (LwA) Min Speed, dB: 51.6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel (SS)

TOTAL CNL 6415 PLUS



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 393
 - Qboost, m³/h: 385
 - Max., m³/h: 293
 - Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63.9
- Noise (LwA) Min Speed, dB: 51.6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel



COLOR

Stainless Steel

COLOR

Stainless Steel

COLOR

White Glass

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm



TOTAL CNL 6415 PLUS



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 393
- Qboost, m³/h: 385
- Max., m³/h: 293
- Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63,9
- Noise (LwA) Min Speed, dB: 51,6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel



TOTAL CNL 9610






- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 745
- Qboost, m³/h: 694
- Max., m³/h: 445
- Min., m³/h: 330
- Noise (LwA) Boost Speed, dB: 70,1
- Noise (LwA) Max Speed, dB: 62,6
- Noise (LwA) Min Speed, dB: 59,8
- 3 LED lamps
- 4 aluminium filters
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel



TOTAL CNL 6415



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 393
- Qboost, m³/h: 385
- Max., m³/h: 293
- Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63,9
- Noise (LwA) Min Speed, dB: 51,6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel (SS)



COLOR



EXTERNAL DIMENSIONS

Height 600 mm

COLOR



EXTERNAL DIMENSIONS

Height 900 mm

COLOR



EXTERNAL DIMENSIONS

Height 600 mm



TOTAL CNL 6415



- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 393
 - Qboost, m³/h: 385
 - Max., m³/h: 293
 - Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63,9
- Noise (LwA) Min Speed, dB: 51,6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel

TOTAL CNL 6415






- Pull-out hood
- EcoPower motor
- Energy Efficiency class: A
- Electronic control panel
- 5+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 393
 - Qboost, m³/h: 385
 - Max., m³/h: 293
 - Min., m³/h: 141
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 63,9
- Noise (LwA) Min Speed, dB: 51,6
- 1 LED bar
- 2 stainless Steel filters MMX
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel

EASY CNL 6400



- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 432
 - Qboost, m³/h: 385
 - Max., m³/h: 224
 - Min., m³/h: 161
- Noise (LwA) Boost Speed, dB: 70
- Noise (LwA) Max Speed, dB: 61
- Noise (LwA) Min Speed, dB: 56
- 2 LED lamps
- 2 stainless Steel filters
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel (SS)



COLOR

White

COLOR

Black

COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

**TOTAL CNL 6400**




- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 432
- Qboost, m³/h: 385
- Max., m³/h: 224
- Min., m³/h: 161
- Noise (LwA) Boost Speed, dB: 70
- Noise (LwA) Max Speed, dB: 61
- Noise (LwA) Min Speed, dB: 56
- 2 LED lamps
- 2 stainless Steel filters
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel (SS)

**EASY CNL 6400**

- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 432
- Qboost, m³/h: 385
- Max., m³/h: 224
- Min., m³/h: 161
- Noise (LwA) Boost Speed, dB: 70
- Noise (LwA) Max Speed, dB: 61
- Noise (LwA) Min Speed, dB: 56
- 2 LED lamps
- 2 stainless Steel filters
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel (SS)

**EASY TL 9310**

- Pull-out hood
- Mechanical control panel
- 2 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 366
- Max., m³/h: 332
- Min., m³/h: 233
- Noise (LwA) Max Speed, dB: 65
- Noise (LwA) Min Speed, dB: 56
- 2 Integrated LED lamps
- 4 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel

**COLOR**

Black

EXTERNAL DIMENSIONS

Height 600 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



EASY TL 7420



- Pull-out hood
- Mechanical control panel
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 390
 - Max., m³/h: 354
 - Min., m³/h: 177
- Noise (LwA) Max Speed, dB: 69
- Noise (LwA) Min Speed, dB: 55
- 2 Integrated LED lamps
- 2 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel



EASY TL 6420






- Pull-out hood
- Mechanical control panel
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 390
 - Max., m³/h: 354
 - Min., m³/h: 177
- Noise (LwA) Max Speed, dB: 69
- Noise (LwA) Min Speed, dB: 55
- 2 Integrated LED lamps
- 2 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel



EASY TL 6420

- Pull-out hood
- Mechanical control panel
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 390
 - Max., m³/h: 354
 - Min., m³/h: 177
- Noise (LwA) Max Speed, dB: 69
- Noise (LwA) Min Speed, dB: 55
- 2 Integrated halogen lamps
- 2 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel



COLOR

Stainless Steel

COLOR

White

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm



EASY TL 6310



- Pull-out hood
- Mechanical control panel
- 2 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 366
 - Max., m³/h: 332
 - Min., m³/h: 233
- Noise (LwA) Max Speed, dB: 65
- Noise (LwA) Min Speed, dB: 56
- 2 Integrated LED lamps
- 4 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel

EASY TL 6310






- Pull-out hood
- Mechanical control panel
- 2 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 366
 - Max., m³/h: 332
 - Min., m³/h: 233
- Noise (LwA) Max Speed, dB: 65
- Noise (LwA) Min Speed, dB: 56
- 2 Integrated LED lamps
- 4 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel

EASY TL 6310



- Pull-out hood
- Mechanical control panel
- 2 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 366
 - Max., m³/h: 332
 - Min., m³/h: 233
- Noise (LwA) Max Speed, dB: 65
- Noise (LwA) Min Speed, dB: 56
- 2 Integrated LED lamps
- 4 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel



COLOR

Stainless Steel

COLOR

White

COLOR

Black

EXTERNAL DIMENSIONS
Height 600 mm

EXTERNAL DIMENSIONS
Height 600 mm

EXTERNAL DIMENSIONS
Height 600 mm



EASY TL1 52



- Pull-out hood
- Switch control panel
- Conventional aspiration
- 2 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 366
 - Max. (m³/h): 332
 - Min. (m³/h): 233
- Noise (LwA) Max Speed 65 dB
- Noise (LwA) Min Speed 56 dB
- Integrated LED lamps
- 2 aluminium filters
- Exchangeable front panel



TOTAL CNL 6610




- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 745
 - Qboost, m³/h: 694
 - Max., m³/h: 445
 - Min., m³/h: 330
- Noise (LwA) Boost Speed, dB: 70.1
- Noise (LwA) Max Speed, dB: 62.6
- Noise (LwA) Min Speed, dB: 59.8
- 3 LED lamps
- 4 aluminium filters
- Reinforced Black Glass upper structure
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel



MAESTRO INTEGRA 965




- Built in/free installation decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Rotary knob (pop in- pop out)
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 224
 - Max., m³/h: 620
 - Min., m³/h: 224
- Noise (LwA) Max Speed, dB: 70
- Noise (LwA) Min Speed, dB: 48
- 2 LED lamps
- 2 aluminium filters




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 500 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 894 mm



MAESTRO INTEGRA 665



- Built in/free installation decorative hood
- EcoPower motor
- Energy Efficiency class: A
- Rotary knob (pop in- pop out)
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 224
- Max. m³/h: 620
- Min. m³/h: 224
- Noise (LwA) Max Speed, dB: 70
- Noise (LwA) Min Speed, dB: 48
- 2 LED lamps
- 2 aluminium filters




MAESTRO DHI 90



- Built in/free installation decorative hood
- Backlit Electronic control panel
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 850
- Max. (m³/h): 650
- Min. (m³/h): 295
- Noise (LwA) Max Speed 57 dB
- Noise (LwA) Min Speed 48 dB
- LED illumination
- 2 Stainless steel aluminium filters
- Stop delay timer
- Easy-clean inside panel

EASY NR1 89

- Built in decorative hood
- One motor
- Slider control panel
- Operating Pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 508
- Max. (m³/h): 223
- Min. (m³/h): 152
- Noise (LwA) Max Speed 65 dB
- Noise (LwA) Min Speed 63 dB
- Incandescent Lamps
- 1 metal filter



COLOR

Stainless Steel

EXTERNAL DIMENSIONS
Height 594 mm

COLOR


Stainless Steel

EXTERNAL DIMENSIONS
Height 900 mm

COLOR

White

EXTERNAL DIMENSIONS
Height 600 mm



NEW

EASY XT2 8910



- Under cabinet installation
- Mechanical controls
- 3 speeds
- Exhaust capacity (*): min. 165 m³/h - max. 248 m³/h
- Sound level (*): min. 58 dBA - max. 69 dBA
- LED illumination
- Metallic filter
- Anti return valve
- Recirculation function optional (filter CIC)

EASY GFG 2






- Filter group
- Push buttons control panel
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 444
 - Max. (m³/h): 329
 - Min. (m³/h): 223
- Noise (LwA) Max Speed 63 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 2 aluminium filters

TOTAL GFG 2



- Filter group
- Push buttons control panel
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 444
 - Max., m³/h: 329
 - Min., m³/h: 223
- Noise (LwA) Min Speed 58 dB
- Noise (LwA) Max Speed, dB: 63
- Noise (LwA) Min Speed, dB: 53
- 1 LED bar
- 1 stainless Steel filters MMX



COLOR

White

COLOR

Black Glass

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 550 mm

EXTERNAL DIMENSIONS

Height 550 mm



EASY GFG 2



- Filter group
- Push buttons control panel
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 444
 - Max. (m³/h): 329
 - Min. (m³/h): 223
- Noise (LwA) Max Speed 63 dB
- Noise (LwA) Min Speed 53 dB
- LED illumination
- 2 aluminium filters




EASY GFT 800

- Filter group
- Slider control panel
- Operating pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 830
 - Max. (m³/h): 653
 - Min. (m³/h): 280
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 48 dB
- Incandescent Lamps
- 2 aluminium filters




EASY GFH 55


- Filter group
- Push buttons control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 367
 - Max. (m³/h): 329
 - Min. (m³/h): 223
- Noise (LwA) Max Speed 69 dB
- Noise (LwA) Min Speed 62 dB
- Integrated halogen lamps
- 2 aluminium filters

**COLOR**

White Glass

**COLOR**

Stainless Steel

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 550 mm

EXTERNAL DIMENSIONS

Height 500 mm

EXTERNAL DIMENSIONS

Height 550 mm



EASY GFH 73

- Filter group
- Push buttons control panel
- Operating pilot light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 367
 - Max. (m³/h): 329
 - Min. (m³/h): 223
- Noise (LwA) Max Speed 69 dB
- Noise (LwA) Min Speed 62 dB
- Integrated halogen lamps
- 2 aluminium filters



EASY GFT


- Filter group
- Slider control panel
- Operating pilot Light
- Conventional aspiration
- 3 speeds
- Exhaust capacities:
 - Free Outlet (m³/h): 434
 - Max. (m³/h): 303
 - Min. (m³/h): 205
- Noise (LwA) Max Speed 64 dB
- Noise (LwA) Min Speed 50 dB
- Incandescent Lamps
- 2 aluminium filters



EASY C 9420




- Classic hood
- Push buttons control panel (SS models)
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 422
 - Max., m³/h: 375
 - Min., m³/h: 141
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 60
- 2 Integrated LED lamps
- 3 aluminium filters
- Finger Print Proof Front Panel (SS)




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 730 mm

EXTERNAL DIMENSIONS

Height 500 mm

EXTERNAL DIMENSIONS

Height 900 mm



EASY C 9310




- Push buttons control panel (55 models)
- Energy efficiency: E
- Operating pilot light
- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 254
- Max., m³/h: 235
- Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 62
- Noise (LwA) Min Speed, dB: 45
- 2 halogen lamps
- 3 aluminium filters
- Finger Print Proof Front Panel (SS)

EASY C 8310

- Push buttons control panel
- 3 speeds
- Exhaust capacities:
- Max., m³/h: 532
- Min., m³/h: 235
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 49
- incandescent lamps

EASY C 7310

- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 254
- Max., m³/h: 235
- Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 60
- 2 incandescent lamps
- aluminium filters
- Filter saturation indicator
- Finger Print Proof Front Panel (SS)



COLOR

Stainless Steel

COLOR

Stainless Steel

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

EXTERNAL DIMENSIONS

Height mm

EXTERNAL DIMENSIONS

Height mm



EASY C 6420



- Classic hood
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 422
 - Max., m³/h: 375
 - Min., m³/h: 141
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 60
- 2 Integrated LED lamps
- 3 aluminium filters

EASY C 6420






- Classic hood
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 422
 - Max., m³/h: 375
 - Min., m³/h: 141
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 60
- 2 Integrated LED lamps
- 3 aluminium filters

EASY C 6420



- Classic hood
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 422
 - Max., m³/h: 375
 - Min., m³/h: 141
- Noise (LwA) Max Speed, dB: 72
- Noise (LwA) Min Speed, dB: 60
- 2 Integrated LED lamps
- 3 aluminium filters



COLOR

Stainless Steel

COLOR

Black

COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm



EASY C 6310



- Classic hood
- Push buttons control panel (SS models)
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 254
 - Max., m³/h: 235
 - Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 62
- Noise (LwA) Min Speed, dB: 45
- 2 Integrated LED lamps
- 3 aluminium filters
- Finger Print Proof Front Panel (SS)

EASY C 6310






- Classic hood
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 254
 - Max., m³/h: 235
 - Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 62
- Noise (LwA) Min Speed, dB: 45
- 2 Integrated LED lamps
- 3 aluminium filters

EASY C 6310



- Classic hood
- Operating pilot light
- 3 speeds
- Exhaust capacities:
 - Free Outlet, m³/h: 254
 - Max., m³/h: 235
 - Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 62
- Noise (LwA) Min Speed, dB: 45
- 2 Integrated LED lamps
- 3 aluminium filters



COLOR

Stainless Steel

COLOR

White

COLOR

Black

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

EXTERNAL DIMENSIONS

Height 600 mm

HOODS

Modelo	DHT 1285 ISLAND	DPL 1185	CC 485 ISLAND	DPL 1185 ISLAND	DH2 ISLA 1285	DH2 1280	DH2 985 ISLAND	DH2 980 ISLAND
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	46,7	49,3	44,7	49,3	47,8	140,2	47,8	140,2
Energy Efficiency Class	A	A	A	A	A	D	A	D
Fluid Dynamic Efficiency (FDEhood)	32,1	32,1	32,2	32,1	32,3	12,7	32,3	12,7
Fluid Dynamic Efficiency class	A	A	A	A	A	E	A	E
Light Efficiency (Lehood) lux/Watt	58,3	58,3	87,3	58,3	58,3	58,3	58,3	58,3
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	86,8	75,9	77,8	75,9	83,4	83,7	83,4	83,7
Grease Filtering Efficiency class	B	C	C	C	C	C	C	C
Air flow (Qmin) m3/h	315	331	305	331	311	295	311	295
Air flow (Qmax) m3/h	631	629	525	629	605	400	605	400
Air flow (Qboost) m3/h	807	782	771	782	796	650	796	650
Noise (LwA) Min Speed (dB)	47	54	50	54	52	48	52	48
Noise (LwA) Max Speed (dB)	66	69	78	66	66	56	71	66
Noise (LwA) Boost Speed (dB)	66	69	78	69	71	66	71	66
Off mode Power (Po) W	-	-	-	-	-	-	-	-
Standby Power (Ps) W	1	0,7	0,7	0,74	0,56	0,56	0,6	0,6
Energy Efficiency Index (EEI)	49,9	50,1	47,3	50,1	50,1	91,1	50,1	91,1
Time increase actor (f)	0,8	0,8	0,8	0,8	0,8	1,5	0,8	1,5
Air flow at best efficiency point (Qbep) m3 / h	329,8	346	345	346	341	427	341	427
Air pressure at best efficiency point(Pbep) Pa	456	464	465	464	456	257	456	257
Electric power input at best efficiency point (Wbep) W	130,1	139	138,2	139	133,7	240	133,7	240
Nominal power of the lighting system (WL) W	12	12	6	12	12	12	12	12
EXTERNAL DIMENSIONS								
Width (mm)	1200	1100	400	1100	1200	1200	900	900
Depth (mm)	600	605	400	605	600	600	600	600
Height (mm)	305	817-1117	815-1115	817-1117	817 / 1117 + 62	817 / 1117 + 62	817 / 1117 + 62	817 / 1117 + 62
ELECTRICAL FEATURES								
Motor power (W)	280	280	280	280	280	230	280	230
Total hood power (W)	292	292	286	242	270	270	292	242
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	-	-	-	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	4	3	1	3	4	4	3	3
Charcoal filter	-	D4C	D4C	D4C	D4C	D4C	D4C	D4C
Recirculation kit	ZUB 9015	SET 1/T1	SET 1/I1	SET 1/T1				

Modelo	DG3 985 ISLAND ISLAND	DG3 ISLA 980 ISLAND	DSB 985 ISLAND	QUADRO DLV 998	DLV 985	QUADRO DLV 980	DLV 685	DVT 985
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	47,8	140,2	47,8	27,0	55,5	128	55,5	51,1
Energy Efficiency Class	A	D	A	A++	A	D	A	A
Fluid Dynamic Efficiency (FDEhood)	32,3	12,7	32,3	38,2	34,5	13,7	34,5	32,3
Fluid Dynamic Efficiency class	A	E	A	A	A	D	A	A
Light Efficiency (Lehood) lux/Watt	58,3	58,3	58,3	55,7	41,7	69,8	41,7	69,8
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	83,4	83,7	83,4	75,9	-	75,9	-	75,9
Grease Filtering Efficiency class	C	C	C	C	G	C	G	C
Air flow (Qmin) m3/h	311	295	311	264	325	259	325	303
Air flow (Qmax) m3/h	605	400	605	626	614	423	614	599
Air flow (Qboost) m3/h	796	650	796	816	782	730	782	786
Noise (LwA) Min Speed (dB)	52	48	52	37	54	50	54	52
Noise (LwA) Max Speed (dB)	71	66	71	65	72	58	72	71
Noise (LwA) Boost Speed (dB)	71	66	71	65	72	69	72	71
Off mode Power (Po) W	-	-	-	0,3	0,3	-	0,3	-
Standby Power (Ps) W	0,6	0,6	0,6	-	-	0,74	-	0,7
Energy Efficiency Index (EEI)	50,1	91,1	50,1	36,4	50,5	89,6	50,5	47,9
Time increase actor (f)	0,8	1,5	0,8	0,6	0,8	1,5	0,8	0,8
Air flow at best efficiency point (Qbep) m3 / h	341	427	341	339	440	402	440	404,9
Air pressure at best efficiency point(Pbep) Pa	456	257	456	406	452	278	452	460
Electric power input at best efficiency point (Wbep) W	133,7	240	133,7	100	160	225,8	160	160,1
Nominal power of the lighting system (WL) W	12	12	12	7	12	6	12	6
EXTERNAL DIMENSIONS								
Width (mm)	900	900	900	900	900	900	600	900
Depth (mm)	600	600	600	450	450	450	450	418
Height (mm)	871 - 1171	871 - 1171	907 -1207	800-1200	800-1200	800-1200	800-1200	860-1160
ELECTRICAL FEATURES								
Motor power (W)	280	230	280	165	280	230	280	280
Total hood power (W)	292	242	292	172	287	237	287	286
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	2	3	2	2	2	2	1
Charcoal filter	D4C	D4C	D4C	-	D4C	D1C	D4C	D4C
Recirculation kit	SET 1/T1	SET 1/T	SET 1/T1	-	SET 1/N1	-	SET 1/N1	SET 1/M1

HOODS

Modelo	DVT 785	DVT 685	DVU 590	DVF 97670 TBS	DVF 67670 TBS	DVN 94030 TTC	DVN 74030 TTC	DVN 64030 TTC
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	51,1	51,1	89,0	35,1	35,1	60,2	60,2	60,2
Energy Efficiency Class	A	A	D	A++	A++	C	C	C
Fluid Dynamic Efficiency (FDEhood)	32,3	32,3	15,3	37,6	37,6	11,1	11,1	11,1
Fluid Dynamic Efficiency class	A	A	D	A	A	E	E	E
Light Efficiency (Lehood) lux/Watt	69,8	69,8	33	45	45	76,1	76,1	76,1
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	75,9	72,9	75,1	75,1	75,1	75,1	75,1
Grease Filtering Efficiency class	C	C	D	C	C	C	C	C
Air flow (Qmin) m3/h	303	303	443	270	270	380	380	380
Air flow (Qmax) m3/h	599	599	538	400	400	410	410	410
Air flow (Qboost) m3/h	786	786	—	740	740	425	425	425
Noise (LwA) Min Speed (dB)	52	52	50	53	53	65	65	65
Noise (LwA) Max Speed (dB)	71	71	—	70	70	67	67	67
Noise (LwA) Boost Speed (dB)	71	71	—	70	70	67	67	67
Off mode Power (Po) W	—	—	—	0,5	0,5	—	—	—
Standby Power (Ps) W	0,7	0,7	0,4	—	—	0,5	0,5	0,5
Energy Efficiency Index (EEI)	47,9	47,9	86,2	35,7	35,7	—	—	—
Time increase actor (f)	0,8	0,8	1,5	6	6	1,6	1,6	1,6
Air flow at best efficiency point (Qbep) m3 / h	404,9	404,9	280,8	4.290	4.290	246	246	246
Air pressure at best efficiency point(Pbep) Pa	460	460	258	464	464	163	163	163
Electric power input at best efficiency point (Wbep) W	160,1	160,1	150,8	1.470	1.470	101	101	101
Nominal power of the lighting system (WL) W	6	6	4	2,2	2,2	2	2	2
EXTERNAL DIMENSIONS								
Width (mm)	700	600	900	898	598	898	698	598
Depth (mm)	418	418	432	409	409	325	325	325
Height (mm)	860-1160	860-1160	1001-1391	912/1172	912/1172	372	372	372
ELECTRICAL FEATURES								
Motor power (W)	280	280	200	270	270	140	140	140
Total hood power (W)	286	286	204	272	272	—	—	—
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	1	1	2	2	2	1	1	1
Charcoal filter	D4C	D4C	D6C	D11C	D11C	D9C	D9C	D9C
Recirculation kit	SET 1/M1	SET 1/M1	—	SET D11CTP	SET D11CTP	SET D13CTP	SET D13CTP	SET D13CTP

Modelo	PERFECTA4 DLH 1185 T	PERFECTA4 DLH 985 T	DLH 1186 T	DPL 986 T	DLH 986 T	DLH 786 T	DLH 686 T	DU 985
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	41,0	41,0	40,7	42,2	40,7	40,7	40,7	46,2
Energy Efficiency Class	A	A	A+	A+	A+	A+	A+	A
Fluid Dynamic Efficiency (FDEhood)	34,3	34,3	35,3	35,1	35,3	35,3	35,3	32,3
Fluid Dynamic Efficiency class	A	A	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	55,7	55,7	49,3	56,7	49,3	55,2	55,2	73,3
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	98,2	98,2	82	75,9	82	82	82	87,9
Grease Filtering Efficiency class	A	A	C	C	C	C	C	B
Air flow (Qmin) m3/h	352	352	303	320	303	303	303	315
Air flow (Qmax) m3/h	651	651	584	589	584	584	584	631
Air flow (Qboost) m3/h	760	760	701	722	701	701	701	807
Noise (LwA) Min Speed (dB)	54	54	53	54	53	53	53	56
Noise (LwA) Max Speed (dB)	72	72	72	69	72	72	72	72
Noise (LwA) Boost Speed (dB)	72	72	72	69	72	72	72	72
Off mode Power (Po) W	0,3	0,3	0,3	0,3	0,3	0,3	0,3	-
Standby Power (Ps) W	-	-	-	-	-	-	-	0,7
Energy Efficiency Index (EEI)	47,2	47,2	42,0	42,2	42,0	42,0	42,0	49,9
Time increase actor (f)	0,8	0,8	0,7	0,7	0,7	0,7	0,7	0,8
Air flow at best efficiency point (Qbep) m3 / h	364	364	385,3	400,6	385,3	385,3	385,3	335,2
Air pressure at best efficiency point(Pbep) Pa	417	417	469	467	469	469	469	445
Electric power input at best efficiency point (Wbep) W	123	123	142,2	148,1	142,2	142,2	142,2	128,3
Nominal power of the lighting system (WL) W	7	7	6	6	6	6	6	12
EXTERNAL DIMENSIONS								
Width (mm)	1100	900	1200	900	900	900	600	900
Depth (mm)	480	480	480	480	480	480	480	450
Height (mm)	670-1000	670-1000	670-1000	690-1010	670-1000	670-1000	670-1000	350
ELECTRICAL FEATURES								
Motor power (W)	280	280	265	265	265	265	265	280
Total hood power (W)	287	287	271	271	271	271	271	292
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	3	3	4	3	3	2	2	1
Charcoal filter	D4C	D4C	D1C	D4C	D1C	D1C	D1C	D4C
Recirculation kit	SET 1/N1	SET 1/N1	D1CTP	SET 1/N1	D1CTP	D1CTP	D1CTP	1/M

HOODS

Modelo	DPS 986	DPS 786	DSH 985	DSH 785	DSH 685	DSJ 980	DSJ 680	DSJ 950
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	42,2	42,2	54,7	54,7	54,7	96,7	96,7	62,7
Energy Efficiency Class	A+	A+	A	A	A	C	C	D
Fluid Dynamic Efficiency (FDEhood)	35,1	35,1	31	31	31	16,4	16,4	9,5
Fluid Dynamic Efficiency class	A	A	A	A	A	D	D	E
Light Efficiency (Lehood) lux/Watt	56,7	64,7	55,2	55,2	55,2	31,7	35	31,7
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	75,9	82	82	82	76,1	76,1	73,4
Grease Filtering Efficiency class	C	C	C	C	C	C	C	D
Air flow (Qmin) m3/h	320	320	305	305	305	268	268	235
Air flow (Qmax) m3/h	589	589	586	586	586	614	614	433
Air flow (Qboost) m3/h	722	722	735	735	735	-	-	-
Noise (LwA) Min Speed (dB)	54	54	54	54	54	48	48	43
Noise (LwA) Max Speed (dB)	69	69	72	72	72	-	-	-
Noise (LwA) Boost Speed (dB)	69	69	72	72	72	-	-	-
Off mode Power (Po) W	0,3	0,3	0,3	0,3	0,3	-	-	-
Standby Power (Ps) W	-	-	-	-	-	-	-	-
Energy Efficiency Index (EEI)	42,2	42,2	53,2	53,2	53,2	81,5	81,5	88,8
Time increase actor (f)	0,7	0,7	0,9	0,9	0,9	1,4	1,4	1,7
Air flow at best efficiency point (Qbep) m3 / h	400,6	400,6	388	388	388	363,1	363,1	224,6
Air pressure at best efficiency point(Pbep) Pa	467	467	440	440	440	301	301	148
Electric power input at best efficiency point (Wbep) W	148,1	148,1	153,1	153,1	153,1	185	185	97,5
Nominal power of the lighting system (WL) W	6	6	6	6	6	3	3	3
EXTERNAL DIMENSIONS								
Width (mm)	900	900	900	900	600	900	600	900
Depth (mm)	480	480	480	480	480	480	480	480
Height (mm)	690-1010	690-1010	670-1000	670-1000	670-1000	670-1000	670-1000	670-1000
ELECTRICAL FEATURES								
Motor power (W)	265	265	280	280	280	220	220	110
Total hood power (W)	271	271	286	286	286	223	223	113
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	3	2	3	2	2	3	2	3
Charcoal filter	D4C	D4C	D4C	D4C	D4C	D1C	D1C	D1C
Recirculation kit	SET 1/N1	D1CTP	D1CTP	D1CTP				

Modelo	DSJ 750	DSJ 650	DQ2 985	DG 985	DG 785	NC 985	NC 785	DG 650
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	62,7	62,7	44,0	56,7	56,7	56,7	56,7	87,2
Energy Efficiency Class	D	D	A	A	A	A	A	E
Fluid Dynamic Efficiency (FDEhood)	9,5	9,5	32,3	30,5	30,5	30,5	30,5	6,1
Fluid Dynamic Efficiency class	E	E	A	A	A	A	A	F
Light Efficiency (Lehood) lux/Watt	35	35	64,4	65,2	77,2	65,2	77,2	5,6
Lighting Efficiency class	A	A	A	A	A	A	A	F
Grease Filtering Efficiency (GFEhood) %	73,4	73,4	86,5	83,7	83,7	83,7	83,7	73,4
Grease Filtering Efficiency class	D	D	B	C	C	C	C	D
Air flow (Qmin) m3/h	235	235	315	315	315	315	315	234
Air flow (Qmax) m3/h	433	433	631	631	631	631	631	380
Air flow (Qboost) m3/h	-	-	807	807	807	807	807	-
Noise (LwA) Min Speed (dB)	43	43	56	56	56	56	56	49
Noise (LwA) Max Speed (dB)	-	-	72	72	72	72	72	-
Noise (LwA) Boost Speed (dB)	-	-	72	72	72	72	72	-
Off mode Power (Po) W	-	-	-	-	-	-	-	-
Standby Power (Ps) W	-	-	0,6	0,6	0,6	0,6	0,6	-
Energy Efficiency Index (EEI)	88,8	88,8	48,5	53,3	53,3	53,3	53,3	101,5
Time increase actor (f)	1,7	1,7	0,8	0,9	0,9	0,9	0,9	1,8
Air flow at best efficiency point (Qbep) m3 / h	224,6	224,6	335,2	403,9	403,9	403,9	403,9	196
Air pressure at best efficiency point(Pbep) Pa	148	148	445	434	434	434	434	99
Electric power input at best efficiency point (Wbep) W	97,5	97,5	128,3	159,4	159,4	159,4	159,4	88,3
Nominal power of the lighting system (WL) W	3	3	9	6	6	6	6	40
EXTERNAL DIMENSIONS								
Width (mm)	900	900	895	900	700	900	700	600
Depth (mm)	480	480	895	500	500	500	500	500
Height (mm)	670-1000	670-1000	680-1010	667 - 997	667 - 997	674-1004	674-1004	667-997
ELECTRICAL FEATURES								
Motor power (W)	110	110	280	280	280	280	280	105
Total hood power (W)	113	113	289	286	286	286	286	145
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	2	2	1	1	1	1	1
Charcoal filter	D1C	D1C	D4C	D4C	D4C	D4C	D4C	D4C
Recirculation kit	D1CTP	D1CTP	SET 1/L	SET 1/N1	SET 1/N1	SET 1/N1	SET 1/N1	SET 1/N1

HOODS

Modelo	DSS 985	DSS 785	DM 975	DM 775	DM 675	DMR 975	DOS 90.1 AT	DOS 90.1 VN
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	54,6	52,4	43,6	43,6	43,6	42,1	68,4	68,4
Energy Efficiency Class	A	A	A	A	A	A	B	B
Fluid Dynamic Efficiency (FDEhood)	33	33	30,5	30,5	30,5	30,5	238	238
Fluid Dynamic Efficiency class	A	A	A	A	A	A	B	B
Light Efficiency (Lehood) lux/Watt	41,7	43,3	9,4	9,4	9,4	9,4	201	201
Lighting Efficiency class	A	A	E	E	E	E	B	B
Grease Filtering Efficiency (GFEhood) %	82,7	82,7	83,7	83,7	83,7	83,7	660	660
Grease Filtering Efficiency class	C	C	C	C	C	C	D	D
Air flow (Qmin) m3/h	303	303	283	283	283	283	256,0	256,0
Air flow (Qmax) m3/h	597	597	603	603	603	603	603,0	603,0
Air flow (Qboost) m3/h	760	760	—	—	—	—	—	—
Noise (LwA) Min Speed (dB)	54	54	53	53	53	53	51	51
Noise (LwA) Max Speed (dB)	73	73	—	—	—	—	—	—
Noise (LwA) Boost Speed (dB)	73	73	—	—	—	—	—	—
Off mode Power (Po) W	0,3	0,3	—	—	—	—	—	—
Standby Power (Ps) W	—	—	—	—	—	—	—	—
Energy Efficiency Index (EEI)	50,4	49,2	53,5	53,5	53,5	53,5	64,3	64,3
Time increase actor (f)	0,8	0,8	0,9	0,9	0,9	0,9	11	11
Air flow at best efficiency point (Qbep) m3 / h	418	418	316,2	316,2	316,2	316,2	2.880	2.880
Air pressure at best efficiency point(Pbep) Pa	446	446	383	383	383	383	4.740	4.740
Electric power input at best efficiency point (Wbep) W	157	157	110,4	110,4	110,4	110,4	1.595	1.595
Nominal power of the lighting system (WL) W	12	9	10	10	10	10	6,0	6,0
EXTERNAL DIMENSIONS								
Width (mm)	900	700	900	700	600	900	600/900	600/900
Depth (mm)	480	480	500	500	500	500	500	500
Height (mm)	700-1100	700-1100	735 - 1095	735 - 1095	735 - 1095	735 - 1095	733-1148	733-1148
ELECTRICAL FEATURES								
Motor power (W)	280	280	270	270	270	270	250	250
Total hood power (W)	292	289	280	280	280	280	290	290
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	3	2	3	2	2	3	2	2
Charcoal filter	D4C	D4C	D4C	D4C	D4C	D4C	D5C	D5C
Recirculation kit	SET 1/N1	SET 1/N1	SET 1/M1	SET 1/M1	SET 1/M1	SET 1/M1	SET 4/D	SET 4/D

Modelo	DOS 60.1 AT	DOS 60.1 VN	DBP 90 PRO	DBP 70 PRO	DBP 60 PRO	DBB 90 HP	DBB 60 HP	DBB 90
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	68.4	68.4	104,2	104,2	104,2	185,9	185,9	62,3
Energy Efficiency Class	B	B	D	D	D	D	D	D
Fluid Dynamic Efficiency (FDEhood)	238	238	12,9	12,9	12,9	14,7	14,7	6,9
Fluid Dynamic Efficiency class	B	B	E	E	E	D	D	F
Light Efficiency (Lehood) lux/Watt	201	201	5,9	5,9	5,9	5,9	5,9	5,9
Lighting Efficiency class	B	B	F	F	F	F	F	F
Grease Filtering Efficiency (GFEhood) %	660	660	83,7	83,7	83,7	76,1	76,1	73,4
Grease Filtering Efficiency class	D	D	C	C	C	C	C	D
Air flow (Qmin) m3/h	256,0	256,0	318	318	318	295	295	234
Air flow (Qmax) m3/h	603,0	603,0	613	613	613	650	650	380
Air flow (Qboost) m3/h	-	-	-	-	-	-	-	-
Noise (LwA) Min Speed (dB)	51	51	55	55	55	48	48	44
Noise (LwA) Max Speed (dB)	-	-	-	-	-	-	-	-
Noise (LwA) Boost Speed (dB)	-	-	-	-	-	-	-	-
Off mode Power (Po) W	-	-	-	-	-	-	-	-
Standby Power (Ps) W	-	-	-	-	-	-	-	-
Energy Efficiency Index (EEI)	64,3	64,3	88,2	88,2	88,2	99,2	99,2	93,3
Time increase actor (f)	11	11	1,5	1,5	1,5	1,5	1,5	1,8
Air flow at best efficiency point (Qbep) m3 / h	2.880	2.880	385,1	385,1	385,1	473,9	473,9	210,6
Air pressure at best efficiency point(Pbep) Pa	4.740	4.740	214	214	214	260	260	99
Electric power input at best efficiency point (Wbep) W	1.595	1.595	177	177	177	232,9	232,9	83,7
Nominal power of the lighting system (WL) W	6,0	6,0	10	10	10	80	80	10
EXTERNAL DIMENSIONS								
Width (mm)	600/900	600/900	900	700	600	900	600	900
Depth (mm)	500	500	480	480	480	480	480	480
Height (mm)	733-1148	733-1148	749-1049	749-1049	749-1049	749-1049	749-1049	749-1049
ELECTRICAL FEATURES								
Motor power (W)	250	250	180	180	180	230	230	105
Total hood power (W)	290	290	190	190	190	310	310	115
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	2	3	2	2	3	2	3
Charcoal filter	D5C	D5C	D4C	D4C	D4C	D4C	D4C	D4C
Recirculation kit	SET 4/D	SET 4/D	SET 1/M1	SET 1/M1	SET 1/M1	SET 1/M1	SET 1/M1	SET 1/M1

HOODS

Modelo	DBB 70	DBB 60	CNL 9815 PLUS	CNL 6815 PLUS	CNL 6415 PLUS	CNL 9610	CNL 6415	CNL 6400
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	62,3	62,3	56,6	54,5	30,3	107,0	25,9	116,5
Energy Efficiency Class	D	D	A	A	A	C	A	D
Fluid Dynamic Efficiency (FDEhood)	6,9	6,9	33,1	33,1	26,7	17,2	26,7	8,5
Fluid Dynamic Efficiency class	F	F	A	A	B	D	B	E
Light Efficiency (Lehood) lux/Watt	5,9	5,9	41,7	43,3	43,3	33,3	42,7	28,3
Lighting Efficiency class	F	F	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	73,4	73,4	84	84	84	72,8	74,6	74,6
Grease Filtering Efficiency class	D	D	C	C	C	D	D	D
Air flow (Qmin) m3/h	234	234	295	295	141	330	226	185
Air flow (Qmax) m3/h	380	380	555	555	293	445	312	234
Air flow (Qboost) m3/h	-	-	730	730	385	694	385	358
Noise (LwA) Min Speed (dB)	44	44	53	53	52	60	57	56
Noise (LwA) Max Speed (dB)	-	-	70	70	69	70	69	70
Noise (LwA) Boost Speed (dB)	-	-	70	70	69	70	69	70
Off mode Power (Po) W	-	-	-	-	-	-	-	-
Standby Power (Ps) W	-	-	-	-	-	-	-	-
Energy Efficiency Index (EEI)	93,3	93,3	50,5	49,3	54,1	82,7	49,1	98,6
Time increase actor (f)	1,8	1,8	0,8	0,8	1	1,4	1	1,7
Air flow at best efficiency point (Qbep) m3 / h	210,6	210,6	420	420	237	433	237	216
Air pressure at best efficiency point(Pbep) Pa	99	99	465	465	264	290	264	211
Electric power input at best efficiency point (Wbep) W	83,7	83,7	164	164	65	203	65	183
Nominal power of the lighting system (WL) W	10	10	12	9	9	5	3	4
EXTERNAL DIMENSIONS								
Width (mm)	700	600	900	600	600	900	600	600
Depth (mm)	480	480	300/490	300/490	300/490	300/490	300/490	300/490
Height (mm)	749-1049	749-1049	274	274	184	274	184	184
ELECTRICAL FEATURES								
Motor power (W)	105	105	265	265	110	230	110	180
Total hood power (W)	115	115	277	274	119	235	113	184
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150	120	150	120	120
Number of Filters	2	2	4	2	2	4	2	2
Charcoal filter	D4C	D4C	D1C	D1C	CNL 1C	D4C	CNL 1C	C1C
Recirculation kit	SET 1/M1	SET 1/M1	-	-	-	-	-	-

Modelo	TL 9310	TL 7420	TL 6420	TL 6310	TL152	CNL 6610	INTEGRA 965	INTEGRA 665
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	71,2	100,0	100,0	71,2	71,2	105,9	47,8	47,8
Energy Efficiency Class	D	D	D	D	D	C	A	A
Fluid Dynamic Efficiency (FDEhood)	10,9	9	9	10,9	10,9	17,2	31,6	31,6
Fluid Dynamic Efficiency class	E	E	E	E	E	D	A	A
Light Efficiency (Lehood) lux/Watt	4,6	4,9	4,9	4,9	5,3	42,7	29	29
Lighting Efficiency class	F	F	F	F	F	A	A	A
Grease Filtering Efficiency (GFEhood) %	69,3	69,3	69,3	69,3	69,3	72,8	76	76
Grease Filtering Efficiency class	D	D	D	D	D	D	C	C
Air flow (Qmin) m3/h	239	181	181	239	239	330	224	224
Air flow (Qmax) m3/h	339	350	350	339	339	445	625	625
Air flow (Qboost) m3/h	-	-	-	-	-	694	-	-
Noise (LwA) Min Speed (dB)	56	55	55	56	56	60	46	46
Noise (LwA) Max Speed (dB)	-	-	-	-	-	70	-	-
Noise (LwA) Boost Speed (dB)	-	-	-	-	-	70	-	-
Off mode Power (Po) W	-	-	-	-	-	-	-	-
Standby Power (Ps) W	-	-	-	-	-	-	-	-
Energy Efficiency Index (EEI)	88,1	97,3	97,3	88,1	88,1	82,4	52,0	52,0
Time increase actor (f)	1,6	1,7	1,7	1,6	1,6	1,4	0,9	0,9
Air flow at best efficiency point (Qbep) m3 / h	225	216	216	225	225	433	352	352
Air pressure at best efficiency point(Pbep) Pa	187	219	219	187	187	290	434	434
Electric power input at best efficiency point (Wbep) W	107	147	147	107	107	203	134,5	134,5
Nominal power of the lighting system (WL) W	12	12	12	12	12	3	5	5
EXTERNAL DIMENSIONS								
Width (mm)	900	700	600	600	500	600	894	594
Depth (mm)	288/413	288/413	288/413	288/413	413	300/490	310	310
Height (mm)	184	184	184	184	181	274	339	339
ELECTRICAL FEATURES								
Motor power (W)	130	180	180	130	130	230	260	260
Total hood power (W)	142	192	192	142	142	233	265	265
TECHNICAL DATA								
Anti Return Valve	✓	✓	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	120	120	120	120	120	150	150	150
Number of Filters	4	2	2	2	2	2	2	1
Charcoal filter	C3C	C1C	C1C	C3C	C3C	D4C	D9C	D9C
Recirculation kit	-	-	-	-	-	-	-	-

HOODS

Modelo	DHI 90	NR1 89	XT2 8910	GFG 2	GFT 800	GFH 55	GFH 73	GFT
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	130,2	122,1	66,7	68,8	134,1	67,9	67,9	69,4
Energy Efficiency Class	D	E	D	D	D	D	D	D
Fluid Dynamic Efficiency (FDEhood)	13,7	8,2	9,3	10,7	13,5	10,5	10,5	8,9
Fluid Dynamic Efficiency class	D	E	E	E	D	E	E	E
Light Efficiency (Lehood) lux/Watt	75	1	16,1	16,4	9	33,8	33,8	9
Lighting Efficiency class	A	G	C	C	E	A	A	E
Grease Filtering Efficiency (GFEhood) %	83,7	51,9	65,1	85,7	85,7	77,6	77,6	85,7
Grease Filtering Efficiency class	C	F	D	B	B	C	C	B
Air flow (Qmin) m3/h	295	152	160	240	280	296	296	203
Air flow (Qmax) m3/h	400	223	245	341	653	337	337	406
Air flow (Qboost) m3/h	650	—	—	—	—	—	—	—
Noise (LwA) Min Speed (dB)	48	63	58	53	48	62	62	50
Noise (LwA) Max Speed (dB)	68	—	—	—	—	—	—	—
Noise (LwA) Boost Speed (dB)	68	—	—	—	—	—	—	—
Off mode Power (Po) W	—	—	—	—	—	—	—	—
Standby Power (Ps) W	1	—	—	—	—	—	—	—
Energy Efficiency Index (EEI)	90,2	105,7	89,9	86,6	90,7	86,3	86,3	91,8
Time increase actor (f)	1,5	1,7	1,7	1,6	1,5	1,6	1,6	1,7
Air flow at best efficiency point (Qbep) m3 / h	402	163,2	145	232,5	427	226,8	226,8	218,1
Air pressure at best efficiency point(Pbep) Pa	278	184	240	184	260	185	185	143
Electric power input at best efficiency point (Wbep) W	225,8	102,3	104	111,5	229	111,3	111,3	97,7
Nominal power of the lighting system (WL) W	9	80	3	5	12	4	4	12
EXTERNAL DIMENSIONS								
Width (mm)	900	600	600	550	500	550	730	500
Depth (mm)	345	270	308/340	310	320	310	310	320
Height (mm)	445	400	190/150	178	295	175	175	295
ELECTRICAL FEATURES								
Motor power (W)	230	125	120	130	230	130	130	110
Total hood power (W)	239	205	123	135	242	134	134	122
TECHNICAL DATA								
Anti Return Valve	✓	—	✓	✓	—	✓	✓	—
Ø Outlet (mm)	150	120	125	120	120	120	120	120
Number of Filters	2	1	1	1	1	2	2	1
Charcoal filter	D4C	C5C	1012DJ	C3C	D4C	C3C	C3C	D4C
Recirculation kit	SET 1S	—	—	—	—	—	—	—

Modelo	C 9420	C 9310	C 8310	C 7310	C 6420	C 6310
PRODUCT FICHE						
Annual energy consumption AEC kWh/ annum (kWh)	103,1	67,1	130,9	130,9	103,1	67,1
Energy Efficiency Class	D	D	E	E	D	D
Fluid Dynamic Efficiency (FDEhood)	8,9	8,1	5,3	5,3	8,9	8,1
Fluid Dynamic Efficiency class	E	E	F	F	E	E
Light Efficiency (Lehood) lux/Watt	4,8	4,5	0,8	0,8	4,8	4,8
Lighting Efficiency class	F	F	G	G	F	F
Grease Filtering Efficiency (GFEhood) %	72,8	72,8	72,8	72,8	72,8	72,8
Grease Filtering Efficiency class	D	D	D	D	D	D
Air flow (Qmin) m3/h	187	115	124	124	187	115
Air flow (Qmax) m3/h	353	218	235	235	353	235
Air flow (Qboost) m3/h	–	–	–	–	–	–
Noise (LwA) Min Speed (dB)	60	45	49	49	60	45
Noise (LwA) Max Speed (dB)	–	–	–	–	–	–
Noise (LwA) Boost Speed (dB)	–	–	–	–	–	–
Off mode Power (Po) W	–	–	–	–	–	–
Standby Power (Ps) W	–	–	–	–	–	–
Energy Efficiency Index (EEI)	97,7	91,0	107,7	107,7	97,7	91,0
Time increase actor (f)	1,7	1,7	1,8	1,8	1,7	1,7
Air flow at best efficiency point (Qbep) m3 / h	216	131,4	136	136	216	136
Air pressure at best efficiency point(Pbep) Pa	225	208	191	191	225	191
Electric power input at best efficiency point (Wbep) W	152	94,1	137	137	152	137
Nominal power of the lighting system (WL) W	12	12	56	56	12	12
EXTERNAL DIMENSIONS						
Width (mm)	900	900	–	–	600	600
Depth (mm)	500	500	–	–	500	500
Height (mm)	150	150	–	–	150	150
ELECTRICAL FEATURES						
Motor power (W)	180	105	130	130	180	105
Total hood power (W)	192	117	215	215	192	117
TECHNICAL DATA						
Anti Return Valve	✓	✓	✓	✓	✓	✓
Ø Outlet (mm)	120	120	120	120	120	120
Number of Filters	3	3	2	3	2	2
Charcoal filter	C1R	C2R	C2R	C2R	C1R	C2R
Recirculation kit	–	–	–	–	–	–



Experience the taste of life

DISHWASHERS



Eating,
laughing,
sharing,
feeling

Sitting around a table with a homemade meal is one of the simplest but priceless moments you can live with your family and friends. And we just want to help you to make it easier, saving your time for what really matters: the time you spend with the ones



Family meals together, talking about your day after lunch, preparing dinner for those friends you have not seen in ages.

The kitchen has a very important role in our lives. This is the place where many meaningful moments of your daily life happen. We know it and we do want you to focus in what really matters. So forget about doing the dishes, Teka dishwashers works with latest technology to keep your plates and silverware sparkling clean but also to save your money.

With a wide range of dishwashers whether you like built-in or not, from 60 to 45cm, white or stainless steel. All the possible options so you can choose what you really need.



Third cutlery tray

With an exclusive third tray to get extra flexibility. You can put it in different positions to load anything you may need, so you can get better cleaning results.

BeamOnFloor

Our dishwashers are so quiet you don't even realize when they are working. We have added a blue light to our integrated dishwasher, where the front panel is hidden, so you can know when they are washing or drying without interrupting the cycle. Smart solutions for your daily life.




Full integration creating unique designs

The fully integrated dishwashers are completely invisible behind your chosen furniture creating harmony in your kitchen. The fully integrated models are fitted with a hidden control panel at the top of the door.



Sliding door

You can install doors up to **800 mm** length without any problem with the kitchen plinth thanks to our innovating system. When the dishwasher is open, the new sliding door system lift the door without hitting the plinth. Perfect integration and harmony in your kitchen.





A+++

Save money in your energy bill!

With the latest technology you not only get the best cleaning results but you also reduce energy consumption, CO₂ emissions and you take care of the whole family economy. Not bad for an appliance.

AquaLogic

Do you know you can save water with Aqualogic? Teka dishwashers control water with a infrared sensor. The system can detect how dirty the dishes are to add more or less water.

Third Sprayer

A third diffusor in the upper part of the dishwasher is added for a deep cleaning and better rinsing of the top basket.

AutoProgram

Don't worry about choosing the right program anymore! Auto-program system choose the best temperature, washing cycles and even water needed, to find the program every washing needs and getting the best results with less water waste and more money saving.

Dishwashers

Experience the taste of life.

		MAESTRO		
		60		45
FREE STANDING	INTEGRATION			
	14			
INTEGRATION	12/13	12/13	9/10	9/10
	14			
FREE STANDING	14			
	12/13	12/13	9/10	9/10
6				

MAESTRO

60 45

INTEGRATION

14

DW9 70 FI

12/13

9/10

14

DW8 45 FI

LP9 850

12/13

9/10

14

LP9 840

LP9 440

TOTAL		EASY	
60	45	COMPACT	60
	DW8 58 FI		
	DW8 57 FI		DW8 55 FI
			DW8 40 FI
			DW8 41 FI
			DW8 40 FI
	LP8 825		
	LP8 820		LP8 700
			LP8 810
			
			LP2 140
			
			LP8 400

DISHWASHERS



MAESTRO DW9 70 FI



- Fully integrated dishwasher
- Electronic control panel with display
- Place Settings : 14
- Multifunctional third cutlery basket
- Third sprayer
- Washing programs : 8
- Washing temperatures : 45°, 50°, 55°, 60°, 65° C
- Beam on floor
- Dual half load
- SlidingDoor installation system
- Fast program 30 minutes
- Extra drying function
- Eco program
- Full AquaStop safety system
- Aqualogic
- Delay timer 1-24h
- Automatic adjustable upper basket
- Back feet adjustment from front
- Energy class : A+++/A
- Noise level: 44 dBA



TOTAL DW8 58 FI




- Fully integrated dishwasher
- Electronic control panel with display
- Place Settings: 14
- Multifunctional third cutlery basket
- Adjustable upper basket
- Washing programs: 9
- Washing temperatures: 38°, 45°, 50°, 55°, 60°, 65°C
- Half load
- Fast program 30 minutes
- Extra drying function
- ECO program
- Power Wash & Express program
- Full AquaStop safety system
- Aqualogic
- Delay timer 1-24h
- Energy class: A++/A
- Noise level: 47 dBA



TOTAL DW8 57 FI



- Fully integrated dishwasher
- Electronic control panel with display
- Place Settings : 13
- Washing programs : 9
- Washing temperatures : 40°, 45°, 50°, 55°, 60°, 65°C
- Half load
- Fast program 40 minutes
- Extra drying function
- Eco program
- Power wash & express program
- Full AquaStop safety system
- Delay timer 1-24h
- Adjustable upper basket
- Back feet adjustment from front
- Energy class : A++/A
- Noise level: 49 dBA




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm **Width** 598mm **Depth** 550mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm **Width** 598mm **Depth** 550mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm **Width** 598mm **Depth** 550mm



TOTAL DW8 55 FI



- Fully Integrated Dishwasher
- Electronic Control Panel
- Place settings: 12
- Washing Programs: 5
- Washing temperatures : 45°, 55°, 60° and 65° C
- Half Load
- Fast Program 30 minutes
- Eco Program
- Full AquaStop safety system
- 3-6-9 hours Delay Timer
- Adjustable upper basket
- Adjustable Back Feet from Front
- Energy class: A+/A
- Noise Level: 49 dBA

MAESTRO DW8 45 FI






- Fully integrated dishwasher
- Electronic control panel with display
- Place Settings : 10
- Third sprayer
- Washing programs : 10
- Washing temperatures : 45°, 55°, 65°, 70° C
- Half load program
- Fast program 38 minutes
- Eco program
- Full AquaStop safety system
- Delay timer 1-24h
- Adjustable upper basket
- Back feet adjustment from front
- Energy class : A+/A
- Noise level Db(A): 45

TOTAL DW8 40 FI



- Fully Integrated Dishwasher
- Electronic Control Panel
- Place Settings: 9
- Washing temperatures : 45°, 55°, 60°, 65°C
- Washing Programs: 5
- Half Load
- Fast Program 30 minutes
- Eco Program
- Full AquaStop safety system
- 3-6-9 hours Delay Timer
- Adjustable upper basket
- Adjustable Back Feet from Front
- Energy class: A+/A
- Noise Level: 49 dBA



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm Width 598mm Depth 550mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 820-870mm Width 598mm Depth 545mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm Width 448mm Depth 550mm

DISHWASHERS



TOTAL DW8 41 FI



- Fully integrated dishwasher
- Electronic control panel
- White LED display
- Place Settings : 10
- Washing programs : 9
- Washing temperatures: 40°, 45°, 50°, 55°, 60°, 65° C
- Full Aquastop
- Delay timer 1-24h
- Half load program
- Fast program 30 minutes
- Eco program
- Adjustable upper basket
- Extra dry function
- Power wash & express function
- Back feet adjustment from front
- Energy class : A++/A
- Noise level Db(A): 49



TOTAL DW8 40 FI




- Fully Integrated Dishwasher
- Electronic Control Panel
- Place Settings: 9
- Washing temperatures : 45°, 55°, 60°, 65°C
- Washing Programs: 5
- Half Load
- Fast Program 30 minutes
- Eco Program
- Full AquaStop safety system
- 3-6-9 hours Delay Timer
- Adjustable upper basket
- Adjustable Back Feet from Front
- Energy class: A+/A
- Noise Level: 49 dBA



MAESTRO LP9 850




- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 14
- Multifunction third cutlery basket
- Third sprayer
- Washing programs: 8
- Washing temperatures: 40°, 45°, 50°, 55°, 60°, 65°C
- Half load
- Fast program 30 minutes
- Eco Program
- Full AquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket (push-up)
- Energy Class: A+++/A
- Noise level: 44 dBA




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815-865mm **Width** 448mm **Depth** 550mm

EXTERNAL DIMENSIONS

Height 815-865mm **Width** 448mm **Depth** 550mm

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 610mm



MAESTRO LP9 840



- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 13
- Washing programs: 8
- Washing temperatures: 40°, 45°, 50°, 55°, 62°, 65°C
- Half load
- Fast program 40 minutes
- Eco ProgramAquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket (push-up)
- Energy Class: A++/A
- Noise level: 47 dBA



MAESTRO LP9 840






- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 13
- Washing programs: 8
- Washing temperatures: 40°, 45°, 50°, 55°, 62°, 65°C
- Half load
- Fast program 40 minutes
- Eco Program
- AquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket (push-up)
- Energy Class: A++/A
- Noise level: 47 dBA



MAESTRO LP9 440



- Free Standing dishwasher
- Capacity: 10 place settings
- Eight washing programs
- Five wash temperatures (40° / 45° / 55° / 62° / 65°)
- Aqualogic system
- Half load
- Quick program 30 '
- ECO Program
- Delay timer 1-24 hours
- Upper basket adjustable in height (push up)
- Security system AQUASTOP
- Maximum noise: 47 dBA



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 610mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 610mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm Width 448mm Depth 610mm

DISHWASHERS



TOTAL LP8 825



- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 14
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°C
- Half load program
- Eco Program
- AquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 47 dBA



MAESTRO LP9 440




- Free Standing dishwasher
- Capacity: 10 place settings
- Eight washing programs
- Five wash temperatures (40° / 45° / 55° / 62° / 65°)
- Aqualogic system
- Half load
- Quick program 30'
- ECO Program
- Delay timer 1-24 hours
- Upper basket adjustable in height (push up)
- Security system AQUASTOP
- Maximum noise: 47 dBA



TOTAL LP8 820



- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 12
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°C
- Half load program
- Eco Program
- AquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA



COLOR

Stainless Steel

COLOR


White

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 610mm



EXTERNAL DIMENSIONS

Height 845mm Width 448mm Depth 610mm

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 610mm

**TOTAL LP8 820**


- Free-standing dishwasher
- Electronic control panel with display
- Place settings: 12
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°C
- Half load program
- Eco Program
- AquaStop safety system
- Delay timer 1-24 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA

**EASY LP8 810**

- Free-standing dishwasher
- Electronic control panel
- Place settings: 12
- Washing programs: 5
- Washing temperatures: 45°, 55°, 60°, 65°C
- Half load program
- Fast program 30 minutes
- Eco Program
- AquaStop safety system
- Delay timer 3-6-9 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA

**EASY LP8 700**


- Free-standing dishwasher
- Place settings: 12
- Washing programs: 4
- Washing temperatures: 45°, 60°, 65°C
- Half load program
- Fast program 30 minutes
- Eco Program
- AquaStop safety system
- Adjustable upper basket
- Energy Class: A+/A
- Noise level: 49 dBA

**COLOR**

White

EXTERNAL DIMENSIONS


Height 845mm Width 598mm Depth 610mm

**COLOR**

White

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 600mm

**COLOR**

White

EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 600mm

DISHWASHERS




EASY LP8 410



- Free-standing dishwasher
- Electronic control panel
- Place settings: 9
- Washing programs: 5
- Washing temperatures: 45°, 55°, 60°, 65°C
- Half load program
- Fast program 30 minutes
- Eco Program
- AquaStop safety system
- Delay timer 3-6-9 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA



EASY LP8 410






- Free-standing dishwasher
- Electronic control panel
- Place settings: 9
- Washing programs: 5
- Washing temperatures: 45°, 55°, 60°, 65°C
- Half load program
- Fast program 30 minutes
- Eco Program
- AquaStop safety system
- Delay timer 3-6-9 hours
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA



EASY LP8 400



- Free-standing dishwasher
- Place settings: 9
- Washing programs: 4
- Washing temperatures: 45°, 60°, 65°C
- Half load program
- Fast program 30 minutes
- Eco Program
- AquaStop safety system
- Adjustable upper basket
- Energy Class: A++/A
- Noise level: 49 dBA



COLOR

Stainless Steel

COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 448mm Depth 600mm

EXTERNAL DIMENSIONS

Height 845mm Width 448mm Depth 600mm

EXTERNAL DIMENSIONS


Height 845mm Width 448mm Depth 600mm



TOTAL LP2 140



- Free-standing table top dishwasher
- Place settings: 6
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°, 70°C
- Fast program 30 minutes
- Eco Program
- Delay timer 1-24 hours
- Energy Class: A+/A
- Noise level: 49 dBA



COLOR



EXTERNAL DIMENSIONS


Height 438mm Width 550mm Depth 500mm

DISHWASHERS

Modelo	DW9 70 FI	DW8 58 FI	DW8 57 FI	DW8 55 FI	DW8 45 FI	DW8 41 FI	DW8 40 FI	LP9 850
PRODUCT FICHE								
Capacity (place settings)	14	14	13	12	10	10	9	14
Energy Efficiency Class (1)	A+++	A++	A++	A++	A+	A++	A++	A+++
Energy consumption per year (kWh) (2)	237	266	262	258	236	211	197	237
Power consumption (kWh) (3)	0.83	0.93	0.92	0.91	0.83	0.75	0.69	0.83
Power consumption (Off and Left-On modes)	0.45/0.49	0.45/0.49	0.45/0.49	0.45/0.49	0.02/0.8	0.45/0.49	0.45/0.49	0.45/0.49
Water consumption year/litres (4)	2.800	3.080	3.080	3.080	2.660	2.520	2.520	2.800
Drying efficiency	A	A	A	A	A	A	A	A
Standard program	ECO	ECO	ECO	ECO	-	ECO	ECO	ECO
Cycle duration (minutes)	220	190	185	190	-	190	190	220
Noise (dB)	44	47	49	49	45	49	49	44
Installation	Built-in	Free Standing						
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	1.400	2.100	2.100	2.100
SAFETY SYSTEM								
Aquastop	√	√	√	√	√	√	√	√
Overflow	-	√	√	√	√	√	√	√
Airbreak (entry/filling/draining)	-	√	√	√	√	√	√	√
Internal leakage control	-	√	√	√	√	√	√	√

Modelo	LP9 840	LP8 825	LP9 440	LP8 820	LP8 810
PRODUCT FICHE					
Capacity (place settings)	13	14	10	12	12
Energy Efficiency Class (1)	A++	A++	A++	A++	A++
Energy consumption per year (kWh) (2)	262	266	211	258	258
Power consumption (kWh) (3)	0.92	0.93	0.74	0.91	0.91
Power consumption (Off and Left-On modes)	0.45/0.49	0.45/0.49	0.45/0.49	0.45/0.49	0.45/0.49
Water consumption year/litres (4)	3.080	3.080	2.240	3.080	3.080
Drying efficiency	A	A	A	A	A
Standard program	ECO	ECO	ECO	ECO	ECO
Cycle duration (minutes)	195	190	195	185	190
Noise (dB)	47	47	47	49	49
Installation	Free Standing				
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100
SAFETY SYSTEM					
Aquastop	-	-	-	-	-
Overflow	√	√	√	√	√
Airbreak (entry/filling/draining)	√	√	√	√	√
Internal leakage control	√	√	√	√	√

Modelo	LP8 700	LP8 410	LP8 400	LP2 140
PRODUCT FICHE				
Capacity (place settings)	12	9	9	6
Energy Efficiency Class (1)	A+	A++	A+	A+
Energy consumption per year (kWh) (2)	273	197	215	174
Power consumption (kWh) (3)	0,96	0,69	0,75	0,61
Power consumption (Off and Left-On modes)	0,45/0,49	0,45/0,49	0,45/0,49	0,45/0,49
Water consumption year/litres (4)	3.220	2.520	2.660	1.820
Drying efficiency	A	A	A	A
Standard program	ECO	ECO	ECO	ECO
Cycle duration (minutes)	190	190	190	180
Noise (dB)	49	49	49	49
Installation	Free Standing	Free Standing	Free Standing	Table Top
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	2.100	2.100	2.100	1.280
SAFETY SYSTEM				
Aquastop	–	–	–	–
Overflow	√	√	√	√
Airbreak (entry/filling/draining)	√	√	√	√
Internal leakage control	√	√	√	√



Almost everything that matters
happens in the kitchen

COLD LINE



The kitchen is
the **heart** of a
home

Cooking for family and friends, a table talk after a long working day, an afternoon snack with the kids. That's how I take care of my beloved ones, putting together good times with delicious food, in the best and cosy environment. Some kitchens are so special that turn moments into unforgettable memories.





Connect with your kitchen through design

A remarkable appearance French Door design. It takes care of all the details including a touch control display with white LED illumination, the perfect combination with the unique and exclusive black glass finish.

LongLife No Frost

Keep your food perfect: goal achieved. LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to the three independent cooling circuits. Your food remains fresh for longer.





Gourmet Box

Precision is to keep food at perfect temperature

Your food remains fresh for longer at the perfect temperature. The latest technology of the 0°C box. Gourmet Box, a soft close telescopic drawer, allows you to choose the right temperature between -2 and 3°C through a touching display at the top. Welcome to wellness.



IonClean Technology

IonClean technology creates negative ions that neutralise bacteria and bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.



10 years Warranty Inverter Motor

Silence, durability and efficiency

Feel the peace at home. Less consumption and more silence with the inverter compressor. This motor produces less friction and it has a lower energy consumption, being more silence and long-lasting. We want to take care of stillness and quietness at your home, but we also want to save you money. Our refrigerators and freezers range is designed thinking about efficiency. Save more with the most advanced technology.

TempGuard

TempGuard Radar system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.

COLD LINE

FEATURES

ZERO • BOX

VITACARE • BOX

VitaCare Box

From farm to table VitaCareBox drawer has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

FRUITS & VEGETABLES



From freezer to fridge in just one touch

Room enough to keep food cold or even freeze it, thanks to the compartment with adjustable temperature: from cold to frozen. You can set the temperature you want to from -18°C to 7°C and have a complete control of your food and appliance. At your service.



Complete flexibility to store your food


With the flexirack system, just pressing a side button, you can adjust the height of the door shelf anytime you need it!



Just one Touch away from your refreshing drink

Take drinks without opening the door with just one touch. Easy access to a special compartment for drinks avoiding opening the whole refrigerator. The BarOnDoor goes beyond an intelligent design, thereby saving energy.

Feel the comfort saving money




Cold Line

Almost everything that matters happens in the kitchen.

MAESTRO						
	A+++	A++	A+ / A			
SIDE BY SIDE	 RMF 77920	 RLF 74925	 RLF 74920	 RFD 77820	 NFE4 900 X	 RLF 74910
2 DOOR BOTTOM FREEZER	 RBF 78630	 RBF 78720	 RBF 74620	 NFL 350		
2 DOOR TOP FREEZER						
1 DOOR		 TNF 450		 TGF 390 NF		
BUILT-IN			 CIB 350 NF			 RVI 35


TOTAL			EASY
A+++	A++	A+/A	A+/A





NEW

MAESTRO RFD 77820



- French Door Gourmet Refrigerator
- Motor inverter with high efficiency compressor
- IonClean technology
- LongLife No Frost with 3 independent circuits
- Touch control with independent temperature regulator
- Chromed details
- Gourmet Box with telescopic guides and softclose, interior light, display, and Touch control with independent temperature regulator between -2° and +3°C
- 2 VitaCare Box drawers with independent humidity control
- Top and back LED light
- TempGuard Radar technology
- Interior LED light in freezer
- Pull-out telescopic softclose drawer with deep tray and two special drawers for meat and fish
- Pull-out telescopic softclose deep drawer with an upper tray with telescopic guides
- Removable freezer drawers for easy cleaning



NEW

MAESTRO RFD 77820



- French Door Gourmet Refrigerator
- Motor inverter with high efficiency compressor
- IonClean technology
- LongLife No Frost with 3 independent circuits
- Touch control with independent temperature regulator
- Chromed details
- Gourmet Box with telescopic guides and softclose, interior light, display, and Touch control with independent temperature regulator between -2° and +3°C
- 2 VitaCare Box drawers with independent humidity control
- Top and back LED light
- TempGuard Radar technology
- Interior LED light in freezer
- Pull-out telescopic softclose drawer with deep tray and two special drawers for meat and fish
- Pull-out telescopic softclose deep drawer with an upper tray with telescopic guides
- Removable freezer drawers for easy cleaning




NEW

MAESTRO RMF 77920




- Side by Side refrigerator
- Full No Frost
- Motor inverter with high efficiency compressor
- IonClean technology
- LongLife No Frost with 3 independent circuits
- Touch control with independent temperature regulator in refrigerator, freezer and Multizone compartment
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- FreshBox drawers
- Twister Ice Maker
- 3 safety glass shelves with adjustable height
- LED illumination
- Chrome details
- Safety lock for children
- 6 door adjustable balconies
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 648 litres
- Net capacity: 455 + 182 litres




COLOR

Black Glass



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1898mm Width 833mm Depth 685mm

EXTERNAL DIMENSIONS

Height 1898mm Width 833mm Depth 685mm

EXTERNAL DIMENSIONS

Height 1935mm Width 905mm Depth 775mm



NEW

MAESTRO RLF 74925



- Side by Side refrigerator
- Full No Frost
- Electronic display with freezer and refrigerator temperature control and indicator
- Bar on door system
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- 7 safety glass shelves with adjustable height
- LED illumination
- Safety lock for children
- 8 door balconies
- External metal handle
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 574 litres
- Net capacity: 334 + 156 litres



NEW

MAESTRO RLF 74920



- Side by Side refrigerator
- Full No Frost
- Electronic control panel with freezer and refrigerator temperature control and indicator
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- 7 safety glass shelves with adjustable height
- LED illumination
- Safety lock for children
- 8 door balconies
- External metal handle
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 648 litres
- Net capacity: 455 + 182 litres




NEW

MAESTRO RLF 74910




- Side by Side refrigerator
- Full No Frost
- Electronic display with freezer and refrigerator temperature control and indicator
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- Twister Ice Maker
- 8 safety glass shelves with adjustable height
- LED illumination
- Safety lock for children
- 10 door balconies
- External metal handle
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Energy class: A+
- Climate class: N/T
- Total gross capacity: 587 litres
- Net capacity: 335 + 175 litres




COLOR

Stainless Steel



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm



NEW

MAESTRO RLF 74910



- Side by Side refrigerator
- Full No Frost
- Electronic display with freezer and refrigerator temperature control and indicator
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- Twister Ice Maker
- 8 safety glass shelves with adjustable height
- LED illumination
- Safety lock for children
- 10 door balconies
- External metal handle
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Energy class: A+
- Climate class: N/T
- Total gross capacity: 587 litres
- Net capacity: 335 + 175 litres



NEW

MAESTRO NFE4 900 X




- Side by Side refrigerator
- Inverter motor with high efficiency compressor
- IonClean technology that neutralizes bacteria and odors
- LongLife NoFrost with 3 independent circuits
- Electronic display with refrigerator and freezer temperature control
- Multizone compartment
- On holidays function
- Eco function
- New Interior furnishing Lux
- Antibacterial system
- ZeroBox drawer
- 2 FreshBox drawers
- Accessible drawers with 90° open doors
- Glass trays in freezer
- LED illumination
- Twister icemaker
- Energy Class: A+
- Climate Class: SN/T
- Total gross capacity: 626 litres
- Net capacity: 346 + 30 + 165 litres



MAESTRO RBF 78720




- Urban Colors Edition
- Combi refrigerator
- IonClean technology
- LongLife No Frost with 2 independent circuits
- Large capacity (510 litres gross) 70 cm wide
- Electronic display
- Eco function / On holidays function
- Fast Freeze / Quick Cool function
- ZeroBox drawer
- VitaCare Box drawer with humidity regulator
- Twister Ice Maker
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- FlexiRack system
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate class: SN/T
- Total gross capacity: 510 litres
- Net capacity: 333 + 24 + 128 litres




COLOR

White



COLOR

Stainless Steel



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 1788mm Width 895mm Depth 745mm

EXTERNAL DIMENSIONS


Height 1820mm Width 908mm Depth 758mm

EXTERNAL DIMENSIONS


Height 1920mm Width 700mm Depth 721mm



MAESTRO RBF 78720



- Urban Colors Edition
- Combi refrigerator
- IonClean technology
- LongLife No Frost with 2 independent circuits
- Large capacity (510 litres gross) 70 cm wide
- Electronic display
- Eco function / On holidays function
- Fast Freeze / Quick Cool function
- ZeroBox drawer
- VitaCare Box drawer with humidity regulator
- Twister Ice Maker
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- FlexiRack system
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate class: SN/T
- Total gross capacity: 510 litres
- Net capacity: 333 + 24 + 128 litres



COLOR


White Glass

EXTERNAL DIMENSIONS


Height 1920mm Width 700mm Depth 721mm



MAESTRO RBF 78720



- Combi refrigerator
- IonClean technology
- LongLife No Frost with 2 independent circuits
- Large capacity (510 litres gross) 70 cm wide
- Electronic display
- Eco function / On holiday function
- Fast Freeze / Quick Cool function
- 1 ZeroBox drawer
- VitaCare Box drawer with humidity regulator
- Twister Ice Maker
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- FlexiRack system
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate class: SN/T
- Net capacity: 333 +24 + 128 litres



COLOR


Stainless Steel

EXTERNAL DIMENSIONS

Height 1920mm Width 700mm Depth 712mm



MAESTRO RBF 78630



- Combi refrigerator
- IonClean technology
- LongLife No Frost with 2 independent circuits
- Electronic display
- Eco function / On holidays function
- Fast Freeze / Quick Cool function
- ZeroBox drawer
- VitaCare Box drawer with humidity regulator
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- 4 door balconies / FlexiRack adjustment
- 3 freezer drawers with glass shelves
- Adjustable feet (front/rear)
- Fingerprint proof stainless steel reversible doors
- Easy 90° installation
- Energy class: A+++
- Climate Class: SN/T
- Total gross capacity: 379 litres
- Net capacity: 266 + 22 + 94 litres



COLOR


Stainless Steel

EXTERNAL DIMENSIONS


Height 2010mm Width 595mm Depth 650mm



MAESTRO RBF 74620



- Combi refrigerator
- IonClean technology
- LongLife No Frost with 2 independent circuits
- Electronic control panel
- Eco function / On holidays function
- Fast Freeze / Quick Cool function
- ZeroBox drawer
- VitaCare Box drawer with humidity regulator
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- 4 door balconies / FlexiRack adjustment
- 3 freezer drawers with glass shelves
- Metal door handles
- Adjustable feet (front/rear)
- Fingerprint proof stainless steel reversible doors
- Easy 90° installation
- Energy class: A++
- Climate class: SN/T
- Total gross capacity: 341 litres
- Net capacity: 230 + 22 + 94 litres



COLOR

Stainless Steel

COLOR

Stainless Steel

COLOR

White

EXTERNAL DIMENSIONS

Height 1860mm Width 595mm Depth 650mm

EXTERNAL DIMENSIONS

Height 2010mm Width 595mm Depth 635mm

EXTERNAL DIMENSIONS


Height 2010mm Width 595mm Depth 630mm



TOTAL NFL 450 S




- Full No Frost combi refrigerator
- Electronic display indicator with refrigerator and freezer temperature control
- Metal cool column
- Eco function / On holidays function
- Fast Freeze / Quick Cool function
- ZeroBox drawer (21 litres - net)
- 1 FreshBox drawer
- 4 safety glass shelves with adjustable height
- LED illumination
- Chromed details and bottle rack
- Safety lock for children
- 3 adjustable door balconies
- 3 freezer drawers with glass shelves
- Total accessibility with a 90° open door
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A+++
- Climate class: N/T
- Total gross capacity: 350 litres
- Net capacity: 219 + 21 + 76 litres



TOTAL NFL 430 S



- Combi refrigerator
- Full No Frost
- Electroniccontrol panel with refrigerator temperature indicator
- Fast Freeze
- LED illumination
- 2 FreshBox drawers
- 4 safety glass shelves with adjustable height
- Chrome bottle rack
- 6 adjustable door balconies
- 3 freezer drawers with glass shelves
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 325 litres
- Net capacity: 183 + 20 + 73 litres



**TOTAL NFL 430 S**


- Combi refrigerator
- Full No Frost
- Electronic control panel
- Display on door
- Quick Cool function
- LED illumination
- Safety glass shelves
- 4 inner shelves and 6 door balconies
- 3 Freezer drawers
- 1 ice tray
- Reversible doors
- Energy class: A++
- Climate Class: N/T
- Total gross capacity: 326 litres
- Net capacity: 250 + 76 litres

**TOTAL NFL 435**

- Combi refrigerator
- Full No Frost
- Electronic control panel with separate temperature control
- LED illumination
- Fast Freeze / Quick Cool function
- Antibacterial gasket
- Safety glass shelves
- Reversible doors
- 2 FreshBox drawer
- Energy Class: A++
- Climate Class: N-T
- Total gross capacity: 360 litres
- Net capacity: 250 + 76 litres

**MAESTRO NFL 350**


- Combi refrigerator
- Full No Frost
- On holidays function
- Display on door
- Stainless steel finishing
- Fast Freeze / Quick Cool function
- Antibacterial gasket
- Safety glass shelves
- 1ZeroBox drawer
- 1FreshBox drawer
- Energy Class: A++
- Climate Class: N/T
- Total gross capacity: 323 litres
- Net capacity: 219 + 76 litres

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS


Height 2010mm **Width** 595mm **Depth** 630mm

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 635mm

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



TOTAL NFL 345 C



- Combi refrigerator
- Full No Frost
- 4* freezer
- Electronic control panel
- Display on door
- Fast Freeze / Quick Cool function
- LED illumination
- Safety glass shelves
- 3 inner shelves and 5 door balconies
- 3 Freezer drawers
- 1 ice tray
- 2 FreshBox drawers
- Reversible doors
- Energy class: A++
- Climate Class: N/T
- Total gross capacity: 295 liters
- Net capacity (fridge): 219 + 76 litres



TOTAL NFL 345 C




- Combi refrigerator
- Full No Frost
- Electronic control panel
- Display on door
- 4* freezer
- Safety glass shelves
- Fast Freeze / Quick Cool function
- LED illumination
- 3 inner shelves and 5 door balconies
- 3 Freezer drawers
- 1 ice tray
- 2 FreshBox drawers
- Reversible doors
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 295 liters
- Net capacity (fridge): 219 + 76 litres



EASY NFL 342 C




- Combi refrigerator
- Full No Frost
- Electronic control panel
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- 3 safety glass shelves
- LED illumination
- 5 transparent door balconies
- 3 freezer drawers with glass shelves
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 308 litres
- Net capacity: 219 + 76 litres




COLOR

White



COLOR

Stainless Steel



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm

**EASY NFL 342 C**


- Combi refrigerator
- Full No Frost
- Electronic control panel
- Fast Freeze / Quick Cool function
- 1 FreshBox drawer
- 3 safety glass shelves
- LED illumination
- 5 transparent door balconies
- 3 freezer drawers with glass shelves
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Reversible doors
- Energy class: A++
- Climate glass: N/T
- Total gross capacity: 308 litres
- Net capacity: 2019 + 76 litres

**TOTAL NFL 340**


- Combi refrigerator
- Full No Frost
- Electronic control panel
- Display on door
- Refrigerator temperature indicator
- LED illumination
- Antibacterial system
- Fast Freeze function
- Height adjustable safety glass trays
- FreshBox drawer
- Adjustable door balconies
- 3 freezer drawers with glass trays
- Reversible doors
- Adjustable feet (front/rear)
- Energy Class: A+
- Climate Class: N/T
- Total gross capacity: 323 litres
- Net capacity: 219 + 76 litres

**EASY NFL 320 C**


- Free standing combi refrigerator
- Full No Frost
- 4° Freezer
- Electronic control panel
- Fast freezer / Quick Cool Button
- LED illumination
- Safety glass shelves
- 3 inner shelves and 5 door balconies
- 3 Freezer drawers
- 1 ice tray
- 2 FreshBox drawers
- Reversible doors
- Energy Class: A+
- Climate Class: N/T
- Total gross capacity: 323 litres
- Net capacity: 219 + 76 litres

**COLOR**

White

**COLOR**

Stainless Steel

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm



EASY RTF 13610



- Free standing fridge
- Automatic defrost in refrigerator
- Adjustable thermostat
- Five height adjustable glass trays
- 1 drawer FreshBox
- Three transparent shelves in the door
- Interior light
- Rear wheels for movement
- Reversible doors
- Hidden handle
- Energy class A+



EASY FTM 310




- Free standing refrigerator
- Automatic defrost in fridge
- Adjustable thermostats
- 4 safety glass shelves
- 1 FreshBox drawer
- Reversible doors
- Adjustable feet (front/rear)
- Energy Class : A+
- Climate Class: N/ST
- Total gross capacity : 245 litres
- Net capacity: 199 + 41 litres




EASY FTM 240




- Free standing refrigerator
- Automatic defrost in fridge
- Adjustable thermostat
- 4 adjustable shelves
- 1 FreshBox drawer
- Reversible doors
- Adjustable feet (front/rear)
- Energy Class : A+
- Climate Class: N/ST
- Total gross capacity : 210 litres
- Net capacity: 166 + 41 litres



COLOR



COLOR



COLOR



EXTERNAL DIMENSIONS

Height 1760mm **Width** 595mm **Depth** 550mm

EXTERNAL DIMENSIONS

Height 1590mm **Width** 550mm **Depth** 550mm

EXTERNAL DIMENSIONS

Height 1430mm **Width** 550mm **Depth** 550mm



MAESTRO TNF 450



- Free standing Larder
- No Frost
- Electronic control panel
- Display on top trim
- Stainless steel finishing
- LED illumination
- Antibacterial gasket
- Safety glass shelves
- 5 removable balconies
- 2 FreshBox drawers
- Chromed bottle rack
- Energy Class : A++
- Climate Class : SN-T
- Total gross capacity: 355 litres
- Net capacity: 350 litres



MAESTRO TGF 390 NF




- Free standing freezer
- No Frost
- Electronic control panel
- Display on top trim
- Stainless steel finishing
- 4° freezer
- Twist Ice maker with Deposit
- Fast Freeze function
- Antibacterial gasket
- 6 Glass shelves in Freezer
- 5 independent compartments
- Energy Class: A++
- Climate Class: SN-T
- Total gross capacity: 261 litres
- Net capacity: 260 litres



TOTAL TS3 370



- Free standing larder
- Electronic control panel
- LED illumination
- Antibacterial gasket
- Safety glass shelves
- 4 full width balconies
- 2 FreshBox drawers
- Chromed bottle rack
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 415 litres
- Net capacity: 367 litres




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1855mm Width 595mm Depth 695mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1855mm Width 595mm Depth 695mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1714mm Width 595mm Depth 650mm



TOTAL TS3 370



- Free standing larder
- Electronic control panel
- LED illumination
- Antibacterial gasket
- Safety glass shelves
- 4 full width balconies
- 2 FreshBox drawers
- Chromed bottle rack
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 415 litres
- Net capacity: 367 litres



TOTAL TGF3 270 NF




- Free standing freezer
- No Frost
- Electronic control panel
- 4° freezer
- Fast Freeze function
- Antibacterial gasket
- 7 independent compartments
- Ice cube tray
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 290 litres
- Net capacity: 255 litres



TOTAL TGF3 270 NF



- Free standing freezer
- No Frost
- Electronic control panel
- 4° freezer
- Fast Freeze function
- Antibacterial gasket
- 7 independent compartments
- Ice cube tray
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 290 litres
- Net capacity: 255 litres




COLOR



EXTERNAL DIMENSIONS

Height 1714mm Width 595mm Depth 650mm




COLOR



EXTERNAL DIMENSIONS

Height 1714mm Width 595mm Depth 650mm




COLOR



EXTERNAL DIMENSIONS

Height 1714mm Width 595mm Depth 650mm


EASY TS1 130



- Free standing tabletop larder
- Mechanical control panel
- Adjustable thermostat
- Manual defrost
- 3 glass shelves
- Reversible door
- 1 FreshBox drawer
- Energy Class : A+
- Climate Class : N-ST
- Total gross capacity : 136 litres
- Net capacity (fridge): 133 litres


TOTAL TS1 138


- Free standing tabletop refrigerator
- Mechanical control panel
- Adjustable thermostat
- 4° freezer
- Manual defrost
- 2 adjustable safety glass shelves
- Reversible door
- 1 FreshBox drawer
- Energy Class : A++
- Climate Class : N-ST
- Total gross capacity : 102 litres
- Net capacity: 84 + 14 litres



EASY TS1 135


- Free standing tabletop refrigerator
- Mechanical control panel
- 4° freezer
- Manual defrost
- 2 glass shelves
- Reversible door
- 1 FreshBox drawer
- 3 door shelves
- 1 egg container
- Ice cube tray
- Adjustable front legs
- Energy class: A++
- Climate class: N - ST
- Total gross capacity: 102 litres
- Net capacity: 84 + 14 litres


COLOR
 White


EXTERNAL DIMENSIONS

Height 845mm **Width** 553mm **Depth** 574mm


COLOR
 White

EXTERNAL DIMENSIONS

Height 845mm **Width** 501mm **Depth** 540mm


COLOR
 White

EXTERNAL DIMENSIONS

Height 845mm **Width** 501mm **Depth** 540mm



EASY TG1 80



- Free standing tabletop freezer
- Mechanical control panel
- Adjustable thermostat
- 4° freezer
- Manual defrost
- 3 Transparent freezer drawers
- Reversible door
- Ice cube tray
- Energy Class: A+
- Climate Class: N-ST
- Total gross capacity: 94 litres
- Net capacity: 84 litres



MAESTRO CI3 350 NF




- Built-in Combi
- No Frost
- Electronic control panel
- Fast Freeze / Quick Cool function
- Automatic defrost
- Antibacterial system
- Safety glass shelves
- Digital Temperature Indicator
- 1ZeroBox drawer
- Chrome bottle rack
- Optical and acoustic temperature alarm
- Sliding door installation
- Reversible doors
- Energy Class: A++
- Climate Class: SN/ST
- Total gross capacity: 275 litres
- Net capacity: 167 + 19 + 69 litres



TOTAL CI3 330 NF



- Built-in combi
- No Frost
- Mechanical control panel
- 4° freezer
- Automatic defrost (refrigerator)
- Safety glass shelves
- Antibacterial gasket
- Sliding door installation
- LED illumination
- Energy Class : A+
- Climate Class : SN-T
- Total gross capacity: 275 litres
- Net capacity: 193 + 69 litres




COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 553mm Depth 574mm




COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



TOTAL CI3 342



- Built-in Combi
- Electronic control panel
- Automatic defrost
- Adjustable thermostat
- Digital Temperature Indicator
- Fast Freeze / Quick Cool function
- AntiBacterial system
- 1 ZeroBox drawer
- Height adjustable glass trays
- Chrome bottle rack for four bottles
- Optical and acoustic temperature alarm
- Sliding door installation
- Reversible doors
- Energy Class: A+
- Climate Class: SN/ST
- Total gross capacity: 285 litres
- Net capacity: 167 + 19 + 78 litres



TOTAL TKI4 325 DD




- Built-in Combi
- Electronic control panel
- Automatic defrost
- Energy class: A++
- No Frost in the freezer
- Fast cooling function
- BIO chamber (0-3 °C)
- Door alarm
- Antibacterial coating
- Adjustable glass shelves
- Reversible door
- Adjustable feet
- Scissor hinges
- Total capacity (gross / net): 275 litres / 255 litres
(net: fridge - 186 litres, freezer 69 litres)



TOTAL TKI4 325



- Built-in Combi
- Sliding doors
- Door-on-door door fastener (rigid)
- Hettich 3D Loops
- No frost in the freezer
- Automatic defrost in the cooling chamber
- Increased Depth 545 mm
- Electronic control panel
- Quick cooling button
- Acoustic and visual signals
- Freshness Zone 0-3 °C
- Adjustable safety glass shelves
- Adjustable shelves in the door
- 2 glass shelves in the freezer to maximize loading
- Chrome stand for 4 bottles
- Indoor LED backlight
- - Freezer
- 1 compressor
- Concealed Evaporator
- Antibacterial sealant
- Energy Class: A ++
- Noise Level: 38dB
- Total capacity: 275 L




COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm Width 540mm Depth 545mm




COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



TOTAL TKI2 300



- Built-in larder
- Automatic defrost
- Fingerprint proof stainless steel
- 4° freezer
- Door on door installation
- Safety glass shelves
- 2 FreshBox drawers
- Egg Holder
- Energy Class: A
- Climate Class: N-T
- Total gross capacity: 532 litres
- Net capacity: 394 + 104 litres



TOTAL TGI2 200 NF






- Built-in freezer
- Full No Frost
- Electronic control panel
- 4° freezer
- No frost freezer
- Door on door installation
- Reversible door
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 220 litres
- Net capacity: 196 litres



TOTAL TKI3 150



- Built-in fridge
- Mechanical control panel
- Manual defrost
- Safety glass shelves
- 1 FreshBox drawer
- Sliding door installation
- Reversible door
- Energy Class: A++
- Climate Class: SN-ST
- Total gross capacity: 135 litres
- Net capacity : 126 litres



COLOR

White

COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 1771mm Width 543mm Depth 545mm

EXTERNAL DIMENSIONS

Height 1771mm Width 543mm Depth 545mm

EXTERNAL DIMENSIONS

Height 866mm Width 540mm Depth 548mm



TOTAL TKI3 130



- Built-in refrigerator
- Mechanical control panel
- 4* freezer
- Manual defrost
- Safety glass shelves
- 1 FreshBox drawer
- Sliding door installation
- Reversible door
- Energy Class: A++
- Climate Class: SN-T
- Total gross capacity: 120 litres
- Net capacity: 97 + 13 litres



TOTAL TGI2 110




- Built-in freezer
- Mechanical control panel
- 4* freezer
- 3 freezer drawers
- Sliding door installation
- Reversible door
- Energy Class: A+
- Climate Class: SN-T
- Total gross capacity: 102 litres
- Net capacity (freezer): 85 litres



TOTAL TKI3 145 D




- Built-in fridge
- Mechanical control panel
- Manual defrost
- Safety glass shelves
- Door on door installation
- Reversible door
- Energy Class: A++
- Climate Class: SN-T
- Total gross capacity: 130 litres
- Net capacity: 128 litres




COLOR

White



COLOR

White



COLOR

White

EXTERNAL DIMENSIONS

Height 866mm Width 540mm Depth 548mm

EXTERNAL DIMENSIONS

Height 866mm Width 540mm Depth 548mm

EXTERNAL DIMENSIONS

Height 820mm Width 598mm Depth 545mm



TOTAL TF13 130 D



- Built-under refrigerator
- Mechanical control panel
- 4^o freezer
- Manual defrost
- Safety glass shelves
- Door on door installation
- Reversible door
- Energy Class: A++
- Climate Class: SN-T
- Total gross capacity: 125 litres
- Net capacity (fridge): 105 + 18 litres

TOTAL TGI2 120 D





- Built-under freezer
- Electronic control panel
- 4^o freezer
- 3 freezer drawers
- Door on door installation
- Reversible door
- Energy Class: A+
- Climate Class: SN-T
- Noise level: 39 dBA
- Total gross capacity: 96 litres
- Net capacity: 87 litres

MAESTRO RVI 35



- Built-in wine cooler
- Electronic control panel
- Capacity : 35 bottles
- Adjustable temperature (5-16°C)
- 4 adjustable wooden shelves
- Metallic handle
- Reversible door
- Energy class: B
- Climate Class : SN
- Total gross volume: 135 litres


COLOR

COLOR

COLOR

EXTERNAL DIMENSIONS

Height 820mm **Width** 598mm **Depth** 545mm

EXTERNAL DIMENSIONS

Height 820mm **Width** 598mm **Depth** 545mm

EXTERNAL DIMENSIONS

Height 865mm **Width** 540mm **Depth** 545mm


TOTAL RV 500 B

A

- Free standing wine cooler
- Eletronic control panel
- Capacity: 25 bottles
- Thermoelectric cooling technology
- Adjustable temperature for red and white wines (6-18°C)
- 5 wooden shelves
- LED illumination
- Energy class: A
- Climate Class: ST
- Total gross capacity: 169 litres


EASY RV 250 B


A

- Free standing wine cooler
- Eletronic control panel
- Capacity: 50 bottles
- Thermoelectric cooling technology
- Optical Temperature alarm
- Adjustable temperature for red and white wines (5-20°C)
- 10 wooden shelves
- LED illumination
- Energy class: A
- Climate class: N
- Total gross capacity: 97 litres


EASY RV 51 E

A


- Free standing wine cooler
- Electronic control panel
- Capacity : 51 bottles
- Adjustable temperature for red and white wines (7-16°C)
- LED temperature alarm
- Interior Light (15w)
- 5 adjustable wooden shelves
- Energy class: B
- Climate Class: N
- Total gross capacity: 165 litres


COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 1270mm Width 500mm Depth 540mm


COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 770mm Width 500mm Depth 540mm


COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 1280mm Width 506mm Depth 550mm



EASY RV 8

A

- Free standing wine cooler
- LCD digital display
- Capacity: 8 bottles
- Thermoelectric cooling technology
- Adjustable temperature for red and white wines (8-18°C)
- 2 metallic shelves
- Energy class: B
- Climate Class: SN
- Total gross capacity: 25 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 285mm Width 420mm Depth 525mm

Modelo	RFD 77820	RMF 77920	RLF 74925	RLF 74920	RLF 74910	NFE4 900 X	RBF 78720	RBF 78630
PRODUCT FICHE								
Energy efficiency class (1)	A++	A++	A++	A++	A+	A+	A++	A+++
Annual consumption (KWh/year) (2)	333	380	322	322	405	464	321	182
Total Gross Capacity (litres)	537	648	574	573	587	626	510	379
Refrigerator compartment capacity (litres)	304	455	334	334	339	346	333	266
Chilling compartment capacity (litres)	31	NA	NA	NA	NA	30	24	22
Freezer compartment capacity (litres)	165	182	156	156	171	165	128	94
Freezer clasification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	✓	✓	✓	✓	✓	✓	✓	✓
No frost in chiller	✓	✓	✓	✓	-	✓	✓	✓
No frost in freezer compartment	✓	✓	✓	✓	✓	✓	✓	✓
Temperature rise time (autonomy) (3)	15	16	7	7	10	15	24	18
Freezing Capacity (Kg/24h)	13	15	14	14	9	8	9	8
Climate class	T	N/T	N/T	N/T	N/T	SN/T	SN/T	SN/T
Noise level (dB)	42	43	43	43	43	43	43	42
Type of installation	Free Standing							
ELECTRICAL FEATURES								
Power Rate (W)	250	175	188	188	130	200	206	162
Defrost element power (W)	250	262	240	240	240	240	185	145
Energy consumption (Kw/day)	0,92	1,04	0,88	0,88	1,11	1,00	0,88	0,50

Modelo	RBF 74620	NFL 450 S	NFL 430 S	NFL 435	NFL 350	NFL 345 C	NFL 342 C	NFL 340
PRODUCT FICHE								
Energy efficiency class (1)	A++	A+++	A++	A++	A++	A++	A++	A+
Annual consumption (KWh/year) (2)	263	167	234	252	226	224	224	286
Total Gross Capacity (litres)	341	350	360	350	325	325	325	325
Refrigerator compartment capacity (litres)	230	219	250	219	219	219	219	219
Chilling compartment capacity (litres)	22	21	NA	21	20	NA	NA	NA
Freezer compartment capacity (litres)	94	76	76	76	76	76	76	76
Freezer clasification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	✓	✓	✓	✓	✓	✓	✓	✓
No frost in chiller	✓	✓	-	✓	✓	-	-	-
No frost in freezer compartment	✓	✓	✓	✓	✓	✓	✓	✓
Temperature rise time (autonomy) (3)	18	15	15	15	15	15	15	15
Freezing Capacity (Kg/24h)	8	8,5	4	4	8,5	4	4	4
Climate class	SN/T	N/T						
Noise level (dB)	42	40	40	40	40	40	40	40
Type of installation	Free Standing							
ELECTRICAL FEATURES								
Power Rate (W)	197	150	150	150	150	150	150	170
Defrost element power (W)	145	190	190	190	190	190	190	160
Energy consumption (Kw/day)	0,72	0,46	0,64	0,69	0,62	0,61	0,61	0,78

COLD LINE

Modelo	NFL 320 C	RTF 13610	FTM 310	FTM 240	TNF 450	TGF 390 NF	TS3 370	TGF3 270 NF
PRODUCT FICHE								
Energy efficiency class (1)	A+	A+	A+	A+	A++	A++	A+	A+
Annual consumption (KWh/year) (2)	286	261	228	217	113	247	145	310
Total Gross Capacity (litres)	325	295	245	210	355	261	415	290
Refrigerator compartment capacity (litres)	219	225	199	166	350	NA	367	NA
Chilling compartment capacity (litres)	NA							
Freezer compartment capacity (litres)	76	69	41	41	NA	260	NA	255
Freezer clasification (stars)	4	4	4	4	NA	4	NA	4
No frost in refrigeration compartment	✓	–	–	–	✓	–	–	–
No frost in chiller	–	–	–	–	–	–	–	–
No frost in freezer compartment	✓	–	–	–	–	✓	–	✓
Temperature rise time (autonomy) (3)	15	15	15	15	NA	15	NA	18
Freezing Capacity (Kg/24h)	4	3,5	2	2	NA	16	NA	16
Climate class	N/T	ST/N	ST/N	ST/N	SN/T	SN/T	SN/T	SN/T
Noise level (dB)	40	43	42	40	43	45	39	42
Type of installation	Free Standing							

ELECTRICAL FEATURES

Power Rate (W)	100	98	85	80	65	75	65	95
Defrost element power (W)	190	NA	NA	NA	NA	250	NA	175
Energy consumption (Kw/day)	0,78	0,72	0,63	0,59	0,31	0,68	0,40	0,85

Modelo	TS1 130	TS1 138	TS1 135	TG1 80	C13 350 NF	C13 330 NF	C13 342	TK14 325 DD
PRODUCT FICHE								
Energy efficiency class (1)	A+	A++	A++	A+	A++	A+	A+	A++
Annual consumption (KWh/year) (2)	117	131	131	176	240	286	302	240
Total Gross Capacity (litres)	136	102	102	94	275	275	285	275
Refrigerator compartment capacity (litres)	133	84	84	NA	167	193	167	167
Chilling compartment capacity (litres)	NA	NA	NA	NA	19	NA	19	19
Freezer compartment capacity (litres)	NA	14	14	84	69	69	78	69
Freezer clasification (stars)	NA	4	4	4	4	4	4	4
No frost in refrigeration compartment	–	–	–	–	–	–	–	–
No frost in chiller	–	–	–	–	–	–	–	–
No frost in freezer compartment	–	–	–	–	✓	✓	–	✓
Temperature rise time (autonomy) (3)	NA	15	15	20	13	13	20	13
Freezing Capacity (Kg/24h)	NA	2	2	6	4	4	4	4
Climate class	ST/N	ST/N	ST/N	ST/N	SN/ST	SN/ST	SN/ST	SN/ST
Noise level (dB)	39	39	39	39	40	40	39	40
Type of installation	Free Standing	Free Standing	Free Standing	Free Standing	Built-in	Built-in	Built-in	Built-in

ELECTRICAL FEATURES

Power Rate (W)	70	70	70	70	125	115	100	125
Defrost element power (W)	NA	NA	NA	NA	120	120	NA	120
Energy consumption (Kw/day)	0,32	0,36	0,36	0,48	0,66	0,79	0,87	0,66

Modelo	TKI4 325	TKI2 300	TG12 200 NF	TKI3 150	TKI3 130	TG12 110	TKI3 145 D	TFI3 130 D
PRODUCT FICHE								
Energy efficiency class (1)	4	A+	A+	A++	A++	A+	A++	A++
Annual consumption (KWh/year) (2)	221	146	297	94	145	191	92	143
Total Gross Capacity (litres)	285	220	220	135	120	102	130	125
Refrigerator compartment capacity (litres)	191	—	NA	126	97	NA	128	105
Chilling compartment capacity (litres)	NA	NA	NA	NA	NA	NA	NA	NA
Freezer compartment capacity (litres)	77	NA	196	NA	13	85	NA	18
Freezer clasification (stars)	4	NA	4	NA	4	4	NA	4
No frost in refrigeration compartment	—	—	—	—	—	—	—	—
No frost in chiller	—	—	—	—	—	—	—	—
No frost in freezer compartment	—	—	✓	—	—	—	—	—
Temperature rise time (autonomy) (3)	20	NA	15	NA	10	20	NA	10
Freezing Capacity (Kg/24h)	3,5	NA	10	NA	2	10	NA	2
Climate class	T	SN/T	SN/T	SN/ST	SN/T	SN/T	SN/T	SN/T
Noise level (dB)	40	41	42	35	39	40	40	39
Type of installation	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
ELECTRICAL FEATURES								
Power Rate (W)	125	90	110	75	65	60	50	65
Defrost element power (W)	NA	NA	175	NA	NA	NA	NA	NA
Energy consumption (Kw/day)	0,73	0,40	0,81	0,26	0,40	0,52	0,25	0,39

Modelo	TG12 120 D	RVI 35	RV 500 B	RV 250 B	RV 51 E	RV 8
PRODUCT FICHE						
Energy efficiency class (1)	A+	A	A	A	B	B
Annual consumption (KWh/year) (2)	183	147	146	128	197	170
Total Gross Capacity (litres)	96	135	169	97	165	25
Refrigerator compartment capacity (litres)	NA	NA	NA	NA	NA	NA
Chilling compartment capacity (litres)	NA	NA	NA	NA	NA	NA
Freezer compartment capacity (litres)	87	NA	NA	NA	NA	NA
Freezer clasification (stars)	4	NA	NA	NA	NA	NA
No frost in refrigeration compartment	—	—	—	—	—	—
No frost in chiller	—	—	—	—	—	—
No frost in freezer compartment	—	—	—	—	—	—
Temperature rise time (autonomy) (3)	19	NA	NA	NA	NA	NA
Freezing Capacity (Kg/24h)	10	NA	NA	NA	NA	NA
Climate class	SN/T	SN	ST	N	N	SN/N
Noise level (dB)	39	38	42	42	42	25
Type of installation	Built-in	Built-in	Free Standing	Free Standing	Free Standing	Free Standing
ELECTRICAL FEATURES						
Power Rate (W)	50	55	110	90	90	70
Defrost element power (W)	NA	NA	NA	NA	NA	NA
Energy consumption (Kw/day)	0,50	0,57	0,40	0,35	0,54	0,47




Life is the sum of these
moments that **surprise us**

LAUNDRY

Technology and **design** combined for your day to day

Feel the soft and smooth touch of your clothes on the skin and enjoy the fresh smell of your laundry. Teka washing machines take the best care of your clothes and bring a unique aroma to your whole home. The smell of freshness you still can remember from every Sunday morning when you were a child. The feeling of wearing brand new clothes that were just washed for the very first time and made you feel better, protected and comfortable to face a new day. Imagine to get such a feeling every time you do your laundry .





SoftCare Drum

The easiest way to break water resistance. Taking care of clothes in every washing, keeping the texture of your clothes and softness. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care of your laundry during washing, drying and

spinning. Woolmark certificate is an universal quality seal to demonstrate our washers keep your clothes with most of the softness, even after many washings. Feel the freedom of washing your most delicate wool clothes.

A+++

Consumption and a lot to offer. New Inverter engines generation have less vibrations and noise and have improved durability, with an A+++ energy classification, a remarkable saving.





Find a wide range of options with the union kit ready to combine all the benefits of the spa washers with the last drying technology

Heat pump dryer works with less temperature than ordinary dryers, for a gentle care of your laundry. There is no need to reach high temperatures to be efficient and you also save energy: good for you, good for environment.

The union kit can be used with several vertical models to take advantage of the room space. It has a removable tray to fold clothes up to 16kg and helps you out to keep order at home.



More capacity

For those who need more than ordinary capacity, like big families, large clothes, curtains or rugs. Teka has a wide range of washing machines ready for you. The new washer and dryer can wash 10 kg and dry up to 7 kg. Everything in just one appliance with many features, designed to bring harmony to your home.

My cycle

We know each person has different needs. With "my cycle" you can choose your favourite program, changing types of clothes, temperatures, speed, etc. The washing machine memorizes them and it's done! Find the right program in the control display and feel like this appliance was designed just for you. Because we do know everyone is unique and deserves appliances designed just for them.

Delay programming

We don't spend as much time at home as we would like to, so we need a little helper at houseworking. You can program Teka washers from 1 to 24 hours. Your laundry will be clean when you come back home from work or, if you have a night electricity plan, you can even program the washing machine during night to reduce consumption.



LAUNDRY

Life is the sum of these moments that surprise us.

MAESTRO					
	WASHERS	WASHERS DRYERS	DRYERS		
R.P.M.	9 KG	8 KG	7 KG	10 KG / 8 KG	8 KG
FREE STANDING	1400	 SPA TKD 1490	 SPA TKD 1480	 TKD 1610 WD	 SPA TKS 893 H  TKS 850 C
	1200		 SPA TKD 1280	 SPA TKD 1270	
	1000				
BUILT - IN	1400		 LI3 1480 E  LI4 1470 E  LSI4 1470 E		
	1200		 LI4 1270 E		
	1000				

TOTAL		EASY	
WASHERS	WASHERS DRYERS	DRYERS	WASHERS
7 KG / 8 KG	9 KG	7 KG	6 KG / 7 KG
		  	 
			 
			
			
			

WASHERS



MAESTRO SPA TKD 1490



- Free standing washing machine
- Washing capacity: 9 Kg
- Inverter Motor
- Washing Programs: 16
- Electronic control panel
- Digital display LCD
- Maximum spin speed : 1400 rpm
- Special Programs wool and baby care
- Fast program 15 minutes
- 32 cm wide porthole door
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Energy class: A+++/B



MAESTRO SPA TKD 1480




- Free standing washing machine
- Washing capacity: 8 Kg
- 16 washing programs
- Woolmark certification
- Maximum spin speed: 1400 rpm
- Electronic control panel
- LCD display
- Fast program 15 minutes
- My Cycle program
- Special Programs wool and baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 32 cm wide porthole
- Energy class: A+++/B



MAESTRO SPA TKD 1280



- Free standing washing machine
- Washing capacity: 8 Kg
- 16 washing programs
- Woolmark certification
- Maximum spin speed: 1200 rpm
- Electronic control panel
- LCD display
- Fast program 15 minutes
- My Cycle program
- Special Programs wool and baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 32 cm wide porthole
- Energy class: A+++/B




COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm




COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 470mm



COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm


MAESTRO SPA TKD 1270



- Free standing washing machine
- Washing capacity: 7 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel
- LCD display
- Fast program 15 minutes
- My Cycle program
- Special Programs wool and baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 32 cm wide porthole
- Energy class: A+++/B


MAESTRO SPA TKD 1270


- Free standing washing machine
- Washing capacity: 7 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel
- LCD display
- Fast program 15 minutes
- My Cycle program
- Special Programs wool and baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 32 cm wide porthole
- Energy class: A+++/B


TOTAL TK4 1280



- Free standing washing machine
- Washing capacity: 8 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel with display
- Fast program 15 minutes
- Special Program baby care
- Fast program 15 minutes
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A+++

**COLOR**

Stainless Steel

EXTERNAL DIMENSIONS


Height 850mm Width 595mm Depth 495mm

**COLOR**

White

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 495mm

**COLOR**

White

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm

WASHERS



TOTAL TK4 1270



- Free standing washing machine
- Washing capacity: 7 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel with display
- Fast program 15 minutes
- Special Program baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A+++/B



TOTAL TK4 1270




- Free standing washing machine
- Washing capacity: 7 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel with display
- Special Program baby care
- Fast program 15 minutes
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A+++/B



TOTAL TK4 1070




- Free standing washing machine
- Washing capacity: 7 Kg
- 16 washing programs
- Maximum spin speed: 1000 rpm
- Electronic control panel with display
- Special Program baby care
- Fast program 15 minutes
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A+++/C




COLOR

Stainless Steel



COLOR

White



COLOR

White

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 495mm

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 495mm

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 495mm



EASY TKX3 1263



- Free standing washing machine
- Washing capacity: 6 kg
- Maximum spin speed: 1000 rpm
- Electronica control panel with display
- 16 programs
- My Cycle program
- Fast program 15 minutes
- Special Program baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Energy class: A+++/B

EASY TKX3 1260






- Free standing washing machine
- Washing capacity: 6 Kg
- 16 washing programs
- Maximum spin speed: 1200 rpm
- Electronic control panel with display
- Fast program 15 minutes
- Special Program baby care
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A++/B

EASY TKX3 1060



- Free standing washing machine
- Washing capacity: 6Kg
- 16 washing programs
- Maximum spin speed: 1000 rpm
- Electronic control panel with display
- Fast program 15 minutes
- Special Program baby care
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- 30 cm wide porthole
- Energy class: A++/C



COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 470mm

COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 470mm

COLOR



EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 470mm

WASHERS



EASY TKX2 1050 T



- Free standing washing machine
- Washing capacity : 5 kg
- 15 washing programmes
- Maximum spin speed : 1000 rpm
- Electronic control panel
- Fast program 15 minutes
- 30 cm wide porthole
- Energy class A+/C



TOTAL LI5 1280




- Integrated washing machine
- Washing capacity : 8 kg
- 15 washing programmes
- Maximum spin speed : 1200 rpm
- Electronic control panel
- Fast program 14 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- Children safety block
- 30 cm wide porthole
- Reversible door
- Energy class A+++/B



TOTAL LI5 1080




- Integrated washing machine
- Washing capacity : 8 kg
- 15 washing programmes
- Maximum spin speed : 1000 rpm
- Electronic control panel
- Fast program 14 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- Children safety block
- 30 cm wide porthole
- Reversible door
- Energy class A+++/B




COLOR

White



COLOR

White



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 597mm Depth 497mm

EXTERNAL DIMENSIONS

Height 820mm Width 596mm Depth 570mm

EXTERNAL DIMENSIONS

Height 820mm Width 596mm Depth 570mm



MAESTRO LI4 1470 E



- Integrated washing machine
- Washing capacity : 7 kg
- 15 washing programmes
- Maximum spin speed : 1400 rpm
- Electronic control panel
- Fast program 15 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- Children safety block
- 30 cm wide porthole
- Reversible door
- Energy class A+/A



MAESTRO LI4 1270 E




- Integrated washing machine
- Washing capacity : 7 kg
- 15 washing programmes
- Maximum spin speed : 1200 rpm
- Electronic control panel
- Fast program 15 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- Children safety block
- 30 cm wide porthole door
- Reversible door
- Energy class A+/B



MAESTRO LI3 1480 E




- Integrated washing machine
- Washing capacity: 8 Kg
- 16 washing programs
- Electronic control panel
- LCD display
- Maximum spin speed: 1400 rpm
- Special Programs: Wool and baby care
- Fast Program 15 minutes
- 31 cm wide porthole door
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Energy class: A+++/B



COLOR

 White


EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 560mm



COLOR

 White

EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 560mm



COLOR

 White

EXTERNAL DIMENSIONS
Height 825mm Width 595mm Depth 540mm

WASHERS



TOTAL L13 1470 E

A⁺⁺⁺ 7 kg

- Integrated washing machine
- Washing capacity : 7 kg
- 16 washing programmes
- Electronic control panel
- LCD display
- Maximum spin speed : 1400 rpm
- Special Programs Wool and baby care
- Fast Program 15 minutes
- 31 cm wide crystal porthole
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Energy class: A⁺⁺⁺/B



TOTAL LS15 1480

A 8 kg




- Integrated washer dryer
- Washing capacity : 8 kg
- Drying capacity : 5 kg
- 13 washing programmes
- 2 drying programmes
- Maximum spin speed : 1400 rpm
- Electronic control panel
- Fast program 14 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- 30 cm wide porthole
- Reversible door
- Energy class A/A



MAESTRO LSI4 1470 E

A 7 kg

- Integrated washer dryer
- Washing capacity : 7 kg
- Drying capacity : 4 kg
- 12 washing programmes
- 3 drying programmes
- Maximum spin speed : 1400 rpm
- Electronic control panel
- Fast program 15 minutes
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Foam control system
- 30 cm wide porthole
- Reversible door
- Energy class A/A



COLOR

White

COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 825mm Width 595mm Depth 540mm

EXTERNAL DIMENSIONS

Height 820mm Width 596mm Depth 570mm

EXTERNAL DIMENSIONS

Height 820mm Width 596mm Depth 560mm



TOTAL TK3 1490 WD




- Free standing washer-dryer
- Washing capacity : 9 kg
- Drying capacity : 6 kg
- 11 washing programmes
- 4 drying programmes
- Electronic control panel
- LED display
- Maximum spin speed : 1400 rpm
- Fast program 12 minutes
- Automatic water regulation
- Delay timer 1-24h
- 33 cm wide porthole
- Energy class A/A

MAESTRO TKD 1610 WD




- Free standing washer-dryer
- Washing capacity : 10 kg
- Drying capacity : 7 kg
- Woolmark certification
- BLDC Inverter Motor
- 16 washing programs
- 6 drying programmes
- Electronic control panel
- Digital display LCD
- Maximum spin speed : 1600 rpm
- Special Programs Wool and baby care
- Special program 1hour wash + Dry
- Fast program 15 minutes
- 32 cm wide porthole door
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- Locking system in case of lack of water or electricity
- Foam control system
- Energy class A/A


COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 597mm Depth 582mm


COLOR

White

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm



MAESTRO SPA TKS 893 H



- Free standing Dryer
- Heat pump condenser dryer
- Drying capacity: 8 kg
- 16 programs
- Electronic control with digital display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm
- Humidity sensor
- Anti-crease program
- Delicate clothing program
- Cooling program
- Bi-direction rotation
- Removable filter with saturation
- Stainless steel drum
- Energy class A+++



TOTAL TKS1 810 H




- Free standing dryer
- Heat pump condenser dryer
- 16 programs
- Drying capacity: 8 Kg
- Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm
- Humidity sensor
- Anti-crease program
- Delicate clothing program clothing program
- Cooling program
- Bi- direction rotation
- Remaining time indicator
- Removable filter with saturation level indicator
- Energy class: A++



TOTAL TKS1 710 C



- Free standing dryer
- Condenser dryer
- 12 programmes
- Drying capacity : 7 kg
- Electronic control panel with display
- Delay timer 1-19h
- 3 drying temperatures
- Humidity sensor
- Easy ironing program
- Delicate clothing program clothing program
- Automatic ventilation program
- Bi-direction rotation
- Remaining time indicator
- Drum inner light
- Energy class : B




COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 640mm




COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 622mm



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 615mm



TOTAL TKS3 690C




- Free standing dryer
- Condenser dryer
- 15 programmes
- Drying capacity : 7 kg
- Electronic control panel
- Humidity sensor
- Easy ironing program
- Delicate clothing program clothing program
- Automatic ventilation program
- Cooling Program
- Drying time selector
- Bi-directional rotation
- Remaining time indicator
- Removable filter with saturation level indicator
- Energy class : B



MAESTRO TKS 850 C




- Free standing dryer
- Condenser dryer
- 16 programs
- Drying capacity: 8 Kg
- Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm
- Speed dry function
- Humidity sensor
- Anti-crease program
- Delicate clothing program clothing program
- Cooling program
- Bi- direction rotation
- Removable filter with saturation level indicator
- Energy class: B

**COLOR**

White

EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 540mm

**COLOR**

White

EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 615mm

WASHERS

Modelo	SPA TKD 1490	SPA TKD 1480	SPA TKD 1280	SPA TKD 1270	TK4 1280	TK4 1270	TK4 1070	TKX3 1263
PRODUCT FICHE								
Filter - Washing capacity (Kgs)	9	8	8	7	8	7	7	6
Energy Efficiency Class	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++
Energy Consumption (kWh/year)	218	196	196	175	196	175	175	153
Consumption/ cycle energy (kWh)	0,93/0,80/0,51	1,05/ 0,84/0,63	1,05/ 0,84/0,63	0,93/0,80/0,51	0,97/0,75/0,72	0,92/0,68/0,64	0,92/0,70/0,63	0,72/0,69/0,60
Consumption On/off and left on modes (kWh)	0,50/1,00	0,50/1,00	0,50/1,00	0,50/1,00	0,50/1,00	0,50/1,00	0,50/1,00	0,50/1,00
Water consumption (litres/year)	14.000	11.000	11.000	10.000	11.000	10.000	10.000	9.240
Spinning efficiency	B	B	B	B	B	B	C	B
Filter - Maximum spinning speed (RPM)	1.400	1.400	1.200	1.200	1.200	1.200	1.000	1.200
Percentage of water after the spinning (%)	53	53	53	53	53	53	61	61
Cycle duration (minutes)	179/179/179	179/179/179	179/179/179	179/179/179	232/215/214	215/205/199	215/200/193	222/211/203
Noise level washing/spinning/drying (dB)	54/76	59/78	59/76	59/76	58/76	58/76	58/74	59/76

BUILT IN DOOR MEASUREMENTS

Door height (mm)	-	-	-	-	-	-	-	-
Door width (mm)	-	-	-	-	-	-	-	-

POWER SUPPLY

Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Maximum Nominal Power (W)	2.050	2.000	2.000	2.050	2.000	2.050	2.050	2.100
Nominal Power motor (W)	500	500	500	450	500	450	450	450
Nominal Power heating element (W)	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800

Modelo	TKX3 1260	TKX3 1060	TKX2 1050 T	L15 1280	L15 1080
PRODUCT FICHE					
Filter - Washing capacity (Kgs)	6	6	5	8	8
Energy Efficiency Class	A++	A++	A+	A+++	A+++
Energy Consumption (kWh/year)	173	173	167	196	196
Consumption/ cycle energy (kWh)	0,93/0,66/0,63	0,93/0,68/0,62	0,85/0,66/0,52	1,07/0,8/0,62	1,07/0,8/0,62
Consumption On/off and left on modes (kWh)	0,50/1,00	0,50/1,00	0,50/1,00	0,49/0,90	0,49/0,90
Water consumption (litres/year)	9.240	9.240	9.240	9.850	9.850
Spinning efficiency	B	C	C	B	C
Filter - Maximum spinning speed (RPM)	1.200	1.000	1.000	1.200	1.000
Percentage of water after the spinning (%)	61	62	62	53	62
Cycle duration (minutes)	273/243/241	273/243/241	190/145/140	210/120/130	210/120/130
Noise level washing/spinning/drying (dB)	58/76	58/74	58/77	56/75	56/74

BUILT IN DOOR MEASUREMENTS

Door height (mm)	-	-	-	-	-
Door width (mm)	-	-	-	-	-

POWER SUPPLY

Voltage (V)	220-240	220-240	220-240	220-240	220-240
Maximum Nominal Power (W)	2.100	2.100	2.100	1.600	1.600
Nominal Power motor (W)	450	450	250	350	350
Nominal Power heating element (W)	1.800	1.800	1.850	1.600	1.600

Modelo	LI4 1470 E	LI4 1270 E	LI3 1480 E	LI3 1470 E
PRODUCT FICHE				
Filter - Washing capacity (Kgs)	7	7	8	7
Energy Efficiency Class	A+	A+	A+++	A+++
Energy Consumption (kWh/year)	218	218	196	174
Consumption/ cycle energy (kWh)	1,08/0,98/0,80	1,08/0,98/0,80	0,94/0,94/0,67	0,82/0,82/0,82
Consumption On/off and left on modes (kWh)	0,20/0,80	0,20/0,80	0,50/1,00	0,50/1,00
Water consumption (litres/year)	10.340	10.340	11.000	10.000
Spinning efficiency	B	B	B	B
Filter - Maximum spinning speed (RPM)	1.400	1.200	1.400	1.400
Percentage of water after the spinning (%)	53	53	53	53
Cycle duration (minutes)	150/150/150	150/150/150	229/209/166	229/209/166
Noise level washing/spinning/drying (dB)	56/72	56/70	57/76	57/76

BUILT IN DOOR MEASURMENTS

Door height (mm)	–	–	–	–
Door width (mm)	592-595	592-595	–	–

POWER SUPPLY

Voltage (V)	220-240	220-240	220-240	220-240
Maximum Nominal Power (W)	2.200	2.200	2.050	2.050
Nominal Power motor (W)	340	340	500	500
Nominal Power heating element (W)	2.000	2.000	1.800	1.800

Modelo	TK3 1490 WD	TKD 1610 WD	LS15 1480	LS14 1470 E
PRODUCT FICHE				
Energy Efficiency Class (1)	A	A	A	A
Energy consumption for washing, spinning and drying, kWh (2)	6,12 1,05	6,8 1,3	5,44 1,1	4,76 1,19
Washing performance class (1)	A	A	A	A
Maximum spinning speed	1.400	1.600	1.400	–
Washing capacity (Kgs)	9	10	8	–
Drying capacity (Kgs)	6	7	5	4
Cycle duration (minutes) (3)	675	334	570	–
Energy consumption per year (kWh) (2)	210	260	220	–
Condensation efficiency (4)	–	–	–	–
Energy cycle consumption full/partial load (kWh)	–	–	–	–
Water consumption (litre/year) (4)	9.800	10.000	11.000	–
Noise level dB washing/spinning	58/77/64	56/78/62	56/77/58	56/72/58

Modelo	SPA TKS 893 H	TKS1 810 H	TKS1 710 C	TKS3 690C	TKS 850 C
PRODUCT FICHE					
Drying capacity (Kgs)	8	8	7	7	8
Drying technology	Condenser heat pump	Condenser heat pump	Condenser	Condenser	Condenser
Energy Efficiency Class (1)	A+++	A++	B	B	B
Energy consumption per year (kWh) (2)	176	236	504	504	561
Humidity sensor	–	✓	✓	✓	✓
–	1.98/1.08	4.24/2.30	4.15/2.34	4.74/2.56	–
Power consumption in off-mode and left-on mode	0,20/0,80	0,01/0,60	0,28/1,72	0,30/1,00	0,28/0,80
Program duration Tt, T1, T 1/2 (minutes) (3)	144/190/110	195	101/128/80	116/68/89	112/140/90
Condensation efficiency (4)	B	–	B	B	B
Condensation percentages C1, C 1/2, Ct (5)	80,5/80,5/80,5	–	80,1/80,1/80,1	89/89/89	80,1/80,1/80,1
Noise level dB washing/spinning	–	69	69	66	69

BUILT IN DOOR MEASURMENTS

Height (mm)	–	–	–	–
Width (mm)	–	–	–	–

POWER SUPPLY

Voltage (V)	220-240	220-240	220-240	230	220-240
Nominal Power heating element (W)	–	–	2.500	2.300	2.500



Imagining beyond the
possibilities

**WATER
HEATERS**

Products design to fit your needs



Teka electric water heaters are ready to cover your home needs: from 15 to 100 liters, vertical and horizontal installation, or even inside a kitchen if you choose our reduced depth kind of heaters.

Imagine the warm and comfortable feeling when you arrive home after a hard day and you run into the shower. Things definitely look better after a long and relaxing shower or even a bath, because our water heaters not only work right in time but also save energy when your family and you used them.



Electronic smart control

The water heater incorporate an automatic and continuous temperature adjustment based on consumption habits and hot water needs.

The electronic smart models have improved the temperature control (tolerance 1°)



Slim heaters

Fit where you need them. Slim Teka heaters keep every function but need less space, ready to fit any room, like a kitchen cabinet. They also have a double hot water tank to reduce that time you usually have to wait to get hot water ready again.

Versatility

In Teka, we know every home is different. And so are the needs of our users. Double installation heaters can be vertical or horizontal, to fit the space you have at home.

Durability and Quality

The stainless steel heater inside the tank has double protection to keep from corrosion and rusting for a longer life. It is also covered with a special sapphire polish for extra durability, as well as the tank, with a triple polish.

Teka electric heaters are well-known for high-quality materials. With a high-resistance tank that have even improved protection for longer durability. We do trust in our products because we do know what they are made of, and that is why we can offer a 5 year warranty for all the tanks.

27% thicker magenesium anodes to prevent corrosion of the tank. Warranty of durability and reliability.

Humidity protection

Electric Teka heaters pass the protection exam against humidity IPX4, ensuring durability even in wet environments

Overheating protection

Electric heater is protected against overheating, with an independent thermal disconnection system

Dry heating protection

When the water in the tank is below the normal level, the electric heater automatically turns off to keep from overheating.

Earth Leakage Circuit Breaker (ELCB) device

The electric heater disconnects from power supply in just 0,01 seconds, for a complete safety warranty and to prevent problems with other appliances, as refrigerators.





SMART WATER HEATERS



NEW

MAESTRO SMART EWH 100 VE-D



- Vertical installation
- SMART CONTROL
- Capacity: 100 litros
- Sapphire enamelled tank
- LED temperature indicator
- Regulation of temperature: 30°-75°
- Pressure valve > 7,5 bar
- Max. Input temperatura: 0,75 Mpa
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output : 1.500 W
- Thickness of insolation: 20 mm
- Water connection: G 1/2
- Average number of users: 3-5 personas
- Energy class B



NEW

TOTAL SMART EWH 80 VE-D



- Vertical installation
- SMART CONTROL
- Capacity: 80 litros
- Sapphire enamelled tank
- LED temperature indicator
- Regulation of temperature: 30°-75°
- Pressure valve > 7,5 bar
- Max. Input temperatura: 0,75 Mpa
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output : 1.500 W
- Thickness of insolation: 20 mm
- Water connection: G 1/2
- Average number of users: 2-4 personas
- Energy class B






NEW

TOTAL SMART EWH 50 VE-D



- Vertical installation
- SMART CONTROL
- Capacity: 50 litros
- Sapphire enamelled tank
- LED temperature indicator
- Regulation of temperature: 30°-75°
- Pressure valve > 7,5 bar
- Max. Input temperatura: 0,75 Mpa
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output : 1.500 W
- Thickness of insolation: 20 mm
- Water connection: G 1/2
- Average number of users: 2-3 personas
- Energy class B



COLOR

White

COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 956mm Width 450mm Depth 450mm

EXTERNAL DIMENSIONS

Height 791mm Width 450mm Depth 450mm

EXTERNAL DIMENSIONS

Height 759mm Width 385mm Depth 385mm



NEW

TOTAL SMART EWH 30 VE-D



- Vertical installation
- SMART CONTROL
- Capacity: 30 litros
- Sapphire enameled tank
- LED temperature indicator
- Regulation of temperature: 30°-75°
- Pressure valve > 7.5 bar
- Max. Input temperature: 0.75 Mpa
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output: 1.500 W
- Thickness of insulation: 20 mm
- Water connection: G 1/2
- Average number of users: 1-2 personas
- Energy class A



NEW

TOTAL SMART EWH 15 VE-D




- Vertical installation
- SMART CONTROL
- Capacity: 15 litros
- Sapphire enameled tank
- LED temperature indicator
- Regulation of temperature: 30°-75°
- Pressure valve > 7.5 bar
- Max. Input temperature: 0.75 Mpa
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output: 1.500 W
- Thickness of insulation: 20 mm
- Water connection: G 1/2
- Average number of users: 1-2 personas
- Energy class A



MAESTRO EWH 80 D SLIM



- Vertical and horizontal installation
- Capacity: 80 litres
- Sapphire enameled tank
- Sapphire heating element
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Earth leakage circuit breaker ELCB
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insulation: 20mm
- Water connection: G1/2
- Average number of users: 2-4




COLOR

White

EXTERNAL DIMENSIONS

Height 606mm Width 340mm Depth 340mm




COLOR

White

EXTERNAL DIMENSIONS

Height 384mm Width 340mm Depth 340mm



COLOR

White

EXTERNAL DIMENSIONS

Height 900mm Width 570mm Depth 300mm

WATER HEATERS



MAESTRO EWH 50 D SLIM



- Vertical and horizontal installation
- Capacity: 80 litres
- Sapphire enamelled tank
- Sapphire heating element
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Earth leakage circuit breaker ELCB
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insulation: 20mm
- Water connection: G₁/₂
- Average number of users: 2-4



TOTAL EWH 80 H






- Vertical and horizontal installation
- Capacity: 80 litres
- Sapphire enamelled tank
- Sapphire heating element
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Earth leakage circuit breaker ELCB
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insulation: 20mm
- Water connection: G₁/₂
- Average number of users: 2-4



TOTAL EWH 50 H



- Vertical and horizontal installation
- Capacity: 50 litres
- Sapphire enamelled tank
- Sapphire heating element
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Earth leakage circuit breaker ELCB
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insulation: 20mm
- Water connection: G₁/₂
- Average number of users: 2-3



COLOR

White

COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 860mm Width 470mm Depth 250mm

EXTERNAL DIMENSIONS

Height 1030mm Width 385mm Depth 385mm

EXTERNAL DIMENSIONS

Height 711mm Width 385mm Depth 385mm



EASY EWH 100



- Capacity: 100 litres
- Sapphire enamelled tank
- Sapphire heating element
- Electrolytic muff
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insolation: 20mm
- Water connection: G¹/2
- Average number of users : 1-2/2-3/2-4/3-5



EASY EWH 80






- Capacity: 80 litres
- Sapphire enamelled tank
- Sapphire heating element
- Electrolytic muff
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insolation: 20mm
- Water connection: G¹/2
- Average number of users : 1-2/2-3/2-4/3-5



EASY EWH 50



- Capacity: 50 litres
- Sapphire enamelled tank
- Sapphire heating element
- Electrolytic muff
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insolation: 20mm
- Water connection: G¹/2
- Average number of users : 1-2/2-3/2-4/3-5



COLOR

White

EXTERNAL DIMENSIONS

Height 961mm Width 450mm Depth 450mm

COLOR

White

EXTERNAL DIMENSIONS

Height 796mm Width 450mm Depth 450mm

COLOR

White

EXTERNAL DIMENSIONS

Height 579mm Width 450mm Depth 450mm

WATER HEATERS



EASY EWH 30




- Capacity: 30 litres
- Sapphire enamelled tank
- Sapphire heating element
- Electrolytic muff
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insolation: 20mm
- Water connection: G1/2
- Average number of users : 1-2/2-3/2-4/3-5



EASY EWH 15



- Capacity: 15 litres
- Sapphire enamelled tank
- Sapphire heating element
- Regulation of temperature: 30-75 °C
- Pressure valve > 5 bar
- Max. Input temperature: 0.75Mpa
- Thermometer
- Anti Over-pressure protection
- Overheat protection
- Anti Dry-heating Protection
- Waterproof Grade: IPX4
- Rated power output 1500 W
- Thickness of insolation: 20mm
- Water connection: G1/2
- Average number of users: 1



COLOR

White

COLOR

White

EXTERNAL DIMENSIONS

Height 602mm Width 340mm Depth 340mm

EXTERNAL DIMENSIONS

Height 397mm Width 340mm Depth 340mm

Modelo	SMART EWH 100 VE-D	SMART EWH 80 VE-D	SMART EWH 50 VE-D	SMART EWH 30 VE-D	SMART EWH 15 VE-D
EU Regulation 812/2014					
Declared load profile	M	M	M	S	S
Water heating energy efficiency class	B	B	B	A	A
Water heating energy efficiency nwh	44	44	42	38	35
Annual energy consumption AEC	1161	1169	1232	485	524
Thermostat temperature settings Tout of the box	75	75	75	75	75
Sound power level L WA (dB)	15	15	15	15	15
EU Regulation 814/2013					
Storage Volume V	100	80	50	30	15
The Mixed Water at 40 °C V40	165	127	74	44	12
Water heating energy efficiency nwh	44	44	42	38	35
FEATURES					
Average number of users	3-5	2-4	2-3	1-2	1-2
Horizontal Installation	—	—	—	—	—
Sapphire enameled steel tank	✓	✓	✓	✓	✓
Sapphire heating element	✓	✓	✓	✓	✓
Regulation of temperature (°C)	30-75	30-75	30-75	30-75	30-75
Maximum input pressure (Mpa)	0.75	0.75	0.75	0.75	0.75
Thermometer	—	—	—	—	—
Magnesium protection anode	✓	✓	✓	✓	✓
Overpressure protection	✓	✓	✓	✓	✓
Protection against heating	✓	✓	✓	✓	✓
Dry heating protection	✓	✓	✓	✓	✓
Degree of protection against humidity	IPX4	IPX4	IPX4	IPX4	IPX4
Insulation thickness (mm)	20	20	20	20	20
External dimensions (H/A/D) (mm)	✉450*956	✉450*791	✉385*759	✉340*606	✉340*384

WATER HEATERS

Modelo	EWH 80 D SLIM	EWH 50 D SLIM	EWH 80 H	EWH 50 H	EWH 100
EU Regulation 812/2014					
Declared load profile	M	M	M	M	M
Water heating energy efficiency class	B	B	C	C	C
Water heating energy efficiency nwh	39	41,3	36	36	37
Annual energy consumption AEC	1720	1243	1422	1418	1401
Thermostat temperature settings Tout of the box	75	75	75	75	75
Sound power level L WA	15	15	15	15	15
EU Regulation 814/2013					
Storage Volume V	74	47	72	46	100
The Mixed Water at 40 °C V40	108	76	86	76	113
Water heating energy efficiency nwh	39	41,3	36,1	36,2	36,7
FEATURES					
Average number of users	2-4	2-3	2-4	2-3	3-5
Horizontal Installation	1	1	1	1	0
Sapphire enameled steel tank	1	1	1	1	1
Sapphire heating element	1	1	1	1	1
Regulation of temperature (°C)	30-75	30-75	30-75	30-75	30-75
Maximum input pressure (Mpa)	0,75	0,75	0,75	0,75	0,75
Thermometer	0	0	1	1	1
Magnesium protection anode	1	1	1	1	1
Overpressure protection	1	1	1	1	1
Protection against heating	1	1	1	1	1
Dry heating protection	1	1	1	1	1
Degree of protection against humidity	IPX4	IPX4	IPX4	IPX4	IPX4
Insulation thickness (mm)	18	18	20	20	20
External dimensions (H/A/D) (mm)	900×570×300	860×470×250	385×1030	385×711	450×961/972

Modelo	EWH 80	EWH 50	EWH 30	EWH 15
EU Regulation 812/2014				
Declared load profile	M	M	S	XXS
Water heating energy efficiency class	C	C	C	B
Water heating energy efficiency nwh	38	37	32	34
Annual energy consumption AEC	1356	1390	577	536
Thermostat temperature settings Tout of the box	75	75	75	75
Sound power level L WA	15	15	15	15
EU Regulation 814/2013				
Storage Volume V	80	50	30	15
The Mixed Water at 40 °C V40	90	80	51	28
Water heating energy efficiency nwh	37,8	36,9	32	34,4
FEATURES				
Average number of users	2-4	2-3	1-2	1
Horizontal Installation	0	0	0	0
Sapphire enameled steel tank	1	1	1	1
Sapphire heating element	1	1	1	1
Regulation of temperature (°C)	30-75	30-75	30-75	30-75
Maximum input pressure (Mpa)	0,75	0,75	0,75	0,75
Thermometer	1	1	1	1
Magnesium protection anode	1	1	1	1
Overpressure protection	1	1	1	1
Protection against heating	1	1	1	1
Dry heating protection	1	1	1	1
Degree of protection against humidity	IPX4	IPX4	IPX4	IPX4
Insulation thickness (mm)	20	20	20	20
External dimensions (H/A/D) (mm)	450×796/806	450×567/579	340×594/602	340×384/397

The logo for the brand TEKA, featuring the word "TEKA" in a bold, sans-serif font.

30°C 40°C 50°C 60°C



KITCHEN ACCESSORIES

KITCHEN SPARE PARTS



NEW

MAESTRO KIT VS/CP COLOR

- Frontal Panel
- Urban Colors Edition

COLOR




NEW

MAESTRO KIT VS/CP COLOR

- Frontal Panel
- Urban Colors Edition

COLOR




NEW

MAESTRO KIT VS/CP COLOR

- Frontal Panel
- Urban Colors Edition

COLOR



NEW

MAESTRO KIT VS/CP COLOR

- Frontal Panel
- Urban Colors Edition

COLOR




NEW

MAESTRO KIT VS/CP COLOR

- Frontal Panel
- Urban Colors Edition

COLOR



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior 675/775/975 long DM WHITE



HOB UNION KIT EFX

- Kit binding worktop.
- Exclusive design for all models: EFX.



RECIRCULATION KITS SET 1/L

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports the engine and filters
- Activated carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter to make it lose purification
- Available for models of decorative hoods DQ 2



RECIRCULATION KITS SET 1/S

- Free installation kit DHI hood 90 (SET 1 / S)



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long DBB / DVT BLACK

CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long-DLV / DBB / DVT / DBT INOX

CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior 675/775/975 long DM INOX / DU

KITCHEN SPARE PARTS



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long-DQ2 INOX



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long-DH2 / DLH / DPL / NC2 / DG3 / SLD / DPS / DSS



UPPER PIPE COVER DLV/DVT BLACK

- Tubecovers color for vertical bells
- Superior DLV / DVT BLACK



LOWER PIPE COVER DLV/DVT BLACK

- Tubecovers color for vertical bells
- Lower DLV / DVT BLACK



UPPER PIPE COVER DVT WHITE

- Tubecovers color for vertical bells
- WHITE Superior DVT



LOWER PIPE COVER DVT WHITE

- Tubecovers color for vertical bells
- WHITE lower DVT



CHARCOAL FILTER C1C

- Activated carbon filters for recirculating hood operation
- Periodic replacement is recommended when they lose purifying power
- Available for hoods: TL 7420, TL 6420, CNL 6400 and XT1 (891/892)
- Rectangular model



CHARCOAL FILTER C1R

- Activated carbon filters for the operation of the hood in recirculation
- periodic replacement is recommended they lose cleansing power
- Available for C 6420/9420 hoods
- rectangular model



CHARCOAL FILTER C5C

- Activated carbon filters for the operation of the hood in recirculation
- periodic replacement is recommended they lose cleansing power
- Available for hoods NR1 89
- Round pattern



FILTRO DE CARBÓN ACTIVO D6C

- Active carbon filters for the operation of the hood in recirculation
- Periodic replacement recommended when loss of purifying power
- Available for hoods: DVU
- Rectangular pattern



CHARCOAL FILTER CNL 1C

- Activated carbon filters for the operation of the hood in recirculation
- periodic replacement is recommended they lose cleansing power
- Available for CNL 6415 hoods



FILTRO DE CARBÓN ACTIVO D9C

- Active carbon filters for the operation of the hood in recirculation
- Periodic replacement recommended when loss of purifying power
- Available for hoods: INTEGRA 665/965
- Rectangular pattern.



INTEGRATION PANEL DHI 90

- Active carbon filters for the operation of the hood in recirculation
- Periodic replacement recommended when loss of purifying power
- Available for hoods: DLV 985
- Rectangular pattern.



REFRIGERATOR JUNCTION KIT TS3 370/TGF3 270

- Ligation kit refrigerators TS3 370/270 TGF3



REFRIGERATOR JUNCTION KIT TS3 370/TGF3 270

- Ligation kit refrigerators TS3 370/270 TGF3



RECIRCULATION KITS SET 1/I

- MODELS HOODS:
CC-40

RECIRCULATION KIT SET 1/M

- MODELS HOODS:
 - DM, DEP, DBP, CMB1, DBH, DCB, DBB, DVE, DVT 60/70/90, DVT 950/650, DVT 980/780/680, DVL 90, DMR 90 (SET 1/M)
 - DU 90 (SET 1/M With chimney)
 - DVT 985/785/685, DVL 985 B (SET 1/M + Adapter 61801340)

RECIRCULATION KIT SET 1/N

- MODELS HOODS:
 - DSB, DJE, DJ 980/680, DJ 950/750/650, DPS, DH2, DH 980/780/680, DHB, DH 1180/980/780/680 T, DPE 90, DPL 90, DGE, NCE, DG3, NC2, DG 950/750/650, NC 950/750/650, DF 90, DHC 90 (SET 1/N)
 - DH 1185/985/785/685, DH 1185/985/785/685 T, DP 985 T, DPL 985 T, DG 985/785/685, NC 985/685/785 (SET 1/N + Adapter 61801340)



RECIRCULATION KITS SET 1/Q

- MODELS HOODS:
- DPL 90

RECIRCULATION KITS SET 1/T

- MODELS HOODS:
- DG3 ISLA/DSB ISLA/DH2 ISLA/DPL ISLA

THE STEAM BOX

- Includes two individual trays, allowing to cook several meals at the same time
- Inner grill. Ideal for cooking juicy meals, intensifying its flavours
- Extra deep tray to achieve a better diffusion and distribution of the heat
- Glass lid with an outlet valve and silicone coating for steam cooking
- All the components included in the MultiCook kit can be washed in the dishwasher



CHARCOAL FILTER C2C

- FOR RECIRCULATION USE
- MODELS HOODS: CS600

CHARCOAL FILTER C3R

- FOR RECIRCULATION USE
- MODELS HOODS:
- CNL1-3000, CNL1-9000

KITCHEN ACCESSORIES



NON-STICK ALUMINIUM TRAY KIT

- Baking sheets
- non-stick material for easy cleaning



WISH 2-LEVEL TELESCOPIC SLIDES

- System Removable oven guides
- Optional guides can be installed in the furnace with chrome guides or guide systems telescopic series
- Two slide rail kit



WISH SINGLE-LEVEL TELESCOPIC SLIDES

- System Removable oven guides
- Optional guides can be installed in the furnace with chrome guides or guide systems telescopic series
- A telescopic guide kit



INDUCTION COOKWARE SET

- The set of nine stainless steel parts comprises:
- 1 Ø 24 cm pot
- 1 Ø 20 cm pot
- 1 Ø 16 cm pot
- 1 pan Ø 28 cm Ø 16 cm pot 1
- 4 lids.
- Suitable for induction.



DOMINO JOINT MODULAR HOB 1 UNIT

- Kit for connecting modules with beveled glass.
- exclusive design for models: IR 4200, IRF 3200, IR 3200 and TR 3220.



HOBS UNION KIT IZ / TZ

- Joining Kit for countertops with front bezel.
- Exclusive design for all models: IZ and TZ.



TEKA ECO EASY 60 RECYCLING SYSTEM

- 1 container consists of 12 liter and 5 liter containers 2
- free installation
- Furniture 45 cms



RECICLYNG SYSTEM

- Formed by two containers 15 liters
- Free installation
- Galvanized steel guides (supports up to 50 kgs)
- Removable for easy cleaning
- Height 365 mm
- Furniture 45 cms



TEKA ECO 60 RECYCLING SYSTEM

- Formed by two 15 Liter
- System cabinet front opening 60 cms
- Easy mounting system
- Guides galvanized steel (supports up to 50 kgs)
- 60 cms furniture



KIT STONE PIZZA DOUBLE COOK



SISTEMA DE RECICLAJE TEKA ECO EASY 90



TELESCOPIC GUIDES FOR 60 CM. OVENS 3 LEVELS

KITCHEN ACCESSORIES



TELESCOPIC GUIDES FOR 60 CM. OVENS 2 LEVELS

TELESCOPIC GUIDES FOR 60 CM. OVENS 1 LEVELS

KIT STONE GRILL DOUBLE COOK

KEY TO ICONS

KEY TO ICONS

OVENS

 32L Capacity

 38L Capacity

 40L Capacity

 41L Capacity

 44L Capacity

 48L Capacity

 70L Capacity

 72L Capacity

 76L Capacity

 77LCapacity

 DualClean Cleaning system

 Full Extension Telescopic Guide

 HydroClean

 The SteamBox Included

 Plus Extension Telescopic Guide

 Pyrolysis Cleaning System

 SoftClose

 SurroundTemp

 A Energy Class

 A+ Energy Class

 A++ Energy Class

 A+++ Energy Class

 Power Plus

 Slider

 Syncro function

MICROWAVES

 18L Capacity

 20L Capacity

 22L Capacity

 Ceramic base

 Defrost By Time

 Defrost By Weight

 Direct Access Menu

 Electronic Door Opening

 A Energy Class

 A+ Energy Class

 A++ Energy Class

 A+++ Energy Class

HOODS

 LED light bar

 PERFECTA-4

 RIM Extraction

 Remote Control

 Silent EcoPower Motor

 Stop Delay Timer

 A Energy Class

 A+ Energy Class

 A++ Energy Class

 A+++ Energy Class

HOBS

 Auto ignition

 Autolock

 Easy Installation

 ExactFlame

 Flex

 MultiSlider

 Power

DISHWASHERS

 Eco Function

 Half Load

 Third Cutlery Tray

 Third Sprayer

 Eco Function

 A Energy Class

 A+ Energy Class

 A++ Energy Class

 A+++ Energy Class

 Eco Function

COLD LINE

 Eco Function

 Bar On Door

 Easy 90

 Eco Function

 Fresh Box

 Full No Frost

 Gourmet Box

 IonClean Technology

 LED

 LongLife No Frost

 Motor inverter

 On Holidays function

 Vitacare Box

 Zero Box

 A Energy Class

 A+ Energy Class

 A++ Energy Class

 A+++ Energy Class



Eco Function



Overheating Protection



Slim heater



Type of Installation



INOX 18/10



Fingerprint Proof



Hand Wash



My Cycle



Quick Cycle



SoftCare Drum



Washing capacity: 10Kg



Washing capacity: 6Kg



Washing capacity: 7Kg



Washing capacity: 8Kg



Washing capacity: 9Kg



Woolmark Certificate



A Energy Class



A+ Energy Class



A++ Energy Class



A+++ Energy Class

WATER HEATERS



Dry Heating Protection



ELCB Earth Leakage Circuit Breaker



Electronic Smart Control



Humidity Control

